Technical Appendix

Toward Universal Access: Americans with Disabilities Act Sidewalk and Curb Ramp Self-Evaluation Report

for the City of Bellevue

September 2009



Americans with Disabilities Act & Title VI information

Americans with Disabilities Act (ADA) Information: Materials can be provided in alternative formats by contacting Yvonne Tate, City ADA Coordinator at 425-452-4066 (voice) 425-452-4636 (TTY) or ytate@bellevuewa.gov. Persons who are deaf or hard of hearing may make a request for alternative formats through the Washington Relay Service at 7-1-1.

Title VI Notice to Public: It is the City of Bellevue's policy to assure that no person shall, on the grounds of race, color, national origin or sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person who believes his/her Title VI protection has been violated may file a complaint with the Title VI Coordinator. For Title VI complaint forms and advice, please contact the Title VI Coordinator at 425-452-4270.

Table of Contents



Page No.

1. Executive Summary 3

2. Sidewalk Maps 7

3. Sidewalk Spreadsheets 57

4. Curb Ramp Spreadsheets 138

ADA Self-Evaluation Report




Executive Summary

Plan Purpose

The City of Bellevue is a community of 120,000 residents. According to the 2000 Census, approximately 15 percent of Bellevue residents live with a developmental, physical, or mental disability. As the population continues to age, the number of people with disabilities is expected to increase.

Access to civic life by persons with disabilities is a fundamental goal of the Americans with Disabilities Act (ADA). In support of this goal, the City of Bellevue's ADA Self-Evaluation Report is a comprehensive analysis of the City's existing sidewalk and curb ramp facilities. Data collected from this assessment enables city staff to: (i) determine if a sidewalk or curb ramp meets intended design specifications and guidelines; (ii) catalog feature and maintenance information; (iii) identify portions of sidewalks needing accessibility improvements; (iv) quantify the extent of the work required; and, (v) add pedestrian information to the City's Geographic Information Systems (GIS) database.

The report outcomes were informed by an extensive public outreach effort that provided a wide range of stakeholders from the disability community with improved access to the decision-making process. The outreach effort included surveys, focus groups, public meetings, and conversations with residents at sidewalk and curb ramp locations. The ranking of barriers in this process responds to the self-stated needs of people with disabilities in the community.



The City of Bellevue is committed to establishing an accessible community that provides the public with transportation choices and independent mobility regardless of age, physical constraint, or income.

Project Approach

In undertaking this asset data inventory and condition assessment, the City employed innovative technologies to document barriers and prioritize improvements where they are most needed. The technology, developed through a pilot program with the Federal Highway Administration, uses an Ultra-Light Inertial Profiler (ULIP) mounted on a Segway scooter. The device's lasers, accelerometers, and gyroscope are designed to measure the sidewalk surface at a rate of 10,000 records per second capturing highly accurate information about slope and small surface variations that can make a sidewalk difficult to navigate. A tray and handle bar mount support a notebook computer that offered an interactive, real-time display during data collection. The accompanying software produced a text file compatible with the City's GIS asset management database.


The technical precision offered by Bellevue's approach is identified as a best practice in ADA Compliance at Transportation Agencies: A Review of Practices (NCHRP 20-07 Task 249), a Texas Transportation Institute study. The report notes that "[e]fforts such as those at the City of Bellevue, Washington, that rely on the collection of large datasets at extremely fine spatial and temporal disaggregation levels have the potential to significantly automate the identification of non-compliant locations in the field." GIS played a pivotal role in the project from data



City of Bellevue's ULIP and Segway Human Transporter equipment.



Executive Summary



Screen-shot image of ADA mapping viewer interface.



Fixed obstructions.



Change in level.



Vegetation and grade barriers.

acquisition (organizing the millions of data points generated during the study) to creating a web-based mapping interface for asset management and compliance monitoring. The result is a mapping interface on the City's intranet that documents all non-standard data points related to sidewalks and curb ramps. The ADA viewer interface creates a platform from which city staff retrieve information on barriers in the public right of way, informing the City's corrective measures on where to make repairs to sidewalks and curb ramps.

The following is a summary of barriers documented in the report.

Sidewalk Data

1. **Sidewalk facilities** (Total: 321 miles)
   - Concrete surfaces: 298 miles
   - Asphalt/brick/other surfaces: 23 miles

2. **Sidewalk obstructions** (Total: 6,944 instances)
   - Fixed obstructions: 226 instances
   - Movable obstructions: 722 instances
   - Vegetative obstructions: 5,996 instances

3. **Sidewalk changes in level** (Total: 27,558 instances)
   - 0.25" - 0.5": 20,002 instances
   - 0.51" - 0.75": 7,014 instances
   - 0.76" - 1": 274 instances
   - > 1": 268 instances

4. **Non-standard sidewalk grade** (Total: 39 miles)
   - 5% - 8.33%: 32 miles
   - 8.34% - 10%: 4 miles
   - 10.1% - 12.5%: 2 miles
   - Deemed technically infeasible: 95 miles

5. **Non-standard sidewalk cross slope** (Total: 212 miles)
   - 2 - 4%: 134 miles
   - 4.1 - 6%: 49 miles
   - 6.1 - 8%: 15 miles
   - 8.1 - 10%: 7 miles
   - > 10%: 7 miles

6. **Sidewalks with either a non-standard cross slope or grade**
   - Including grade deemed technically infeasible: 254 miles
   - Excluding grade deemed technically infeasible: 225 miles

ADA Self-Evaluation Report



Curb Ramp Data

1. **Ramp type data**
   - Ramp locations: 4,586
   - Sidewalk locations lacking ramp access (non-standard): 1,041

2. **Non-standard returned curb locations**
   - Total: 11

3. **Flare data**
   - Slopes ≤10% (standard): 457
   - Slopes between 10.1% – 12% (non-standard): 225
   - Slopes > 12% (non-standard): 765

4. **Ramp landing panel data**
   - Depth greater than or equal to 48" (best practice): 2,276
   - Depth between 36" - 48" (standard): 283
   - Depth smaller than 36" (non-standard): 161
   - None present (non-standard): 791
   - Slopes > 2% (non-standard): 2,791

5. **Ramp panel data**
   - Width greater than or equal to 48" (best practice): 2,211
   - Width between 36" - 47" (standard): 1,199
   - Width < 36" (non-standard): 101
   - Running slope < 8.3% (standard): 1,525
   - Running slope between 8.31% - 10% (non-standard): 686
   - Running slope > 10% (non-standard): 1,300
   - Cross slope ≤ 2% (standard): 1,095
   - Cross slope between 2% - 4% (non-standard): 1,006
   - Cross slope > 4% (non-standard): 1,410
   - Ramps with both running slope > 10% (non-standard) and cross slope > 4% (non-standard): 593

6. **Gutter data**
   - Running slope ≤ 5% (standard): 2,362
   - Running slope > 5% (non-standard): 1,149
   - Cross slope ≤ 2% (standard): 1,302
   - Cross slope > 2% (non-standard): 2,209
   - Non-standard gutter/ramp transitions: 713

7. **Ramps lacking detectable warning surface (non-standard)**
   - Total: 2,557

8. **Marked crossings**
   - Ramps without marked crossings: 2,869
   - Ramps with one marked crossing: 500
   - Ramps with two marked crossings: 142
   - Diagonal ramps lacking 48" clear space (non-standard): 78



Steep driveway cross slope.



Missing ramp.



Barrier forces street use.



No ramp landing panel.



Steep ramp running slope.



Executive Summary

Barrier Ranking

Supporting the City in prioritizing barrier remediation efforts is a GIS-based analysis that results in a combined activity and impedance score for every sidewalk and curb ramp in Bellevue. A high activity score is representative of areas where pedestrian activity (especially among persons with disabilities) is likely to be greatest, based on demographic, land use, and transportation conditions. A high impedance score is representative of areas where the quality of existing pedestrian infrastructure is poor for persons with disabilities, based on barriers documented in the sidewalk and curb ramp inventory. The key principle here is to assign a high ranking on a needs basis, not necessarily to the sidewalks and curb ramps in the worst condition but rather to those that would provide the most benefits to people with disabilities.

Activity Score




+

Impedance Score



Legend





A number of mechanisms are in place to make sidewalks accessible to people with disabilities, including sidewalk maintenance, curb ramp retrofit, and pavement overlay programs. In addition, the city incorporates ADA improvements into its capital projects and as permit conditions for development.

Implementation

This report provides the foundation to the Transportation Department's ADA Transition Plan Update. Bellevue's ADA Transition Plan references the barrier rankings of non-standard pedestrian facilities documented in the ADA Sidewalk and Curb Ramp Self-Evaluation Report to identify corrective measures in the city's public rights-of-way. Recognizing that the City has limited funds and cannot immediately make all sidewalks and curb ramp facilities fully accessible, the City's ADA Transition Plan sets forth the schedule for making access modifications.


For more information:

The ADA Sidewalk and Curb Ramp Self-Evaluation Report is located at:
http://www.bellevuewa.gov/accessibility-reports.htm

The project manager, Franz Loewenherz, can be reached at 425-452-4077 or FLoewenherz@bellevuewa.gov


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 1 of 50
Section: 15-25-5



ADA Self-Evaluation Report



Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 2 of 50
Section: 19-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 3 of 50
Section: 20-25-5



ADA Self-Evaluation Report



Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 4 of 50
Section: 21-25-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 5 of 50
Section: 22-25-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 6 of 50
Section: 23-25-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

- High : 95
- Low : 4.5


= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 7 of 50
Section: 24-25-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 8 of 50
Section: 30-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95


Low : 4.5

= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 9 of 50
Section: 29-25-5



v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 10 of 50
Section: 28-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 11 of 50
Section: 27-25-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 12 of 50
Section: 26-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

- High : 95
- Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 13 of 50
Section: 25-25-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 14 of 50
Section: 30-25-6

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

- High : 95
- Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 15 of 50
Section: 10-25-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 16 of 50
Section: 31-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95


Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 17 of 50
Section: 32-25-5



Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 18 of 50
Section: 33-25-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 19 of 50
Section: 34-25-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 20 of 50
Section: 35-25-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95


Low : 4.5

= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 21 of 50
Section: 36-25-5



v:\tri\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 22 of 50
Section: 06-24-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 23 of 50
Section: 05-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 24 of 50
Section: 04-24-5


Sidewalk Maps





v:\tri\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95


Low : 4.5

= 725 feet

NORTH

ADA Sidewalk Atlas

Map: 25 of 50
Section: 03-24-5



v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location

Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet

NORTH

ADA Sidewalk Atlas

Map: 26 of 50
Section: 02-24-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 27 of 50
Section: 01-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 28 of 50
Section: 08-24-5


Sidebar Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 29 of 50
Section: 09-24-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 30 of 50
Section: 10-24-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 31 of 50
Section: 11-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 32 of 50
Section: 12-24-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 33 of 50
Section: 17-24-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 34 of 50
Section: 16-24-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 35 of 50
Section: 15-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 36 of 50
Section: 14-24-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95


Low : 4.5

= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 37 of 50
Section: 13-24-5



v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 38 of 50
Section: 18-24-6


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 39 of 50
Section: 20-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 40 of 50
Section: 21-24-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 41 of 50
Section: 22-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 42 of 50
Section: 23-24-5

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH


ADA Sidewalk Atlas

Map: 43 of 50
Section: 24-24-5





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas


Map: 44 of 50
Section: 19-24-6

Sidewalk Maps





Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5


= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 45 of 50
Section: 29-24-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH


ADA Sidewalk Atlas

Map: 46 of 50
Section: 28-24-5


Sidebar Maps




22-24-5
28-24-5
26-24-5
22-24-5
SE NEWCASTLE-COAL CREEK
SE 72ND PL
SE 63RD PL
SE 78TH WAY
SE 77TH ST
SE 77TH CT
SE 77TH PL
SE 72ND CT
SE 72ND PL
SE 74TH PL
SE 74TH CT
SE 74TH WAY
SE 75TH DR
SE 76TH ST
SE 76TH PL
SE 76TH WAY
SE 76TH CT
SE 76TH PL
SE 78TH PL
SE 78TH WAY
SE 78TH ST
SE 78TH DR
SE 79TH CT
SE 79TH PL
SE 79TH ST
SE 79TH WAY
SE 79TH DR
SE 80TH PL
SE 80TH ST
SE 80TH WAY
SE 80TH CT
SE 80TH PL
SE 81ST ST
SE 81ST PL
SE 81ST WAY
SE 81ST CT
SE 82ND PL
SE 82ND ST
SE 82ND WAY
SE 82ND CT
SE 82ND PL
SE 83RD PL
SE 83RD ST
SE 83RD WAY
SE 83RD CT
SE 83RD PL
SE 84TH PL
SE 84TH ST
SE 84TH WAY
SE 84TH CT
SE 84TH PL
SE 85TH PL
SE 85TH ST
SE 85TH WAY
SE 85TH CT
SE 85TH PL
SE 86TH PL
SE 86TH ST
SE 86TH WAY
SE 86TH CT
SE 86TH PL
SE 87TH PL
SE 87TH ST
SE 87TH WAY
SE 87TH CT
SE 87TH PL
SE 88TH PL
SE 88TH ST
SE 88TH WAY
SE 88TH CT
SE 88TH PL
SE 89TH PL
SE 89TH ST
SE 89TH WAY
SE 89TH CT
SE 89TH PL
SE 90TH PL
SE 90TH ST
SE 90TH WAY
SE 90TH CT
SE 90TH PL
SE 91ST PL
SE 91ST ST
SE 91ST WAY
SE 91ST CT
SE 91ST PL
SE 92ND PL
SE 92ND ST
SE 92ND WAY
SE 92ND CT
SE 92ND PL
SE 93RD PL
SE 93RD ST
SE 93RD WAY
SE 93RD CT
SE 93RD PL
SE 94TH PL
SE 94TH ST
SE 94TH WAY
SE 94TH CT
SE 94TH PL
SE 95TH PL
SE 95TH ST
SE 95TH WAY
SE 95TH CT
SE 95TH PL
SE 96TH PL
SE 96TH ST
SE 96TH WAY
SE 96TH CT
SE 96TH PL
SE 97TH PL
SE 97TH ST
SE 97TH WAY
SE 97TH CT
SE 97TH PL
SE 98TH PL
SE 98TH ST
SE 98TH WAY
SE 98TH CT
SE 98TH PL
SE 99TH PL
SE 99TH ST
SE 99TH WAY
SE 99TH CT
SE 99TH PL
SE 100TH PL
SE 100TH ST
SE 100TH WAY
SE 100TH CT
SE 100TH PL
SE 101ST PL
SE 101ST ST
SE 101ST WAY
SE 101ST CT
SE 101ST PL
SE 102ND PL
SE 102ND ST
SE 102ND WAY
SE 102ND CT
SE 102ND PL
SE 103RD PL
SE 103RD ST
SE 103RD WAY
SE 103RD CT
SE 103RD PL
SE 104TH PL
SE 104TH ST
SE 104TH WAY
SE 104TH CT
SE 104TH PL
SE 105TH PL
SE 105TH ST
SE 105TH WAY
SE 105TH CT
SE 105TH PL
SE 106TH PL
SE 106TH ST
SE 106TH WAY
SE 106TH CT
SE 106TH PL
SE 107TH PL
SE 107TH ST
SE 107TH WAY
SE 107TH CT
SE 107TH PL
SE 108TH PL
SE 108TH ST
SE 108TH WAY
SE 108TH CT
SE 108TH PL
SE 109TH PL
SE 109TH ST
SE 109TH WAY
SE 109TH CT
SE 109TH PL
SE 110TH PL
SE 110TH ST
SE 110TH WAY
SE 110TH CT
SE 110TH PL
SE 111TH PL
SE 111TH ST
SE 111TH WAY
SE 111TH CT
SE 111TH PL
SE 112TH PL
SE 112TH ST
SE 112TH WAY
SE 112TH CT
SE 112TH PL
SE 113TH PL
SE 113TH ST
SE 113TH WAY
SE 113TH CT
SE 113TH PL
SE 114TH PL
SE 114TH ST
SE 114TH WAY
SE 114TH CT
SE 114TH PL
SE 115TH PL
SE 115TH ST
SE 115TH WAY
SE 115TH CT
SE 115TH PL
SE 116TH PL
SE 116TH ST
SE 116TH WAY
SE 116TH CT
SE 116TH PL
SE 117TH PL
SE 117TH ST
SE 117TH WAY
SE 117TH CT
SE 117TH PL
SE 118TH PL
SE 118TH ST
SE 118TH WAY
SE 118TH CT
SE 118TH PL
SE 119TH PL
SE 119TH ST
SE 119TH WAY
SE 119TH CT
SE 119TH PL
SE 120TH PL
SE 120TH ST
SE 120TH WAY
SE 120TH CT
SE 120TH PL
SE 121ST PL
SE 121ST ST
SE 121ST WAY
SE 121ST CT
SE 121ST PL
SE 122ND PL
SE 122ND ST
SE 122ND WAY
SE 122ND CT
SE 122ND PL
SE 123RD PL
SE 123RD ST
SE 123RD WAY
SE 123RD CT
SE 123RD PL
SE 124TH PL
SE 124TH ST
SE 124TH WAY
SE 124TH CT
SE 124TH PL
SE 125TH PL
SE 125TH ST
SE 125TH WAY
SE 125TH CT
SE 125TH PL
SE 126TH PL
SE 126TH ST
SE 126TH WAY
SE 126TH CT
SE 126TH PL
SE 127TH PL
SE 127TH ST
SE 127TH WAY
SE 127TH CT
SE 127TH PL
SE 128TH PL
SE 128TH ST
SE 128TH WAY
SE 128TH CT
SE 128TH PL
SE 129TH PL
SE 129TH ST
SE 129TH WAY
SE 129TH CT
SE 129TH PL
SE 130TH PL
SE 130TH ST
SE 130TH WAY
SE 130TH CT
SE 130TH PL
SE 131ST PL
SE 131ST ST
SE 131ST WAY
SE 131ST CT
SE 131ST PL
SE 132ND PL
SE 132ND ST
SE 132ND WAY
SE 132ND CT
SE 132ND PL
SE 133RD PL
SE 133RD ST
SE 133RD WAY
SE 133RD CT
SE 133RD PL
SE 134TH PL
SE 134TH ST
SE 134TH WAY
SE 134TH CT
SE 134TH PL
SE 135TH PL
SE 135TH ST
SE 135TH WAY
SE 135TH CT
SE 135TH PL
SE 136TH PL
SE 136TH ST
SE 136TH WAY
SE 136TH CT
SE 136TH PL
SE 137TH PL
SE 137TH ST
SE 137TH WAY
SE 137TH CT
SE 137TH PL
SE 138TH PL
SE 138TH ST
SE 138TH WAY
SE 138TH CT
SE 138TH PL
SE 139TH PL
SE 139TH ST
SE 139TH WAY
SE 139TH CT
SE 139TH PL
SE 140TH PL
SE 140TH ST
SE 140TH WAY
SE 140TH CT
SE 140TH PL
SE 141ST PL
SE 141ST ST
SE 141ST WAY
SE 141ST CT
SE 141ST PL
SE 142ND PL
SE 142ND ST
SE 142ND WAY
SE 142ND CT
SE 142ND PL
SE 143RD PL
SE 143RD ST
SE 143RD WAY
SE 143RD CT
SE 143RD PL
SE 144TH PL
SE 144TH ST
SE 144TH WAY
SE 144TH CT
SE 144TH PL
SE 145TH PL
SE 145TH ST
SE 145TH WAY
SE 145TH CT
SE 145TH PL
SE 146TH PL
SE 146TH ST
SE 146TH WAY
SE 146TH CT
SE 146TH PL
SE 147TH PL
SE 147TH ST
SE 147TH WAY
SE 147TH CT
SE 147TH PL
SE 148TH PL
SE 148TH ST
SE 148TH WAY
SE 148TH CT
SE 148TH PL
SE 149TH PL
SE 149TH ST
SE 149TH WAY
SE 149TH CT
SE 149TH PL
SE 150TH PL
SE 150TH ST
SE 150TH WAY
SE 150TH CT
SE 150TH PL
SE 151ST PL
SE 151ST ST
SE 151ST WAY
SE 151ST CT
SE 151ST PL
SE 152ND PL
SE 152ND ST
SE 152ND WAY
SE 152ND CT
SE 152ND PL
SE 153RD PL
SE 153RD ST
SE 153RD WAY
SE 153RD CT
SE 153RD PL
SE 154TH PL
SE 154TH ST
SE 154TH WAY
SE 154TH CT
SE 154TH PL
SE 155TH PL
SE 155TH ST
SE 155TH WAY
SE 155TH CT
SE 155TH PL
SE 156TH PL
SE 156TH ST
SE 156TH WAY
SE 156TH CT
SE 156TH PL
SE 157TH PL
SE 157TH ST
SE 157TH WAY
SE 157TH CT
SE 157TH PL
SE 158TH PL
SE 158TH ST
SE 158TH WAY
SE 158TH CT
SE 158TH PL
SE 159TH PL
SE 159TH ST
SE 159TH WAY
SE 159TH CT
SE 159TH PL
SE 160TH PL
SE 160TH ST
SE 160TH WAY
SE 160TH CT
SE 160TH PL
SE 161ST PL
SE 161ST ST
SE 161ST WAY
SE 161ST CT
SE 161ST PL
SE 162ND PL
SE 162ND ST
SE 162ND WAY
SE 162ND CT
SE 162ND PL
SE 163RD PL
SE 163RD ST
SE 163RD WAY
SE 163RD CT
SE 163RD PL
SE 164TH PL
SE 164TH ST
SE 164TH WAY
SE 164TH CT
SE 164TH PL
SE 165TH PL
SE 165TH ST
SE 165TH WAY
SE 165TH CT
SE 165TH PL
SE 166TH PL
SE 166TH ST
SE 166TH WAY
SE 166TH CT
SE 166TH PL
SE 167TH PL
SE 167TH ST
SE 167TH WAY
SE 167TH CT
SE 167TH PL
SE 168TH PL
SE 168TH ST
SE 168TH WAY
SE 168TH CT
SE 168TH PL
SE 169TH PL
SE 169TH ST
SE 169TH WAY
SE 169TH CT
SE 169TH PL
SE 170TH PL
SE 170TH ST
SE 170TH WAY
SE 170TH CT
SE 170TH PL
SE 171ST PL
SE 171ST ST
SE 171ST WAY
SE 171ST CT
SE 171ST PL
SE 172ND PL
SE 172ND ST
SE 172ND WAY
SE 172ND CT
SE 172ND PL
SE 173RD PL
SE 173RD ST
SE 173RD WAY
SE 173RD CT
SE 173RD PL
SE 174TH PL
SE 174TH ST
SE 174TH WAY
SE 174TH CT
SE 174TH PL
SE 175TH PL
SE 175TH ST
SE 175TH WAY
SE 175TH CT
SE 175TH PL
SE 176TH PL
SE 176TH ST
SE 176TH WAY
SE 176TH CT
SE 176TH PL
SE 177TH PL
SE 177TH ST
SE 177TH WAY
SE 177TH CT
SE 177TH PL
SE 178TH PL
SE 178TH ST
SE 178TH WAY
SE 178TH CT
SE 178TH PL
SE 179TH PL
SE 179TH ST
SE 179TH WAY
SE 179TH CT
SE 179TH PL
SE 180TH PL
SE 180TH ST
SE 180TH WAY
SE 180TH CT
SE 180TH PL
SE 181ST PL
SE 181ST ST
SE 181ST WAY
SE 181ST CT
SE 181ST PL
SE 182ND PL
SE 182ND ST
SE 182ND WAY
SE 182ND CT
SE 182ND PL
SE 183RD PL
SE 183RD ST
SE 183RD WAY
SE 183RD CT
SE 183RD PL
SE 184TH PL
SE 184TH ST
SE 184TH WAY
SE 184TH CT
SE 184TH PL
SE 185TH PL
SE 185TH ST
SE 185TH WAY
SE 185TH CT
SE 185TH PL
SE 186TH PL
SE 186TH ST
SE 186TH WAY
SE 186TH CT
SE 186TH PL
SE 187TH PL
SE 187TH ST
SE 187TH WAY
SE 187TH CT
SE 187TH PL
SE 188TH PL
SE 188TH ST
SE 188TH WAY
SE 188TH CT
SE 188TH PL
SE 189TH PL
SE 189TH ST
SE 189TH WAY
SE 189TH CT
SE 189TH PL
SE 190TH PL
SE 190TH ST
SE 190TH WAY
SE 190TH CT
SE 190TH PL
SE 191ST PL
SE 191ST ST
SE 191ST WAY
SE 191ST CT
SE 191ST PL
SE 192ND PL
SE 192ND ST
SE 192ND WAY
SE 192ND CT
SE 192ND PL
SE 193RD PL
SE 193RD ST
SE 193RD WAY
SE 193RD CT
SE 193RD PL
SE 194TH PL
SE 194TH ST
SE 194TH WAY
SE 194TH CT
SE 194TH PL
SE 195TH PL
SE 195TH ST
SE 195TH WAY
SE 195TH CT
SE 195TH PL
SE 196TH PL
SE 196TH ST
SE 196TH WAY
SE 196TH CT
SE 196TH PL
SE 197TH PL
SE 197TH ST
SE 197TH WAY
SE 197TH CT
SE 197TH PL
SE 198TH PL
SE 198TH ST
SE 198TH WAY
SE 198TH CT
SE 198TH PL
SE 199TH PL
SE 199TH ST
SE 199TH WAY
SE 199TH CT
SE 199TH PL
SE 200TH PL
SE 200TH ST
SE 200TH WAY
SE 200TH CT
SE 200TH PL
SE 201ST PL
SE 201ST ST
SE 201ST WAY
SE 201ST CT
SE 201ST PL
SE 202ND PL
SE 202ND ST
SE 202ND WAY
SE 202ND CT
SE 202ND PL
SE 203RD PL
SE 203RD ST
SE 203RD WAY
SE 203RD CT
SE 203RD PL
SE 204TH PL
SE 204TH ST
SE 204TH WAY
SE 204TH CT
SE 204TH PL
SE 205TH PL
SE 205TH ST
SE 205TH WAY
SE 205TH CT
SE 205TH PL
SE 206TH PL
SE 206TH ST
SE 206TH WAY
SE 206TH CT
SE 206TH PL
SE 207TH PL
SE 207TH ST
SE 207TH WAY
SE 207TH CT
SE 207TH PL
SE 208TH PL
SE 208TH ST
SE 208TH WAY
SE 208TH CT
SE 208TH PL
SE 209TH PL
SE 209TH ST
SE 209TH WAY
SE 209TH CT
SE 209TH PL
SE 210TH PL
SE 210TH ST
SE 210TH WAY
SE 210TH CT
SE 210TH PL
SE 211TH PL
SE 211TH ST
SE 211TH WAY
SE 211TH CT
SE 211TH PL
SE 212TH PL
SE 212TH ST
SE 212TH WAY
SE 212TH CT
SE 212TH PL
SE 213TH PL
SE 213TH ST
SE 213TH WAY
SE 213TH CT
SE 213TH PL
SE 214TH PL
SE 214TH ST
SE 214TH WAY
SE 214TH CT
SE 214TH PL
SE 215TH PL
SE 215TH ST
SE 215TH WAY
SE 215TH CT
SE 215TH PL
SE 216TH PL
SE 216TH ST
SE 216TH WAY
SE 216TH CT
SE 216TH PL
SE 217TH PL
SE 217TH ST
SE 217TH WAY
SE 217TH CT
SE 217TH PL
SE 218TH PL
SE 218TH ST
SE 218TH WAY
SE 218TH CT
SE 218TH PL
SE 219TH PL
SE 219TH ST
SE 219TH WAY
SE 219TH CT
SE 219TH PL
SE 220TH PL
SE 220TH ST
SE 220TH WAY
SE 220TH CT
SE 220TH PL
SE 221ST PL
SE 221ST ST
SE 221ST WAY
SE 221ST CT
SE 221ST PL
SE 222ND PL
SE 222ND ST
SE 222ND WAY
SE 222ND CT
SE 222ND PL
SE 223RD PL
SE 223RD ST
SE 223RD WAY
SE 223RD CT
SE 223RD PL
SE 224TH PL
SE 224TH ST
SE 224TH WAY
SE 224TH CT
SE 224TH PL
SE 225TH PL
SE 225TH ST
SE 225TH WAY
SE 225TH CT
SE 225TH PL
SE 226TH PL
SE 226TH ST
SE 226TH WAY
SE 226TH CT
SE 226TH PL
SE 227TH PL
SE 227TH ST
SE 227TH WAY
SE 227TH CT
SE 227TH PL
SE 228TH PL
SE 228TH ST
SE 228TH WAY
SE 228TH CT
SE 228TH PL
SE 229TH PL
SE 229TH ST
SE 229TH WAY
SE 229TH CT
SE 229TH PL
SE 230TH PL
SE 230TH ST
SE 230TH WAY
SE 230TH CT
SE 230TH PL
SE 231ST PL
SE 231ST ST
SE 231ST WAY
SE 231ST CT
SE 231ST PL
SE 232ND PL
SE 232ND ST
SE 232ND WAY
SE 232ND CT
SE 232ND PL
SE 233RD PL
SE 233RD ST
SE 233RD WAY
SE 233RD CT
SE 233RD PL
SE 234TH PL
SE 234TH ST
SE 234TH WAY
SE 234TH CT
SE 234TH PL
SE 235TH PL
SE 235TH ST
SE 235TH WAY
SE 235TH CT
SE 235TH PL
SE 236TH PL
SE 236TH ST
SE 236TH WAY
SE 236TH CT
SE 236TH PL
SE 237TH PL
SE 237TH ST
SE 237TH WAY
SE 237TH CT
SE 237TH PL
SE 238TH PL
SE 238TH ST
SE 238TH WAY
SE 238TH CT
SE 238TH PL
SE 239TH PL
SE 239TH ST
SE 239TH WAY
SE 239TH CT
SE 239TH PL
SE 240TH PL
SE 240TH ST
SE 240TH WAY
SE 240TH CT
SE 240TH PL
SE 241ST PL
SE 241ST ST
SE 241ST WAY
SE 241ST CT
SE 241ST PL
SE 242ND PL
SE 242ND ST
SE 242ND WAY
SE 242ND CT
SE 242ND PL
SE 243RD PL
SE 243RD ST
SE 243RD WAY
SE 243RD CT
SE 243RD PL
SE 244TH PL
SE 244TH ST
SE 244TH WAY
SE 244TH CT
SE 244TH PL
SE 245TH PL
SE 245TH ST
SE 245TH WAY
SE 245TH CT
SE 245TH PL
SE 246TH PL
SE 246TH ST
SE 246TH WAY
SE 246TH CT
SE 246TH PL
SE 247TH PL
SE 247TH ST
SE 247TH WAY
SE 247TH CT
SE 247TH PL
SE 248TH PL
SE 248TH ST
SE 248TH WAY
SE 248TH CT
SE 248TH PL
SE 249TH PL
SE 249TH ST
SE 249TH WAY
SE 249TH CT
SE 249TH PL
SE 250TH PL
SE 250TH ST
SE 250TH WAY
SE 250TH CT
SE 250TH PL
SE 251ST PL
SE 251ST ST
SE 251ST WAY
SE 251ST CT
SE 251ST PL
SE 252ND PL
SE 252ND ST
SE 252ND WAY
SE 252ND CT
SE 252ND PL
SE 253RD PL
SE 253RD ST
SE 253RD WAY
SE 253RD CT
SE 253RD PL
SE 254TH PL
SE 254TH ST
SE 254TH WAY
SE 254TH CT
SE 254TH PL
SE 255TH PL
SE 255TH ST
SE 255TH WAY
SE 255TH CT
SE 255TH PL
SE 256TH PL
SE 256TH ST
SE 256TH WAY
SE 256TH CT
SE 256TH PL
SE 257TH PL
SE 257TH ST
SE 257TH WAY
SE 257TH CT
SE 257TH PL
SE 258TH PL
SE 258TH ST
SE 258TH WAY
SE 258TH CT
SE 258TH PL
SE 259TH PL
SE 259TH ST
SE 259TH WAY
SE 259TH CT
SE 259TH PL
SE 260TH PL
SE 260TH ST
SE 260TH WAY
SE 260TH CT
SE 260TH PL
SE 261ST PL
SE 261ST ST
SE 261ST WAY
SE 261ST CT
SE 261ST PL
SE 262ND PL
SE 262ND ST
SE 262ND WAY
SE 262ND CT
SE 262ND PL
SE 263RD PL
SE 263RD ST
SE 263RD WAY
SE 263RD CT
SE 263RD PL
SE 264TH PL
SE 264TH ST
SE 264TH WAY
SE 264TH CT
SE 264TH PL
SE 265TH PL
SE 265TH ST
SE 265TH WAY
SE 265TH CT
SE 265TH PL
SE 266TH PL
SE 266TH ST
SE 266TH WAY
SE 266TH CT
SE 266TH PL
SE 267TH PL
SE 267TH ST
SE 267TH WAY
SE 267TH CT
SE 267TH PL
SE 268TH PL
SE 268TH ST
SE 268TH WAY
SE 268TH CT
SE 268TH PL
SE 269TH PL
SE 269TH ST
SE 269TH WAY
SE 269TH CT
SE 269TH PL
SE 270TH PL
SE 270TH ST
SE 270TH WAY
SE 270TH CT
SE 270TH PL
SE 271ST PL
SE 271ST ST
SE 271ST WAY
SE 271ST CT
SE 271ST PL
SE 272ND PL
SE 272ND ST
SE 272ND WAY
SE 272ND CT
SE 272ND PL
SE 273RD PL
SE 273RD ST
SE 273RD WAY
SE 273RD CT
SE 273RD PL
SE 274TH PL
SE 274TH ST
SE 274TH WAY
SE 274TH CT
SE 274TH PL
SE 275TH PL
SE 275TH ST
SE 275TH WAY
SE 275TH CT
SE 275TH PL
SE 276TH PL
SE 276TH ST
SE 276TH WAY
SE 276TH CT
SE 276TH PL
SE 277TH PL
SE 277TH ST
SE 277TH WAY
SE 277TH CT
SE 277TH PL
SE 278TH PL
SE 278TH ST
SE 278TH WAY
SE 278TH CT
SE 278TH PL
SE 279TH PL
SE 279TH ST
SE 279TH WAY
SE 279TH CT
SE 279TH PL
SE 280TH PL
SE 280TH ST
SE 280TH WAY
SE 280TH CT
SE 280TH PL
SE 281ST PL
SE 281ST ST
SE 281ST WAY
SE 281ST CT
SE 281ST PL
SE 282ND PL
SE 282ND ST
SE 282ND WAY
SE 282ND CT
SE 282ND PL
SE 283RD PL
SE 283RD ST
SE 283RD WAY
SE 283RD CT
SE 283RD PL
SE 284TH PL
SE 284TH ST
SE 284TH WAY
SE 284TH CT
SE 284TH PL
SE 285TH PL
SE 285TH ST
SE 285TH WAY
SE 285TH CT
SE 285TH PL
SE 286TH PL
SE 286TH ST
SE 286TH WAY
SE 286TH CT
SE 286TH PL
SE 287TH PL
SE 287TH ST
SE 287TH WAY
SE 287TH CT
SE 287TH PL
SE 288TH PL
SE 288TH ST
SE 288TH WAY
SE 288TH CT
SE 288TH PL
SE 289TH PL
SE 289TH ST
SE 289TH WAY
SE 289TH CT
SE 289TH PL
SE 290TH PL
SE 290TH ST
SE 290TH WAY
SE 290TH CT
SE 290TH PL
SE 291ST PL
SE 291ST ST
SE 291ST WAY
SE 291ST CT
SE 291ST PL
SE 292ND PL
SE 292ND ST
SE 292ND WAY
SE 292ND CT
SE 292ND PL
SE 293RD PL
SE 293RD ST
SE 293RD WAY
SE 293RD CT
SE 293RD PL
SE 294TH PL
SE 294TH ST
SE 294TH WAY
SE 294TH CT
SE 294TH PL
SE 295TH PL
SE 295TH ST
SE 295TH WAY
SE 295TH CT
SE 295TH PL
SE 296TH PL
SE 296TH ST
SE 296TH WAY
SE 296TH CT
SE 296TH PL
SE 297TH PL
SE 297TH ST
SE 297TH WAY
SE 297TH CT
SE 297TH PL
SE 298TH PL
SE 298TH ST
SE 298TH WAY
SE 298TH CT
SE 298TH PL
SE 299TH PL
SE 299TH ST
SE 299TH WAY
SE 299TH CT
SE 299TH PL
SE 300TH PL
SE 300TH ST
SE 300TH WAY
SE 300TH CT
SE 300TH PL
SE 301ST PL
SE 301ST ST
SE 301ST WAY
SE 301ST CT
SE 301ST PL
SE 302ND PL
SE 302ND ST
SE 302ND WAY
SE 302ND CT
SE 302ND PL
SE 303RD PL
SE 303RD ST
SE 303RD WAY
SE 303RD CT
SE 303RD PL
SE 304TH PL
SE 304TH ST
SE 304TH WAY
SE 304TH CT
SE 304TH PL
SE 305TH PL
SE 305TH ST
SE 305TH WAY
SE 305TH CT
SE 305TH PL
SE 306TH PL
SE 306TH ST
SE 306TH WAY
SE 306TH CT
SE 306TH PL
SE 307TH PL
SE 307TH ST
SE 307TH WAY
SE 307TH CT
SE 307TH PL
SE 308TH PL
SE 308TH ST
SE 308TH WAY
SE 308TH CT
SE 308TH PL
SE 309TH PL
SE 309TH ST
SE 309TH WAY
SE 309TH CT
SE 309TH PL
SE 310TH PL
SE 310TH ST
SE 310TH WAY
SE 310TH CT
SE 310TH PL
SE 311TH PL
SE 311TH ST
SE 311TH WAY
SE 311TH CT
SE 311TH PL
SE 312TH PL
SE 312TH ST
SE 312TH WAY
SE 312TH CT
SE 312TH PL
SE 313TH PL
SE 313TH ST
SE 313TH WAY
SE 313TH CT
SE 313TH PL
SE 314TH PL
SE 314TH ST
SE 314TH WAY
SE 314TH CT
SE 314TH PL
SE 315TH PL
SE 315TH ST
SE 315TH WAY
SE 315TH CT
SE 315TH PL
SE 316TH PL
SE 316TH ST
SE 316TH WAY
SE 316TH CT
SE 316TH PL
SE 317TH PL
SE 317TH ST
SE 317TH WAY
SE 317TH CT
SE 317TH PL
SE 318TH PL
SE 318TH ST
SE 318TH WAY
SE 318TH CT
SE 318TH PL
SE 319TH PL
SE 319TH ST
SE 319TH WAY
SE 319TH CT
SE 319TH PL
SE 320TH PL
SE 320TH ST
SE 320TH WAY
SE 320TH CT
SE 320TH PL
SE 321ST PL
SE 321ST ST
SE 321ST WAY
SE 321ST CT
SE 321ST PL
SE 322ND PL
SE 322ND ST
SE 322ND WAY
SE 322ND CT
SE 322ND PL
SE 323RD PL
SE 323RD ST
SE 323RD WAY
SE 323RD CT
SE 323RD PL
SE 324TH PL
SE 324TH ST
SE 324TH WAY
SE 324TH CT
SE 324TH PL
SE 325TH PL
SE 325TH ST
SE 325TH WAY
SE 325TH CT
SE 325TH PL
SE 326TH PL
SE 326TH ST
SE 326TH WAY
SE 326TH CT
SE 326TH PL
SE 327TH PL
SE 327TH ST
SE 327TH WAY
SE 327TH CT
SE 327TH PL
SE 328TH PL
SE 328TH ST
SE 328TH WAY
SE 328TH CT
SE 328TH PL
SE 329TH PL
SE 329TH ST
SE 329TH WAY
SE 329TH CT
SE 329TH PL
SE 330TH PL
SE 330TH ST
SE 330TH WAY
SE 330TH CT
SE 330TH PL
SE 331ST PL
SE 331ST ST
SE 331ST WAY
SE 331ST CT
SE 331ST PL
SE 332ND PL
SE 332ND ST
SE 332ND WAY
SE 332ND CT
SE 332ND PL
SE 333RD PL
SE 333RD ST
SE 333RD WAY
SE 333RD CT
SE 333RD PL
SE 334TH PL
SE 334TH ST
SE 334TH WAY
SE 334TH CT
SE 334TH PL
SE 335TH PL
SE 335TH ST
SE 335TH WAY
SE 335TH CT
SE 335TH PL
SE 336TH PL
SE 336TH ST
SE 336TH WAY
SE 336TH CT
SE 336TH PL
SE 337TH PL
SE 337TH ST
SE 337TH WAY
SE 337TH CT
SE 337TH PL
SE 338TH PL
SE 338TH ST
SE 338TH WAY
SE 338TH CT
SE 338TH PL
SE 339TH PL
SE 339TH ST
SE 339TH WAY
SE 339TH CT
SE 339TH PL
SE 340TH PL
SE 340TH ST
SE 340TH WAY
SE 340TH CT
SE 340TH PL
SE 341ST PL
SE 341ST ST
SE 341ST WAY
SE 341ST CT
SE 341ST PL
SE 342ND PL
SE 342ND ST
SE 342ND WAY
SE 342ND CT
SE 342ND PL
SE 343RD PL
SE 343RD ST
SE 343RD WAY
SE 343RD CT
SE 343RD PL
SE 344TH PL
SE 344TH ST
SE 344TH WAY
SE 344TH CT
SE 344TH PL
SE 345TH PL
SE 345TH ST
SE 345TH WAY
SE 345TH CT
SE 345TH PL
SE 346TH PL
SE 346TH ST
SE 346TH WAY
SE 346TH CT
SE 346TH PL
SE 347TH PL
SE 347TH ST
SE 347TH WAY
SE 347TH CT
SE 347TH PL
SE 348TH PL
SE 348TH ST
SE 348TH WAY
SE 348TH CT
SE 348TH PL
SE 349TH PL
SE 349TH ST
SE 349TH WAY
SE 349TH CT
SE 349TH PL
SE 350TH PL
SE 350TH ST
SE 350TH WAY
SE 350TH CT
SE 350TH PL
SE 351ST PL
SE 351ST ST
SE 351ST WAY
SE 351ST CT
SE 351ST PL
SE 352ND PL
SE 352ND ST
SE 352ND WAY
SE 352ND CT
SE 352ND PL
SE 353RD PL
SE 353RD ST
SE 353RD WAY
SE 353RD CT
SE 353RD PL
SE 354TH PL
SE 354TH ST
SE 354TH WAY
SE 354TH CT
SE 354TH PL
SE 355TH PL
SE 355TH ST
SE 355TH WAY
SE 355TH CT
SE 355TH PL
SE 356TH PL
SE 356TH ST
SE 356TH WAY
SE 356TH CT
SE 356TH PL
SE 357TH PL
SE 357TH ST
SE 357TH WAY
SE 357TH CT
SE 357TH PL
SE 358TH PL
SE 358TH ST
SE 358TH WAY
SE 358TH CT
SE 358TH PL
SE 359TH PL
SE 359TH ST
SE 359TH WAY
SE 359TH CT
SE 359TH PL
SE 360TH PL
SE 360TH ST
SE 360TH WAY
SE 360TH CT
SE 360TH PL
SE 361ST PL
SE 361ST ST
SE 361ST WAY
SE 361ST CT
SE 361ST PL
SE 362ND PL
SE 362ND ST
SE 362ND WAY
SE 362ND CT
SE 362ND PL
SE 363RD PL
SE 363RD ST
SE 363RD WAY
SE 363RD CT
SE 363RD PL
SE 364TH PL
SE 364TH ST
SE 364TH WAY
SE 364TH CT
SE 364TH PL
SE 365TH PL
SE 365TH ST
SE 365TH WAY
SE 365TH CT
SE 365TH PL
SE 366TH PL
SE 366TH ST
SE 366TH WAY
SE 366TH CT
SE 366TH PL
SE 367TH PL
SE 367TH ST
SE 367TH WAY
SE 367TH CT
SE 367TH PL
SE 368TH PL
SE 368TH ST
SE 368TH WAY
SE 368TH CT
SE 368TH PL
SE 369TH PL
SE 369TH ST
SE 369TH WAY
SE 369TH CT
SE 369TH PL
SE 370TH PL
SE 370TH ST
SE 370TH WAY
SE 370TH CT
SE 370TH PL
SE 371ST PL
SE 371ST ST
SE 371ST WAY
SE 371ST CT
SE 371ST PL
SE 372ND PL
SE 372ND ST
SE 372ND WAY
SE 372ND CT
SE 372ND PL
SE 373RD PL
SE 373RD ST
SE 373RD WAY
SE 373RD CT
SE 373RD PL
SE 374TH PL
SE 374TH ST
SE 374TH WAY
SE 374TH CT
SE 374TH PL
SE 375TH PL
SE 375TH ST
SE 375TH WAY
SE 375TH CT
SE 375TH PL
SE 376TH PL
SE 376TH ST
SE 376TH WAY
SE 376TH CT
SE 376TH PL
SE 377TH PL
SE 377TH ST
SE 377TH WAY
SE 377TH CT
SE 377TH PL
SE 378TH PL
SE 378TH ST
SE 378TH WAY
SE 378TH CT
SE 378TH PL
SE 379TH PL
SE 379TH ST
SE 379TH WAY
SE 379TH CT
SE 379TH PL
SE 380TH PL
SE 380TH ST
SE 380TH WAY
SE 380TH CT
SE 380TH PL
SE 381ST PL
SE 381ST ST
SE 381ST WAY
SE 381ST CT
SE 381ST PL
SE 382ND PL
SE 382ND ST
SE 382ND WAY
SE 382ND CT
SE 382ND PL
SE 383RD PL
SE 383RD ST
SE 383RD WAY
SE 383RD CT
SE 383RD PL
SE 384TH PL
SE 384TH ST
SE 384TH WAY
SE 384TH CT
SE 384TH PL
SE 385TH PL
SE 385TH ST
SE 385TH WAY
SE 385TH CT
SE 385TH PL
SE 386TH PL
SE 386TH ST
SE 386TH WAY
SE 386TH CT
SE 386TH PL
SE 387TH PL
SE 387TH ST
SE 387TH WAY
SE 387TH CT
SE 387TH PL
SE 388TH PL
SE 388TH ST
SE 388TH WAY
SE 388TH CT
SE 388TH PL
SE 389TH PL
SE 389TH ST
SE 389TH WAY
SE 389TH CT
SE 389TH PL
SE 390TH PL
SE 390TH ST
SE 390TH WAY
SE 390TH CT
SE 390TH PL
SE 391ST PL
SE 391ST ST
SE 391ST WAY
SE 391ST CT
SE 391ST PL
SE 392ND PL
SE 392ND ST
SE 392ND WAY
SE 392ND CT
SE 392ND PL
SE 393RD PL
SE 393RD ST
SE 393RD WAY
SE 393RD CT
SE 393RD PL
SE 394TH PL
SE 394TH ST
SE 394TH WAY
SE 394TH CT
SE 394TH PL
SE 395TH PL
SE 395TH ST
SE 395TH WAY
SE 395TH CT
SE 395TH PL
SE 396TH PL
SE 396TH ST
SE 396TH WAY
SE 396TH CT
SE 396TH PL
SE 397TH PL
SE 397TH ST
SE 397TH WAY
SE 397TH CT
SE 397TH PL
SE 398TH PL
SE 398TH ST
SE 398TH WAY
SE 398TH CT
SE 398TH PL
SE 399TH PL
SE 399TH ST
SE 399TH WAY
SE 399TH CT
SE 399TH PL
SE 400TH PL
SE 400TH ST
SE 400TH WAY
SE 400TH CT
SE 400TH PL
SE 401ST PL
SE 401ST ST
SE 401ST WAY
SE 401ST CT
SE 401ST PL
SE 402ND PL
SE 402ND ST
SE 402ND WAY
SE 402ND CT
SE 402ND PL
SE 403RD PL
SE 403RD ST
SE 403RD WAY
SE 403RD CT
SE 403RD PL
SE 404TH PL
SE 404TH ST
SE 404TH WAY
SE 404TH CT
SE 404TH PL
SE 405TH PL
SE 405TH ST
SE 405TH WAY
SE 405TH CT
SE 405TH PL
SE 406TH PL
SE 406TH ST
SE 406TH WAY
SE 406TH CT
SE 406TH PL
SE 407TH PL
SE 407TH ST
SE 407TH WAY
SE 407TH CT
SE 407TH PL
SE 408TH PL
SE 408TH ST
SE 408TH WAY
SE 408TH CT
SE 408TH PL
SE 409TH PL
SE 409TH ST
SE 409TH WAY
SE 409TH CT
SE 409TH PL
SE 410TH PL
SE 410TH ST
SE 410TH WAY
SE 410TH CT
SE 410TH PL
SE 411TH PL
SE 411TH ST
SE 411TH WAY
SE 411TH CT
SE 411TH PL
SE 412TH PL
SE 412TH ST
SE 412TH WAY
SE 412TH CT
SE 412TH PL
SE 413TH PL
SE 413TH ST
SE 413TH WAY
SE 413TH CT
SE 413TH PL
SE 414TH PL
SE 414TH ST
SE 414TH WAY
SE 414TH CT
SE 414TH PL
SE 415TH PL
SE 415TH ST
SE 415TH WAY
SE 415TH CT
SE 415TH PL
SE 416TH PL
SE 416TH ST
SE 416TH WAY
SE 416TH CT
SE 416TH PL
SE 417TH PL
SE 417TH ST
SE 417TH WAY
SE 417TH CT
SE 417TH PL
SE 418TH PL
SE 418TH ST
SE 418TH WAY
SE 418TH CT
SE 418TH PL
SE 419TH PL
SE 419TH ST
SE 419TH WAY
SE 419TH CT
SE



Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet


NORTH

ADA Sidewalk Atlas

Map: 48 of 50
Section: 26-24-5


Sidewalk Maps





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet

NORTH

ADA Sidewalk Atlas


Map: 49 of 50
Section: 25-24-5





v:\tr\arcgis\planning\ADA\blocksPrioritization_MPS_ATLAS.mxd

Map Location



Legend

Impedance Score

- High Priority
- Medium Priority
- Low Priority

Activity Score

Value

High : 95

Low : 4.5

= 725 feet

NORTH

ADA Sidewalk Atlas

Map: 50 of 50
Section: 16-25-5

Sidewalk Data



Sidewalk Data Reference Guide:

The following list is reference documentation for the headers (1-25) in the sidewalk data spreadsheet.

1. Block ID
2. Length (linear feet)
3. Fixed Obstructions
4. Movable Obstructions
5. Vegetation Obstructions
6. Changes in Level: 0.25″ - 0.49″
7. Changes in Level: 0.5″ - 0.74″
8. Changes in Level: 0.75″ - 0.99″
9. Changes in Level: 1″ Or More
10. Running Slope (linear feet): 5 - 8.33%
11. Running Slope (linear feet): 8.33-10%
12. Running Slope (linear feet): 10 -12.5%
13. Running Slope: 12.5% Or More
14. Running Slope (linear feet): Technically Infeasible
15. Cross Slope (linear feet): 2 - 4%
16. Cross Slope (linear feet): 4 - 6%
17. Cross Slope (linear feet): 6 - 8%
18. Cross Slope (linear feet): 8 - 10%
19. Cross Slope (linear feet): 10% Or More
20. Activity Score
21. Impedance Score
22. Final Score
23. Activity Ranking
24. Impedance Ranking
25. Final Ranking



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1	782			2	9	3								309	51				40	7	47	Low	Low	Low
2	598			3	9									521	41				44	12	56	Medium	Low	Low
3	628			1	7	1								260	41	4			46	7	53	Medium	Low	Low
4	444				7	1								278	74	23			38	14	52	Low	Low	Low
5	308				4									172	14				38	8	46	Low	Low	Low
6	276				2	1								223	10				42	10	52	Medium	Low	Low
7	1,077				4						2	2		33	436	395	119	67	21	51	72	Low	Medium	Medium
8	699			2	5	1								453	133				44	11	55	Medium	Low	Low
9	219				1									58					38	3	41	Low	Low	Low
11	786				11	1								192	381	126	16		40	24	64	Low	Low	Low
12	280				1									106					38	4	42	Low	Low	Low
13	159			1	1									31	1	3			39	4	43	Low	Low	Low
14	730			1	4	2								226					48	4	52	Medium	Low	Low
15	1,927				2	1								477	32				39	3	42	Low	Low	Low
16	353				1									34	101	119	59	27	21	56	77	Low	Medium	Medium
17	663					2								30	65	191	313	42	21	77	99	Low	High	High
18	350													70	33	4			32	4	37	Low	Low	Low
19	1,660			1	22	3							55	661	42	14			51	7	58	Medium	Low	Low
20	502				1	4				5	1	6	1	99	36	15	7	20	23	19	42	Low	Low	Low
21	553					1				5	3			118	30				30	4	35	Low	Low	Low
22	700				1	3				5	3	2		281	138	43	2	16	24	18	42	Low	Low	Low
23	331				1	4								52	6				29	5	33	Low	Low	Low
24	629	1			8	4			208					293	20	19			63	44	107	High	Medium	High
25	754				2	6								291	31				29	7	35	Low	Low	Low
26	1,339				3	6	1		68	7	28		8	312	326	184	30	85	27	34	62	Low	Medium	Low
27	667				7	1								553	59				64	11	75	High	Low	Medium
28	867				1	2								89	19	5			30	2	33	Low	Low	Low
29	700				9	3								498					76	9	85	High	Low	Medium
30	549			1	1	4			280	5	7	15		176	51	9			17	20	37	Low	Low	Low
31	453													81	32				34	3	38	Low	Low	Low
32	579		2	11	9	3			130	6	5	6	352	234	151	37	24	13	34	29	63	Low	Medium	Low
33	423				3									280	138				39	14	53	Low	Low	Low
34	269				7	1								213	22				79	13	92	High	Low	Medium
35	234					1				11	5	10	114	53	80	62	17		25	42	67	Low	Medium	Medium
36	511		1	7	5				10	2	1	3	491	90	219	107	43	27	34	42	77	Low	Medium	Medium
37	396			2	5								384	184	161	38			36	19	55	Low	Low	Low
38	270			1	1	3								113	63	18	10	13	38	28	66	Low	Medium	Medium
39	331			2									329	81	237				33	17	50	Low	Low	Low
40	455				1	2			108	29	49	23	46	134	122	46	20	3	28	45	73	Low	Medium	Medium
41	920			1	11	3			155	5	16	7	5	288	40	6			74	11	85	High	Low	Medium
43	570			1	5	3				4	4			305	49	22	20	16	74	21	95	High	Low	Medium
44	1,006			5	8	1			75	6	2	1	427	538	370	48			37	17	54	Low	Low	Low
45	245			4	3				217				4	158	3				39	17	56	Low	Low	Low
46	272			1	5								109	84	139				33	15	48	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
47	150			1										45	4	1	3		38	6	44	Low	Low	Low
48	179			6										67	89	9			37	16	53	Low	Low	Low
49	434													95	7	2	4		39	4	42	Low	Low	Low
50	392		3	4	6	2			42	8	20	9	309	155	28	3			34	19	54	Low	Low	Low
51	569		2	6	3	1			101				114	344					31	9	40	Low	Low	Low
52	938		1	8	7	1			202				251	553	182				33	13	46	Low	Low	Low
53	251				3								134	148					34	7	41	Low	Low	Low
54	421				4									306	57				34	11	44	Low	Low	Low
55	497			20	3	3			26	7			31	298	130	20	7		35	17	52	Low	Low	Low
56	242			2	6							2	227	161	59				37	16	53	Low	Low	Low
57	198				1	1							197	103	84				41	15	56	Medium	Low	Low
58	644		2	3	5	5			130					186	23	8	1		35	9	44	Low	Low	Low
59	544					3			36				16	162	9				34	5	39	Low	Low	Low
62	897		1		15	1	1		1	15		5	693	594	109	16	2		42	15	58	Medium	Low	Low
63	995			1	13	1			170	5	4		536	528	228				45	14	59	Medium	Low	Low
64	169			2	6	7	2	5	29				137	23	111	19			41	100	141	Medium	High	High
65	484			3	6				46	5	8	3	354	249	102	24	7		42	19	60	Medium	Low	Low
66	278			4	3	2							277	29	151	91	2		44	31	75	Medium	Medium	Medium
68	524		8	11	5	2				6	6	2	499	230	63	22	13		34	15	49	Low	Low	Low
69	489			1	5	1				4	1		478	258	196	5			45	16	60	Medium	Low	Low
70	396		4	5	7	1			59		5		304	216	115	22	16	4	34	25	60	Low	Medium	Low
71	225			1						10			210	94	26	4			41	8	50	Medium	Low	Low
72	494			9	10	2			7	25	1	3	453	62	261	121	5	32	41	43	85	Medium	Medium	Medium
73	313				3								4	232	42	2	4		34	13	47	Low	Low	Low
75	1,154		1		15	5								437	1				70	6	76	High	Low	Medium
76	188				6	12	4	2	1	3	7	2	173	80	63	37			43	98	141	Medium	High	High
77	679													158	12				37	3	40	Low	Low	Low
78	270	1			4	2			11				105	56	42	8	6		36	86	122	Low	High	High
79	241		2	1	2	2			94	5	4		29	125	61	31			37	25	62	Low	Medium	Low
80	391				1	4			64	22	5		143	152	51	14	3		33	15	49	Low	Low	Low
81	262		1		4	1			246	2	5		9	169	22	4			43	23	66	Medium	Low	Medium
82	726		2	4	9	2			141	7			399	95	1	0			39	5	45	Low	Low	Low
83	308			1	3				308					190	79	4	1	6	35	27	63	Low	Medium	Low
84	175	1		1	3	1			68	5	6		95	79	38	5	2		38	100	138	Low	High	High
85	514			3	3				2					194	127	124	19		45	25	70	Medium	Medium	Medium
86	213				1	1			72				81	142	50				37	16	53	Low	Low	Low
87	678			7	8	4			57				572	280	23	1	1	2	38	9	47	Low	Low	Low
88	528		1	8					102					183	157	64			35	17	52	Low	Low	Low
89	191			1	1									40	95	3	4	44	40	62	101	Low	High	High
90	454			1		1				4	4		445	179	43				46	7	53	Medium	Low	Low
91	858				5	2								408	31	12	84	46	53	28	81	Medium	Medium	Medium
92	513			5	1	2			12	5	2	9	455	244	117	8	12		50	18	68	Medium	Low	Medium
93	483				6								454	265	61	13			50	11	61	Medium	Low	Low
94	253			4	2	1								129	6				31	7	38	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
95	269			1	3	2			112	14	8		36	86	131	16			31	27	58	Low	Medium	Low
96	798		5	9	12	5	1	1	236	16	15		399	321	81	48	23	9	39	27	65	Low	Medium	Medium
97	205			3		6			60	5			42	83	34	42	3	3	39	31	70	Low	Medium	Medium
98	634		2	2	7	3			233				229	111	29				39	8	47	Low	Low	Low
99	293		1	2	3	2								17	106	39	17	97	39	89	128	Low	High	High
100	622													315	3				37	5	42	Low	Low	Low
101	390									3	3	4		223	64	5			53	13	66	Medium	Low	Medium
102	299				1									46	4				63	2	65	High	Low	Medium
103	439				2	1							439	204	134	2			53	12	65	Medium	Low	Medium
104	445			3	6	1								173	73	13	2	12	32	16	48	Low	Low	Low
105	520	1		11	5	2								354	2	2	3	3	50	49	99	Medium	Medium	High
106	419				8	11			189	96	22	20	2	139	74	22	9	7	41	46	87	Medium	Medium	Medium
107	230				2					6	4	2		99	13	4	2	3	50	15	65	Medium	Low	Medium
108	593			1	10	5			137	4	2	10	277	280	59	3			53	16	70	Medium	Low	Medium
109	551				10	6			46	3	8	14	212	137	31	9	2	7	54	19	72	Medium	Low	Medium
110	465			1	2									213	25				50	6	56	Medium	Low	Low
111	361			2	6	4							30	98	68	34	35	87	37	73	110	Low	High	High
112	251			2	3	1								188	19	1	1	6	48	16	65	Medium	Low	Medium
113	298		3	2	2				1					98	5				40	4	44	Medium	Low	Low
115	204			1	4	1			75	7			79	106	64				43	19	62	Medium	Low	Low
116	205			6	2	1			48				32	117	7				44	11	54	Medium	Low	Low
118	162		1	3	3				81				72	22	122	7			40	25	66	Medium	Medium	Medium
120	190				2	3				7	18	5		26	32	14	11		53	34	87	Medium	Medium	Medium
122	257			2	5				27		3			98					39	8	47	Low	Low	Low
123	683			18	8	1			60				417	290	236	36	6		41	17	58	Medium	Low	Low
125	295			2	7	2			11				279	104	132	15	15		42	24	66	Medium	Medium	Medium
126	513		1	5	8	4			231					247	44	6			45	15	59	Medium	Low	Low
127	604			6	8	2				3	7	2	137	340	198	11			32	17	49	Low	Low	Low
128	180		6		3				32	10	7		129	49	82	27	12		40	34	74	Medium	Medium	Medium
129	416			2	7	3			173					162	195	41			46	25	72	Medium	Medium	Medium
130	741				29	11			483	13	4	4	76	354	179	50	39	7	39	36	75	Low	Medium	Medium
131	452				4									265	20				63	8	70	High	Low	Medium
132	237				1	3			11	46	45	14	116	34	106	46	10	25	40	83	123	Low	High	High
133	190			2					34					50					38	4	42	Low	Low	Low
134	236				2			1						96	39				38	17	55	Low	Low	Low
135	288			3	4	1			191				23	70	67	100	4		41	35	76	Medium	Medium	Medium
136	480				2					8			455	412	43				56	11	67	Medium	Low	Medium
137	188	1		2	2	2			121	9	4	3	6	68	4	2			41	100	141	Medium	High	High
138	205			7	2	1	1		17					12	53	76	19	39	38	82	120	Low	High	High
139	415									3	6			239	101				58	12	70	High	Low	Medium
140	230			5	1	1							142	115	26				59	9	67	High	Low	Medium
141	612				1					3	1	5	40	264	37				38	8	45	Low	Low	Low
142	280		1		6				44	1			183	114	71	39			42	20	62	Medium	Low	Low
143	558			2	8	4			172	1			8	187	181	56			33	21	54	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
144	321	1	10	8	5	3			39				270	100	52	79	16	8	45	96	140	Medium	High	High
146	223			1	2	1								84	79	12	8		47	19	66	Medium	Low	Medium
147	2,383			7	19	11	1		1075	18	21	2	664	739	28	20	30	23	35	15	50	Low	Low	Low
148	490			4	10	20	7	18	12				472	112	104	52	64	64	43	100	143	Medium	High	High
149	488		1	4	6	7			5					160	104	48	42	106	38	69	106	Low	High	High
150	280				6	1			58					162	2				29	11	40	Low	Low	Low
152	528				9	3								320	34				62	10	73	High	Low	Medium
153	277			2	1									227	29	2	6	9	38	20	58	Low	Low	Low
154	469			7	8	6	1			12			442	135	19	18			57	14	70	Medium	Low	Medium
155	319			2	4	2			77	12			2	116	84	34	38	25	43	48	90	Medium	Medium	Medium
156	505				6	1							504	138					55	4	59	Medium	Low	Low
157	270			2	3				115	3	2	2	3	162	6	11	15		39	22	60	Low	Low	Low
158	443			8	10	3			72		2	2	284	163	9	50	49	11	41	32	74	Medium	Medium	Medium
159	628			1	5				66				424	304	186	29	69	19	40	32	72	Medium	Medium	Medium
160	396			3	1									113	5	15	22		35	11	46	Low	Low	Low
161	458			8	6	2			50				87	243	41	47	42	27	43	36	79	Medium	Medium	Medium
163	337			4	4	4			26		2		305	177	83	5	17	27	44	37	81	Medium	Medium	Medium
164	604			2	9	3				1	3	6	460	345	52	48	72		41	28	69	Medium	Medium	Medium
165	1,140			1	10	13	1		542	144	96	70	258	298	275	177	99	64	31	68	99	Low	High	High
166	311			1	6	2			125	17	5	4	158	106	122	8	31	37	41	59	100	Medium	High	High
167	466			1	5	1		1	131	11	26	3	291	227	75	30	72	34	37	57	94	Low	High	Medium
168	514			1	1					4	3	7		273	19				34	10	43	Low	Low	Low
169	669			2	1	11			55	40			504	248	103	8	5	4	55	15	70	Medium	Low	Medium
170	269			1	4	2				5	3		120	150	40	13	48	9	41	40	81	Medium	Medium	Medium
171	414			6	3	3	1		26		3		266	298	14	29	32		36	26	62	Low	Medium	Low
172	779			4	11	2	1		233				200	514	120				31	17	47	Low	Low	Low
173	759			5	4	1		1	72				424	351	131	27	42	25	43	26	69	Medium	Medium	Medium
175	238				3	1								191	13				33	11	44	Low	Low	Low
176	584				11	2							498	186					39	6	45	Low	Low	Low
177	362			5		2								149	116	21	5	54	38	46	83	Low	Medium	Medium
179	237				4				49				170	55	148	23			46	23	69	Medium	Low	Medium
180	358			1	3									180	21	63	24		35	23	58	Low	Low	Low
181	286			3	3	2								124	7	2	8		32	10	43	Low	Low	Low
182	512		2	10	10	2								313	8				46	9	55	Medium	Low	Low
183	251			1	4						3			194	40				34	14	48	Low	Low	Low
184	490			1					25				368	225	15	8			30	7	36	Low	Low	Low
185	200			3	1				41					39					46	5	51	Medium	Low	Low
186	327			1	3									140	23	5			32	7	40	Low	Low	Low
187	786			4	7	2			234	3	1	5	155	435	161	32	29	5	40	22	63	Medium	Low	Low
188	479			4	5									235	33				32	7	40	Low	Low	Low
189	550			2	5	5								238	212	53	12	6	32	24	56	Low	Low	Low
190	278		2		4	1							64	207	40				46	12	58	Medium	Low	Low
191	425				7	2							166	223	9	3	7	4	56	12	68	Medium	Low	Medium
193	296			5	3								293	79	185	11	4		46	19	65	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
194	374		3	3	3	2			84	230	41	2		244	26				45	36	82	Medium	Medium	Medium
195	414			1	2	1			305	10			98	242	137	2	18		53	26	79	Medium	Medium	Medium
196	217			3	3	1			59	17	12		125	45	111	40	5	7	36	42	78	Low	Medium	Medium
197	728	1			13	4								373					59	35	95	High	Medium	Medium
198	305			2	1				78	19	13		78	184	5				47	15	61	Medium	Low	Low
199	280		2	3	6	3			77	9			146	128	31	11			36	16	52	Low	Low	Low
200	162			1	3	1			6	29	14		28	21	16	17	4	5	46	33	79	Medium	Medium	Medium
201	248			3	2	1			43				9	115	107	15			47	20	66	Medium	Low	Medium
202	340			1	1									93	95				34	9	42	Low	Low	Low
204	259			1		2			46	13	38	17		120	93	11	12	6	39	55	94	Low	Medium	Medium
205	307				1									193	38	48	22		37	24	61	Low	Medium	Low
206	248		1	1	4	2			100	5			43	163	7				45	15	59	Medium	Low	Low
207	361			1	2									107	9	3			33	4	37	Low	Low	Low
208	459			2	7	2								270	51	12	6	4	35	15	50	Low	Low	Low
209	243				1	3			8					167	48	9	2	10	36	25	61	Low	Medium	Low
211	692				1									129	14				33	2	35	Low	Low	Low
212	196			2	1				69					30	14				38	7	45	Low	Low	Low
213	482		4	2		1				7	2	7	186	248	42	23	3	5	43	16	59	Medium	Low	Low
214	202				5	2			107					40	106	50			35	35	69	Low	Medium	Medium
215	413			6	4	1			132	26	19			96	59	38	21		45	25	70	Medium	Medium	Medium
216	430			6	2	4				3			160	227	31				44	9	53	Medium	Low	Low
217	202				8	1			161				4	157	17	4			51	23	74	Medium	Low	Medium
218	443			1	5	1								325	22				46	10	56	Medium	Low	Low
219	170		1	3	3					8			2	54	5				49	6	55	Medium	Low	Low
220	246		1	5	5	2			154	13			68	106	77	4	0		36	22	58	Low	Low	Low
222	256			4	5	1								76					44	6	49	Medium	Low	Low
223	394			3	4				133	40	5	6	98	174	31	25	1	7	36	24	60	Low	Low	Low
225	350				4	7	1		59	9	1	1	8	108	51	12	7	19	30	33	64	Low	Medium	Low
226	375			3	3	2								243	45	31	28		42	22	64	Medium	Low	Low
227	759		2	5	7		1	1	42	10	5	2	10	251	12	6			45	12	56	Medium	Low	Low
228	177			1	3								7	143					48	10	57	Medium	Low	Low
229	271			2	3					3	5			114	28				48	9	57	Medium	Low	Low
230	807			3	5				40	8	5	3	10	524	27	2			45	10	55	Medium	Low	Low
232	711			3	1					28	16	5		506	52				49	13	62	Medium	Low	Low
234	356			3	4	2								216	52	25	55		42	30	72	Medium	Medium	Medium
235	295			1	2	1				14	6		9	226	63				48	16	64	Medium	Low	Low
236	457			1	6					2	4			310	50	9	8	14	48	20	68	Medium	Low	Medium
237	344			2	2	1			58					180	44	23	68		40	34	73	Low	Medium	Medium
238	296			2	2									75	20				45	5	49	Medium	Low	Low
239	702			2	2	4				15	11	5	13	320	19	11	27	16	48	19	67	Medium	Low	Medium
240	288			3	8	3	1	2					283	159	68	20			45	38	83	Medium	Medium	Medium
241	374				4					5	4	2		46	27	4			45	7	52	Medium	Low	Low
242	382			3	5					7			370	251	14				37	9	46	Low	Low	Low
243	156		1	3	3	3		1		8	5			80					42	28	70	Medium	Medium	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
244	501			1	1	1			119		4			185					35	7	42	Low	Low	Low
245	352				3	2				15	4		4	264					58	11	69	High	Low	Medium
246	269			1	2									165	18				44	8	52	Medium	Low	Low
247	597			1	4			1						48	10	1	3		37	6	43	Low	Low	Low
248	278				3				25	8	2		4	226	21	1	5		46	15	60	Medium	Low	Low
249	160				1					6	2		53	91	39				31	13	44	Low	Low	Low
250	233		2	4										107	90	5			42	13	55	Medium	Low	Low
251	766			3	5	3			131				68	260	62				36	8	44	Low	Low	Low
252	683			1	8	1							126	306	323	28	1	4	33	19	52	Low	Low	Low
253	175				2	1								72	12	31			42	17	58	Medium	Low	Low
254	409		1	8	7	3		1	53	2	4		336	119	121	76	32	36	32	54	86	Low	Medium	Medium
255	173								81					114	24	4			42	15	57	Medium	Low	Low
256	167		1	1	3				12	13			129	68	40				43	13	55	Medium	Low	Low
257	506				3	1			26	11	8	5	16	454	38				60	16	76	High	Low	Medium
258	323													90	7				37	3	40	Low	Low	Low
259	439			2	6	3					4			151	70	28	9	10	31	20	51	Low	Low	Low
260	212			7	2				50	4	2		2	40	151	18			30	25	55	Low	Medium	Low
261	618		6	6	4	2							87	339	147	13			41	13	53	Medium	Low	Low
262	183			1	1				76	2			7	128	27	13	4		37	21	58	Low	Low	Low
263	365													188					59	5	64	High	Low	Low
264	179			2										39					35	2	37	Low	Low	Low
265	903		1	1	5					9	11			516	27	26			53	10	63	Medium	Low	Low
266	901			3	17									296	26	3			53	6	59	Medium	Low	Low
267	348		3	5	4	2				3	1		337	126	104	23	3		30	17	47	Low	Low	Low
268	280				3	1								203	31				45	11	56	Medium	Low	Low
269	394			3	4				76	15	10		48	248	115	17	6		37	22	59	Low	Low	Low
270	346			4	6	6			71	2			139	76	110	26	26	56	43	60	103	Medium	High	High
271	195				1									115	2	6			38	8	46	Low	Low	Low
272	415			4	5	3		1	69	10				188	95	23			39	22	61	Low	Low	Low
273	636			6	15	8		1	72		1	1	424	222	103	36	35	13	45	29	74	Medium	Medium	Medium
275	62				1									6					47	3	49	Medium	Low	Low
277	2,313			11	24	8								763	54	31	32		55	8	63	Medium	Low	Low
279	526			2	1	1			36	3	9		476	244	155	13	14	31	28	29	57	Low	Medium	Low
280	59																		52	0	52	Medium	Low	Low
281	289			1	1				127	5	2	3		222	4	1	3	15	37	27	64	Low	Medium	Low
283	221		1	1	3								6	122	3				28	7	35	Low	Low	Low
284	208		6	10	5	1			74				27	106					45	12	57	Medium	Low	Low
285	215			2	2	1								117	1				44	7	51	Medium	Low	Low
286	296			1	8									223					36	10	47	Low	Low	Low
287	342		1		26	7	2	1					215	119	30				42	32	75	Medium	Medium	Medium
288	745			2	10	7			71					460	42				33	11	45	Low	Low	Low
289	619			3	3	2								212	5				56	5	61	Medium	Low	Low
290	314			1	1					13	8	3	2	266	3				53	14	67	Medium	Low	Medium
291	817			5	9	1								367	316	10			36	14	50	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
292	159				3	1								1	14	6			43	7	50	Medium	Low	Low
293	195			4	5	1								128	36	10	17		45	25	70	Medium	Medium	Medium
294	502			4	7	6	2		23	1	19	7	319	100	145	54	8	71	42	60	103	Medium	High	High
295	211				5								124	49					32	5	37	Low	Low	Low
296	749				4	2			135					596	60	9	1	3	61	14	75	High	Low	Medium
297	285				2	1			92	16			130	32	187	44			32	28	60	Low	Medium	Low
298	530			1	12	9			3	15	18	17	346	182	35	24	37	37	41	44	85	Medium	Medium	Medium
299	855				10	1			90	7	7		8	200	107	2			47	8	56	Medium	Low	Low
300	505			1	7	1								283	73	0	4	6	47	13	60	Medium	Low	Low
301	940			1	5				155	10	5		226	192	92	11	1	4	39	8	47	Low	Low	Low
303	873				6	16				6	1	2	625	278	120	63	13	9	34	18	52	Low	Low	Low
304	741			1	7	1								115	5	3	15		64	5	69	High	Low	Medium
305	293				2	4					2	2		48	65	18	22	11	40	30	70	Medium	Medium	Medium
307	583				18	1			32	8	8	4	399	149	12	26	42	19	30	26	56	Low	Medium	Low
308	346			2	4					11				107	22				36	6	42	Low	Low	Low
309	353				2				184	4	7	2	16	40	15	6	37	49	37	50	87	Low	Medium	Medium
310	882		1	5	9	5			67				372	622	68				49	12	60	Medium	Low	Low
311	803		6	15	10	7			107	12			179	554	106	7			48	15	63	Medium	Low	Low
312	220			1										176	7				50	9	59	Medium	Low	Low
313	378		2		5	5			65				84	140	19	13	19	16	43	26	68	Medium	Medium	Medium
314	403		3	5	8	1			46				94	171	156	18	27		45	25	70	Medium	Medium	Medium
315	815		4	6	10	8			43				1	516	154				46	14	59	Medium	Low	Low
316	819		14	4	8	4			201					587	26				45	12	58	Medium	Low	Low
317	320		1	3	2					3	5	2		217	7				53	11	64	Medium	Low	Low
318	508				8				37	5	15		45	83	8	5	11		41	10	51	Medium	Low	Low
319	355				5	1				7			346	137	7	11	9		44	11	55	Medium	Low	Low
320	490			2	3									122	3	18	5		55	6	62	Medium	Low	Low
321	169		1		1	1							163	109	15	4			45	11	56	Medium	Low	Low
322	621			3	13	1			69	88	41	3	378	78	20	9	20		50	20	70	Medium	Low	Medium
323	460	1			5									212	6				54	49	104	Medium	Medium	High
324	169				1	1							168	79	9				43	8	51	Medium	Low	Low
325	508	1			3	3				8	12		83	297	168	22			41	58	99	Medium	High	High
327	326									9	7		307	46	6				40	4	44	Low	Low	Low
328	345			1	4	4				5	2	4	277	113	3	16			39	12	52	Low	Low	Low
329	628			4	15	1			20				439	225	65	30	55	26	50	28	78	Medium	Medium	Medium
330	628			4	13	2			19				605	317	40				49	9	59	Medium	Low	Low
331	262				2									217	3				85	9	94	High	Low	Medium
332	476			5	1									288	23	2	6		61	9	70	High	Low	Medium
334	436			2	7	2							401	150	80	25			46	12	58	Medium	Low	Low
335	158			1	2									142	12	2			45	12	58	Medium	Low	Low
336	302		2																47	0	47	Medium	Low	Low
337	582				2	1			105	6	3	4	365	195	75	37			48	14	62	Medium	Low	Low
338	672		3	5	4				133				292	422	58	16			36	12	48	Low	Low	Low
340	253			1										121	2	5			66	6	72	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
341	635			3	5	5			36	9	6		7	212	64	4	29		58	14	72	High	Low	Medium
342	268		6	5	3	5								147	3				45	11	56	Medium	Low	Low
343	202		1	5	3	2			66				45	117	21				52	15	66	Medium	Low	Medium
344	1,054	1	6	5	2	2			62				380	397	121	66	28		45	32	77	Medium	Medium	Medium
345	579	1		1	6	4			38	8	6	2	10	225	185	16	68	69	55	87	142	Medium	High	High
346	510			3	4				60	11	18	20	305	337	54	33	12		36	28	64	Low	Medium	Low
347	312			3	5	1								64					53	4	57	Medium	Low	Low
350	199			3		1					7		190	71	61	32	18	8	34	39	74	Low	Medium	Medium
351	433				3	1								110					50	4	53	Medium	Low	Low
352	1,165				18	4				12	1		1145	395	170	19	43		43	13	56	Medium	Low	Low
353	176			4	2	1			54	6			25	122	23				49	16	64	Medium	Low	Low
354	469				2	1							105	198	20	6	4	15	45	14	59	Medium	Low	Low
355	554				7	6								256	142	9	55		53	24	77	Medium	Low	Medium
356	315				3	3	1			17	16	7	164	105	43	16	2		27	28	55	Low	Medium	Low
357	210				5								210	168	13				49	12	61	Medium	Low	Low
358	282			2	4	8			34	5	6	9		121	57	6	5	78	49	84	132	Medium	High	High
359	444		9	2			1							300	14	6			74	12	86	High	Low	Medium
360	298				4	1			56	12	13		6	210					46	16	62	Medium	Low	Low
361	1,612	1		6	5					35	6	6	1065	653	21				44	19	63	Medium	Low	Low
362	297		1	2	2									233	7	8			65	10	76	High	Low	Medium
363	155				4				104	3	4	3	28	87	24				40	25	65	Low	Medium	Medium
364	151			1	1	3			2	2			145	110	14				40	14	54	Medium	Low	Low
366	167				1	1					2		161	82	7				40	9	48	Low	Low	Low
367	550			5	11	2	1		55					304	88	15	6	21	83	25	108	High	Medium	High
368	653			1	6				18	6	3		620	158					33	4	38	Low	Low	Low
369	242			1										97					73	4	77	High	Low	Medium
370	511				3	3		1		3	26	27	446	255	5				34	27	60	Low	Medium	Low
371	327				3					6	13		179	67	15	2			40	9	48	Low	Low	Low
372	1,035				7	3			243	12	1	5	331	505	117	24			47	13	60	Medium	Low	Low
373	353	1			5									93	5	3	3	22	80	75	155	High	High	High
374	726			3	6	2			92	3	4	4	612	384	31				41	11	51	Medium	Low	Low
375	197			3	3				111	10			3	123	4				55	15	70	Medium	Low	Medium
376	248		2		3									201	6				55	10	65	Medium	Low	Medium
377	437				7	1								126	48	19			65	9	74	High	Low	Medium
378	258		2	8	1	3			127				62	132	27				48	15	63	Medium	Low	Low
379	1,040				13	12		1	69	40	20	1	562	168	107	20	24	9	41	18	58	Medium	Low	Low
380	165				4									146	14				48	13	61	Medium	Low	Low
381	421				4	1			18				0	257	12	10	23	5	41	18	58	Medium	Low	Low
382	322			2	1				61	7			79	224	4				48	10	58	Medium	Low	Low
383	265				3				106		9		69	134	118	5			49	23	72	Medium	Low	Medium
384	962				10	2			68	13	10	9	437	97	1	11	21		47	9	56	Medium	Low	Low
385	690			3	22				52	21	1	2	409	199	8				33	8	42	Low	Low	Low
386	250				5									137	17	33	9	4	69	22	91	High	Low	Medium
387	438			6	12	1								101	3				58	6	64	High	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
388	301		7	2	7	1			11				265	156	59	5			49	13	63	Medium	Low	Low
389	1,450				56	6				4	2	2	1181	192	94	10	12	21	32	12	44	Low	Low	Low
390	475			1	2									316	117				50	12	62	Medium	Low	Low
391	446			3	9	1							403	145	13				47	6	54	Medium	Low	Low
392	583				6	5								137	17	22			48	8	55	Medium	Low	Low
393	660	7		1	7					7				169	38				58	100	158	High	High	High
394	568				14	1	2	2	57			2		137	9				39	20	58	Low	Low	Low
395	239			1					8	13			217	199	4				41	10	51	Medium	Low	Low
396	330			2	4									152	8	8	10		54	11	64	Medium	Low	Low
397	1,755			1	20	5			162	7	3		1231	1035	193	7	57	14	47	16	63	Medium	Low	Low
398	719				9	3				6	8	3		242	11				48	8	56	Medium	Low	Low
399	360		8	2	7			1	63				105	226	38	19			47	20	68	Medium	Low	Medium
400	302				2	5								162	61	6	20	30	69	41	110	High	Medium	High
401	570			2	4	2								274	88	42	66	15	80	30	110	High	Medium	High
402	1,828			3	19	7			194	15	15	4	1229	637	98	55	5	3	45	11	56	Medium	Low	Low
403	502		3	5	5	2			36				205	310	119	10	9		48	16	64	Medium	Low	Low
404	182				1	1			4	3	1	1		15	9	4			39	7	46	Low	Low	Low
405	331				5									253	13				73	10	83	High	Low	Medium
406	329			3	2				207	7	6		20	243	9				47	17	64	Medium	Low	Low
407	270			2	5	3								136	57	1	16	8	49	25	74	Medium	Medium	Medium
409	355				3	2		4	113		3			159	47	2	29	3	69	46	115	High	Medium	High
410	295													224	1	1	6		52	10	62	Medium	Low	Low
411	324													122	17	7	5		50	7	58	Medium	Low	Low
413	542				10	3								170	11	3	4		76	8	84	High	Low	Medium
415	300				1	1								140	4	19	15	12	52	22	74	Medium	Low	Medium
416	370													339	5	1	2	4	76	12	89	High	Low	Medium
418	630			2	2	2								488	43	12	46	4	56	20	75	Medium	Low	Medium
419	337				2									254	81				60	13	72	High	Low	Medium
420	346			1	2									220	98	21			49	16	64	Medium	Low	Low
421	517			5	7									27					60	2	62	High	Low	Low
422	287				2									189					47	7	54	Medium	Low	Low
423	594				4	1								373	20				56	8	64	Medium	Low	Low
424	540		2		2	1			151	8				373	4				61	11	71	High	Low	Medium
425	165			1	2	1								130	13	11			49	15	64	Medium	Low	Low
426	296				4				100	9			21	126	16				60	11	71	High	Low	Medium
427	300			4	1	2			198	37			38	5	28	140	84	18	50	76	126	Medium	High	High
428	775			1	6		1		118	4	3		4	212	50	5			40	9	49	Low	Low	Low
429	955			9		15			253		1	2		296	182	79	3		57	18	74	Medium	Low	Medium
430	547			1	11	6		1		4	6	2		260	25	8	23		49	20	69	Medium	Low	Medium
431	360			3	1	1			151	16	23		62	109	92	10			53	22	75	Medium	Low	Medium
432	368					4			69	36	5	3	153	136	79	51	48	19	51	47	99	Medium	Medium	High
433	241			4	9	1								58	25				57	9	66	High	Low	Medium
435	471			1	13	2								194	32	17	42	20	74	28	102	High	Medium	High
436	347				2	1								171	162				52	15	67	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
437	324			1	3				25	9	7	4	14	178					46	12	59	Medium	Low	Low
438	259				2	2			137	7	3	2	69	142	71	2	35	3	49	38	87	Medium	Medium	Medium
439	375				1					13	7			320	13				55	12	67	Medium	Low	Medium
440	1,387			2	14	7	1		284	47	14	10	1004	436	25	31	120	12	45	23	68	Medium	Low	Medium
441	1,329			1	6	7			27	2			722	297	101	11	61	37	52	16	68	Medium	Low	Medium
442	1,029	1	1	1	8	3								293	5	61	13	2	49	28	77	Medium	Medium	Medium
443	275					2			79	4	2	5		96	5				40	13	53	Medium	Low	Low
444	1,055				10	4				4	5	8		228	83	28	1	10	49	11	60	Medium	Low	Low
445	440				3	1			45	22	5	10	356	340	6				48	17	65	Medium	Low	Medium
446	443	4			12	2			20	12	7	3	399	107	109	57	10		38	100	138	Low	High	High
447	1,024			2	22	10				29	11	11		71	236	386	234	56	67	66	133	High	High	High
448	1,020	1		2	17									639	58				76	29	105	High	Medium	High
449	260				7	1								79					60	7	66	High	Low	Medium
450	600		2	1	7	1								506	12				53	10	63	Medium	Low	Low
451	1,233	2			19	5				9	8	6		458	99	24			50	43	93	Medium	Medium	Medium
453	364			2	3				56	26	8	6	10	98	2				46	12	58	Medium	Low	Low
454	155				1	1				4	9	5	136	81	25	12	2	2	43	31	74	Medium	Medium	Medium
455	259				6	4			64	16			56	129	29	3	35	24	49	49	97	Medium	Medium	Medium
456	433				6	1								189	30	5	57	67	74	52	126	High	Medium	High
457	425		2		2	2				9				299	55	8	5	3	56	15	71	Medium	Low	Medium
458	450								66					379	18				53	11	64	Medium	Low	Low
459	370			1	15	6								203	98	19	14	9	30	29	59	Low	Medium	Low
460	1,745			4	22	1	1							515	29	23	90	36	50	16	66	Medium	Low	Medium
461	318				1	8			169					105	73	37	4		48	26	74	Medium	Medium	Medium
462	374	3		3	5	5			43	10	4	3	56	41	10	0	16	5	38	100	138	Low	High	High
463	1,137			9	15	8	1			4	3	10		250	28	77	73	40	40	26	66	Medium	Medium	Medium
464	2,172			7	23	13			148	43	40	43		447	211	226	78	13	44	23	67	Medium	Low	Medium
465	260			1	1	2			94		2	2		90	85	12	3	43	46	54	100	Medium	Medium	High
466	665				7	2			80					307	25	26	55	6	42	20	62	Medium	Low	Low
467	199				3									19	4	30	5		46	13	59	Medium	Low	Low
468	205					1								39	35	23			46	12	57	Medium	Low	Low
469	236				5									95	17	16	10		50	15	66	Medium	Low	Medium
470	564				13	4								182	66	29	107	28	76	41	117	High	Medium	High
471	1,764				34	9			440	23	9	5	179	571	127	99	121	79	41	30	71	Medium	Medium	Medium
473	592				8	4								293	77	50	53		45	23	68	Medium	Low	Medium
474	802				8	6					1	2		176	32	85	86	11	43	25	68	Medium	Medium	Medium
475	261				4	1								107	83	19	14		64	22	86	High	Low	Medium
476	255			3		1			86	9	9			76	22	5			63	14	77	High	Low	Medium
477	415			1	6	10			379	20	8			131	136	33	39	36	57	59	116	Medium	High	High
478	449				2	4				33	27			348	34				55	19	74	Medium	Low	Medium
479	2,227	21		6	35	8			292	14	4		377	676	145	42	59		56	100	156	Medium	High	High
480	1,650			1	39	14			425	27	17	2	192	762	251	111	145	31	41	32	73	Medium	Medium	Medium
481	984			1	13	2							34	317	78	118	64	4	47	20	67	Medium	Low	Medium
483	1,544			5	24	4			45	2			843	628	32	40	119	16	48	18	66	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
484	835				12	3				11			4	324	129	25	31	31	45	22	67	Medium	Low	Medium
485	251	1			1									73	8	0	12		37	88	125	Low	High	High
486	200													90	63				47	11	58	Medium	Low	Low
487	192	1							61					60	33	5	4		41	100	141	Medium	High	High
488	1,034			5	21	3								371	35	62	43	12	60	16	76	High	Low	Medium
489	2,284	18		10	52	11			408	10	1	5	7	619	129	150	28		50	100	150	Medium	High	High
490	913				10	3				3	3			449	27	37	37		48	14	62	Medium	Low	Low
492	915	1			18	8	1	1	433	17	13	2	442	400	39	70	9	6	70	48	118	High	Medium	High
493	1,554			1	25	3							794	166	133				48	5	53	Medium	Low	Low
494	1,243			4	13	1					6	1		638	163	41	30	2	78	14	92	High	Low	Medium
495	248		1		4	1			85					124	75	10	2	18	44	34	78	Medium	Medium	Medium
496	680			6	10	4			99	11			234	254	106	55	19	77	38	41	78	Low	Medium	Medium
497	1,005			2	20	5			3	35	5	7	452	342	123	23	3	30	74	19	93	High	Low	Medium
498	825		1	4	6	3								292	2				56	5	61	Medium	Low	Low
499	215				3	2								182	15	6	0	2	88	16	104	High	Low	High
500	422			2	4	2			65	12			109	83	87	63	20	99	38	69	107	Low	High	High
502	445			6	5	5			82	2	8		4	247	31				40	14	54	Medium	Low	Low
503	431				4	1			6					214	49	40	44		82	24	105	High	Low	High
504	278	1			2	3							4	106	9	2	6	36	38	100	138	Low	High	High
505	456			4	5									239	10				40	7	47	Medium	Low	Low
506	450			2	3					3	4			155	31				38	7	44	Low	Low	Low
507	245								65					80	135	9	2	8	38	26	64	Low	Medium	Low
508	249													1					31	0	31	Low	Low	Low
509	714			7	12	1			45	13			654	576	44	17			64	13	77	High	Low	Medium
510	396			18	1									262	70	22			46	13	59	Medium	Low	Low
511	446			2	8														54	2	56	Medium	Low	Low
512	399				5	1								28	15	26	29	17	54	22	76	Medium	Low	Medium
513	695			1	2				26	8	11		142	229	30	24			68	8	76	High	Low	Medium
514	284			1	1									93					38	4	41	Low	Low	Low
515	408				4	2				3	2	1		212	28	69	3		54	19	73	Medium	Low	Medium
516	272			2	1									131	103	29			48	18	66	Medium	Low	Medium
517	328			3	3	2								144	37	31			53	14	67	Medium	Low	Medium
518	306				4					11	4			235					55	11	66	Medium	Low	Medium
519	1,081		1	3	18	8		4						564	152	43	64	32	88	32	121	High	Medium	High
520	234				3	1				4	3			133	30	9	15		59	20	79	High	Low	Medium
521	231				6	1			34				63	97	3				43	9	53	Medium	Low	Low
522	1,121				23	7							66	305	55	70	34	51	87	22	109	High	Low	High
525	303		1	5	4	3	3												51	19	71	Medium	Low	Medium
526	524			5	4					18	6			297					60	8	68	High	Low	Medium
527	532			2	5				70	3	0			295	80	51			65	16	81	High	Low	Medium
529	207				4	3								79	47	30	26		52	33	85	Medium	Medium	Medium
530	328				8	2								105	69				34	11	45	Low	Low	Low
532	55												47	21	9	7			37	14	51	Low	Low	Low
533	634				5	1			123				121	151					30	5	35	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
534	229			1	1	1					6		160	90	4				28	8	36	Low	Low	Low
535	267													3					27	0	27	Low	Low	Low
536	375				1				88					253	13				33	10	43	Low	Low	Low
537	499		6	4	2	2								340	99	6	7		46	14	60	Medium	Low	Low
538	732		1	2	3	1			125					374	47	17	7		44	11	55	Medium	Low	Low
539	1,233		1		5	1			612	10	12	5	433	641	4	0	1	25	48	17	65	Medium	Low	Medium
541	644				4	1							149	353	53	12			31	9	40	Low	Low	Low
542	619			3	10	3			203	7	5			233	171	72	8		78	23	101	High	Low	High
543	279			2	3								59	59	26				28	5	33	Low	Low	Low
544	207			2	7	2								100	46	8	11	31	53	52	104	Medium	Medium	High
545	479			2	2	1								225	185	21			48	15	64	Medium	Low	Low
546	594		1	3	8	5													51	3	54	Medium	Low	Low
547	546			4	4		1		7	5	5		13	445	21				66	14	80	High	Low	Medium
548	1,252				27	23			547	29	10	9	20	272	592	91	8	217	39	63	102	Low	High	High
549	585			1	4	2	1		90	6	8		105	216	21	18	6		55	14	69	Medium	Low	Medium
550	187				1	1				7				93	7				60	8	68	High	Low	Medium
552	504			2	5	4								233	196	19	20		54	21	75	Medium	Low	Medium
553	597		1	2	4	1								173	37	5	1		44	6	50	Medium	Low	Low
554	159				4	1								60	44	26	11	8	62	38	100	High	Medium	High
555	203				2	3				2				36	95	8	2	44	54	61	115	Medium	High	High
556	525				1	1								167	22	8			73	5	78	High	Low	Medium
557	1,224				94	3			103	31				551	119	60	23	5	51	21	72	Medium	Low	Medium
558	620			3	11	4								368	26				50	10	60	Medium	Low	Low
559	719		5	7	3	7								487	35	4	3		48	11	59	Medium	Low	Low
560	1,169				27	2				0				788	158	66	44	9	53	20	73	Medium	Low	Medium
561	349				3					13	4			283					37	11	48	Low	Low	Low
563	165			2	3									48	3				61	5	66	High	Low	Medium
564	204			1	3									39	1	1	1	5	64	9	73	High	Low	Medium
565	334			15	6	1													59	2	62	High	Low	Low
566	544			4	8	1			45	10			81	256	13	6			44	9	52	Medium	Low	Low
567	205			2	5	2	1		94	21	6	3	47	72	49	6	8	36	65	73	138	High	High	High
568	552		1	6	4	3			125	8			4	364	117				44	15	59	Medium	Low	Low
569	413				7	3			188	27	19	2	173	105	49	12	23	16	43	34	77	Medium	Medium	Medium
570	221			2	1					7	1		2	142	47	5	11		59	18	78	High	Low	Medium
571	262				5	1								129					58	8	66	High	Low	Medium
572	193				3									146	45				64	14	78	High	Low	Medium
573	1,489			3	22	11			296	8	6	3	244	377	73	22			58	10	68	High	Low	Medium
574	187				3	4			81	8				99	34	9	1		66	23	89	High	Low	Medium
575	279													102	4				63	4	67	High	Low	Medium
576	500				8	4			96	3			281	261	135	13	9		45	19	63	Medium	Low	Low
577	455				6	7			345	17	8	10		74	3	14	65	40	39	54	93	Low	Medium	Medium
578	1,328			1	23	8	1		70	5	3	1	286	937	244	22	46		67	20	87	High	Low	Medium
579	441				10	2			178				259	150	17	3			44	12	55	Medium	Low	Low
580	513			1	5	2			63	38	17	3	389	174	16	48	3		54	18	72	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
581	241				1	2								151	9				64	9	73	High	Low	Medium
582	338			1	2	1				4	4	2		190	65	16	17		66	21	86	High	Low	Medium
583	239			1	3									166	7	36			75	16	91	High	Low	Medium
584	504				12	3			55	30	37	14	248	110	23	14	9		53	25	78	Medium	Medium	Medium
585	60													20	16	8	3		37	20	57	Low	Low	Low
586	369													163	39	4	20		65	12	77	High	Low	Medium
588	653			1	16	3								288	30	55			39	13	52	Low	Low	Low
589	359				1	1								104	57	22	7	26	54	26	80	Medium	Medium	Medium
590	611				11	3								336	137	8	32	1	54	19	73	Medium	Low	Medium
591	534				10	6								333	35	15	30		59	19	78	High	Low	Medium
592	1,554	1		3	23	11				7	1	1	704	395	57	68	73	10	39	27	66	Low	Medium	Medium
593	45									5	4			22	10	8			39	29	68	Low	Medium	Medium
594	395			2	3	3								317	33				53	12	65	Medium	Low	Medium
595	1,533			1	24	17				7	9	9	192	573	79	54	116	76	49	30	78	Medium	Medium	Medium
596	210				1									197	4				61	10	71	High	Low	Medium
597	279			1	3	1								230	13				62	11	73	High	Low	Medium
598	1,295			6	27	21			110		6	1	4	439	31	78	218	124	38	50	87	Low	Medium	Medium
599	1,303		1	6	18	14							27	495	208	50	197	142	38	49	87	Low	Medium	Medium
600	220			2	1	3								5					61	3	64	High	Low	Low
601	218			1										152	27				63	9	72	High	Low	Medium
602	214			2	4				4				207	135	50	4	4		44	16	60	Medium	Low	Low
603	2,089			1	28	13			57		7	4	82	933	152	58	105	75	37	23	60	Low	Low	Low
604	230				5				2	8	3	5	210	12					64	9	73	High	Low	Medium
605	346				14	4				10	4	2		250					35	16	51	Low	Low	Low
606	312				5									85	146	15	29		64	25	89	High	Medium	Medium
607	422			5	7	3				21	8		389	159	14	1	4	30	64	26	90	High	Medium	Medium
608	254			2	3	3			6	0			244	102	27	3	3	34	44	38	82	Medium	Medium	Medium
609	204			2	3	1								102	50				63	12	76	High	Low	Medium
610	572		1	1										338	106	22	2	21	64	19	83	High	Low	Medium
611	667			2	9	2			96		4	4	338	324	196	40	7		43	20	63	Medium	Low	Low
612	186													76	33	4			67	9	76	High	Low	Medium
613	236				5	1								124	5	2	2	26	44	32	76	Medium	Medium	Medium
614	827			8	17	3		1	155	27	9	5	420	224	21	37	60	19	62	27	89	High	Medium	Medium
615	456			1	9									422	4				79	11	90	High	Low	Medium
616	45									4	4		36	23	6	6			39	25	64	Low	Medium	Low
617	452			5	2									310	3	3	24	4	80	15	95	High	Low	Medium
618	200				5	1								56	20				38	8	47	Low	Low	Low
619	219				5	4								134	35	16			63	19	82	High	Low	Medium
620	869			4	16	7			64	9	8	4	505	270	44	8	46	31	68	23	91	High	Low	Medium
621	160			1	4									151	4				62	12	74	High	Low	Medium
622	605			2										419	8				69	7	76	High	Low	Medium
623	279				3	4			86	7	12	9	2	114	43	25	40	26	31	63	94	Low	High	Medium
624	355			11	7	1			25	4	4		111	214	56	37	4		39	20	59	Low	Low	Low
625	199				1	1			36	4	8	8	60	77	59	16	8	33	30	67	97	Low	High	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
626	634			4	4	3								177	91	78			70	13	84	High	Low	Medium
628	588				12	1			37	3	7	3	24	92	351	129			46	30	75	Medium	Medium	Medium
629	312			1	8	7			39		5		216	137	81				56	19	75	Medium	Low	Medium
630	331	1		3	2	1								57	11	6	25	3	66	74	140	High	High	High
632	380			1	7	8	2	4	89	1	3		64	123	54	10	2	7	65	50	115	High	Medium	High
633	893				14				113					823	26	3	8		49	14	63	Medium	Low	Low
634	464				3	1			38	14	14	5	318	332					37	15	52	Low	Low	Low
635	634			1	10	4			19					179	17				44	6	50	Medium	Low	Low
636	709			1	16	9			5					414	37	51			44	15	59	Medium	Low	Low
637	260	2		5	10	1			107	8	3	6		112	12	20	25	20	54	100	154	Medium	High	High
638	1,723			3	7				109	3	2		342	956	92				34	8	42	Low	Low	Low
640	1,741			4	16	11	1		162	6	9		304	461	46				34	8	42	Low	Low	Low
641	308				5	2								95	44	16	5		51	13	64	Medium	Low	Low
642	281				5	3				2	4	2	5	159	44	52	5		44	27	71	Medium	Medium	Medium
643	153				2									64	15				42	7	49	Medium	Low	Low
645	175				2									159					80	10	91	High	Low	Medium
646	176			1	4									168	6				79	12	91	High	Low	Medium
648	1,979			3	25	13			164				892	858	914	123	20	5	33	22	55	Low	Low	Low
649	668				2	1								170	90	5			63	6	70	High	Low	Medium
650	603			3	8				63					394	28				56	10	66	Medium	Low	Medium
651	797			1	6	1								594	17	16	2	6	47	12	59	Medium	Low	Low
652	287			1	3									94	24	36	13	8	55	22	78	Medium	Low	Medium
653	996			1	29	9					1	3		337	202	44	45	92	68	38	106	High	Medium	High
654	684			6	6	2			51			1	153	102	11	34	63	92	61	43	104	High	Medium	High
655	233			4	2	2					1	2		16	28	42	38		51	33	84	Medium	Medium	Medium
656	410			3	1									101	55	26	22	32	63	30	93	High	Medium	Medium
657	250				4				71	6	6	4	3	175	18	4	15	24	55	45	100	Medium	Medium	High
658	556				8	5					1	2	146	299	45	13	27	70	63	42	105	High	Medium	High
659	567			1	12	8			43	9	5	10	4	70	318	54	15	91	47	62	110	Medium	High	High
660	498			3	6	1			25				456	104	143	100	42	22	43	37	80	Medium	Medium	Medium
661	195			1		1	2		19					69	48	23	28		44	47	91	Medium	Medium	Medium
662	226		1		1								5	58	10	2	13	36	51	42	93	Medium	Medium	Medium
663	1,027		1	3	36	18								317	373	82	54	132	53	52	105	Medium	Medium	High
664	564			2	12	7					3			31	196	184	70	68	36	66	102	Low	High	High
665	1,986			7	31	5			153				1184	1170	343	43	8		33	14	47	Low	Low	Low
667	299		1		5	1			36	6	5	2	6	49	13	6	39	68	57	69	126	High	High	High
671	167					2		1	14				145	68	5				40	20	60	Low	Low	Low
672	280			1	10	6								27	11				45	10	54	Medium	Low	Low
673	630			1	12	10								321	80	19	23	15	60	23	83	High	Low	Medium
674	382			1	7	2								142	18	47	7		68	16	84	High	Low	Medium
675	214				5	1								25					45	4	50	Medium	Low	Low
676	250				2	7								21	19	59	20		32	29	60	Low	Medium	Low
677	380					1			58	10	2	2		207	61	7	6	40	64	36	100	High	Medium	High
678	275			1	2	1			51	2			214	131	119	8			44	18	62	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
679	615	1			8	3								261	62	9	40		62	48	110	High	Medium	High
680	180				1									175					78	10	88	High	Low	Medium
681	362			1	2	1								193					53	6	60	Medium	Low	Low
682	225			2	6					4	4			125	78				47	17	64	Medium	Low	Low
683	207			2	1				4					57	4				44	4	48	Medium	Low	Low
684	213				2	1			2	2	10		195	37	52	43	7	41	46	65	111	Medium	High	High
685	401				4	1				3	3	2		53	118	50	24	104	60	75	135	High	High	High
686	237				7	2								140	46	7			79	16	94	High	Low	Medium
687	1,015			2	13	7			193	58	92	22	58	483	192	40	18	9	54	33	88	Medium	Medium	Medium
688	265	1		1										111	9				55	80	135	Medium	High	High
689	320				4					5	2	3	20	150	23	23	17	24	62	34	96	High	Medium	Medium
690	220				2	1							2	76	5	4	21	30	51	43	95	Medium	Medium	Medium
691	245				2	1					2	1	2	129	33	7	10	40	52	49	102	Medium	Medium	High
692	411			1	10	7			74	4	7		56	204					49	14	64	Medium	Low	Low
693	583			5	5	1			136	9	4	2	301	167	280	18	13		55	21	77	Medium	Low	Medium
694	420				6	5				4	3	2		159	101	21	17	74	51	56	107	Medium	Medium	High
695	738				14	9			43	7	6	15	20	313	174	50	30	55	62	41	104	High	Medium	High
696	155				2				55	3	5		78	44	6	2	12	29	47	58	105	Medium	High	High
697	45				1									13	15	15			43	28	71	Medium	Medium	Medium
698	943				10	7				3	3	2		517	41				69	10	79	High	Low	Medium
700	124				3	2			14		3		98	73					32	15	47	Low	Low	Low
701	899			2	6	2	1			4	2	7		265	24	22			65	9	75	High	Low	Medium
702	380				5	4			58				135	153	21	24	13		49	17	66	Medium	Low	Medium
703	297				6									44	84	35	46	44	53	60	113	Medium	High	High
704	254				6	3			96				95	67	27	38	7	3	48	26	73	Medium	Medium	Medium
706	150				1	2								83	20	5	2	34	49	60	109	Medium	High	High
707	661			3	9	6			258	3	2	1		245	214	34	62	44	50	43	93	Medium	Medium	Medium
708	271			1	6	1				4	3	7		87	9	13	52	6	53	39	92	Medium	Medium	Medium
709	333			1	5	5					2	2		165	26	24	10		46	19	65	Medium	Low	Medium
710	328			1	2	4								141	48	5	9	77	46	61	107	Medium	High	High
712	339			5	8				6		2		331	213	71	1	4		29	15	44	Low	Low	Low
714	179			3										86	14	13	1	6	51	17	68	Medium	Low	Medium
715	475			9	4					10	8	6		231	74	18	14	7	56	21	77	Medium	Low	Medium
717	305				10									161	11	4	4	92	50	72	121	Medium	High	High
718	802	3	1	3	8	2		1	293	8	10		68	291	45	64	96	8	73	100	173	High	High	High
719	769	5		1	20	5			42	5	5			181	76	6	53	5	70	100	170	High	High	High
721	624				9	4				4			9	229	104	13	23	8	54	17	71	Medium	Low	Medium
723	217				3	1								117	11	7	14	4	62	20	82	High	Low	Medium
724	254			2	1									116	85				63	12	74	High	Low	Medium
725	258				3	1	1				3			183	35	17	5	5	69	28	97	High	Medium	Medium
726	741			7	9	2					3		279	484	168	20	2	4	54	16	69	Medium	Low	Medium
727	257			1	7	1			241				16	58					40	15	55	Medium	Low	Low
729	315				1	2								118	89	12	2	50	62	45	107	High	Medium	High
731	1,393			5	13	1				1				229	15				61	3	64	High	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
732	320			4	5	5			169	11	5	6	128	39	149	42	33	27	41	60	102	Medium	High	High
733	205				3				173				29	153	11				56	18	74	Medium	Low	Medium
734	1,619			6	16	8					1	2	1	1071	106	65	41	35	44	19	63	Medium	Low	Low
735	265			6	4				1				248	196	20				55	10	65	Medium	Low	Medium
737	250				6				66	8				167	1	5	10	6	53	22	75	Medium	Low	Medium
738	751			6	13	5			79	8	4	2	7	407	118	39	39	7	46	24	69	Medium	Low	Medium
739	223			1	5				81					135	10	1	5		39	15	55	Low	Low	Low
740	229			4	1	4								142	14	1	2	23	49	33	82	Medium	Medium	Medium
741	555			2	7	3				4	5			300	75	43	22	48	51	37	87	Medium	Medium	Medium
742	555				14	3		1						234	109	40	19	35	51	35	86	Medium	Medium	Medium
743	1,415			3	23	5				5	5			165	9				57	4	61	Medium	Low	Low
744	601			7	5	3			180	4	9			270	100	8	10	65	57	38	95	Medium	Medium	Medium
745	244				1	1		1	10	2	7	8	3	21	3	20	48	27	48	66	114	Medium	High	High
746	1,606			6	20	3			718	23	5			1062	79	1	1	29	49	18	67	Medium	Low	Medium
747	330			2	5	1			196	28			104	192	1	1	3		46	17	62	Medium	Low	Low
748	556				11									341	88				78	11	89	High	Low	Medium
749	525			1	10									199	113	48			81	15	95	High	Low	Medium
750	273				4									94	27	42	4		60	16	76	High	Low	Medium
751	829			1	13	6			50	8	7		49	282	184	77	55	20	45	29	74	Medium	Medium	Medium
752	675			4	7	6								156	84	150			35	19	53	Low	Low	Low
753	599			2	2	3			44	13	15	10		208	64	29	24	115	56	59	115	Medium	High	High
755	160				1	1								24	3				57	4	61	Medium	Low	Low
756	862		1		16	11	1		25				5	360	157	55	56	121	45	52	97	Medium	Medium	Medium
757	126		1	1					27	7				49	41	29	1		60	26	86	High	Medium	Medium
758	229				2	1								87					57	6	63	High	Low	Low
759	285				7	4			172	3	3	2	12	129	60	19	30	30	54	58	112	Medium	High	High
760	371			1	1	2			137	27	3		178	203	35				45	15	60	Medium	Low	Low
761	235				4	2				13	6	3		147	24	4			70	19	88	High	Low	Medium
762	374			2	8	1			132	4	8	29		240	4				30	31	61	Low	Medium	Low
763	646	1			10	6			56	6	3		2	366	102	11	54	53	47	70	117	Medium	High	High
764	922			5	13	14				11				349	119	63	62	32	44	28	72	Medium	Medium	Medium
765	216				1	2								44	81	37	13		70	26	96	High	Medium	Medium
766	789		2	3	8	8	1	1						201	34	66	77	131	58	58	116	High	High	High
767	932				19	16				4	3	9		280	309	118	48	47	44	39	83	Medium	Medium	Medium
768	738			2	5	4				3	2	2		291	95	7	21	153	60	54	114	High	Medium	High
769	156			1	4									86	39	17	2	7	41	29	69	Medium	Medium	Medium
770	251			1	8	1								77	111	35	10		64	27	91	High	Medium	Medium
771	251			1	8	6								147	13	13	10		71	21	92	High	Low	Medium
772	669				11	2			534	16	12		11	431	134	7			55	23	78	Medium	Low	Medium
773	674	1			14				47	7	2	1		283	125	26	13		46	45	91	Medium	Medium	Medium
774	265				4			1	126	6	2	2		38	53	27	13	125	61	100	161	High	High	High
775	213				4	1			51	2	0		16	21	2	22	8	0	61	15	76	High	Low	Medium
776	620				10	4			88	2	3	5		263	273	17	29	28	42	35	77	Medium	Medium	Medium
777	618			6	13	4								120	53	30	43	60	45	36	81	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
778	451				10	4			84				76	75					68	8	75	High	Low	Medium
779	956			4	23	12	1	1	67	2	4		175	160	102	21	5		45	15	60	Medium	Low	Low
780	375			5		4								194	123	27	0	4	57	20	76	Medium	Low	Medium
781	565			1	14	1		2	170					344	38	41			71	24	95	High	Medium	Medium
782	934			1	17	12			47				32	242	26	51	9	4	45	13	57	Medium	Low	Low
783	167				3					7	8	3	148	59	17	1	1	23	64	45	109	High	Medium	High
784	544			1	8	2								372	58	1	1	19	43	18	62	Medium	Low	Low
785	196			3	4	1		1	77		18		92	76	99	1			46	41	86	Medium	Medium	Medium
786	570				3				45				112	28					69	2	71	High	Low	Medium
787	119			2	2				1	18	67	21	10	30	25	6			62	100	162	High	High	High
788	287	1		2	5	6	1						283	157	83	9	6		44	96	140	Medium	High	High
789	165			2	4	1							3	79	44	22	13		38	28	66	Low	Medium	Medium
790	788			5	9	1			110					323	79	7	4		79	10	89	High	Low	Medium
791	219				1	1			73	13			132	59	3				46	9	54	Medium	Low	Low
792	375			3	6	5			36	2		7	273	115	5	3	7		45	15	60	Medium	Low	Low
793	445				4	1			65					337	44	19	3		74	15	89	High	Low	Medium
794	443				2									284	73	2	6		78	12	89	High	Low	Medium
795	434			1	3	2		1	52		1		377	165	46	9	31		38	22	60	Low	Low	Low
796	422		1	1	5	3			8	7	6	2	318	100	112	17	26	121	49	79	127	Medium	High	High
798	176			2	3	5			42	3	2		20	112	17	9	3		30	24	53	Low	Low	Low
799	549				7	5				10	4		122	241	103	32			64	15	79	High	Low	Medium
800	407			4	4	1			14	2	5		190	106	5	11	49	72	46	55	101	Medium	Medium	High
801	336			2	4	1			157	16	4	3	18	61	3	4	21	75	61	64	125	High	High	High
802	561			4	9	3			150		2	1		242	33	5	36	7	73	21	94	High	Low	Medium
803	919				19	11			360	9	5	1	473	226	161	83	77	212	46	74	121	Medium	High	High
804	580			1	8	5								232	11				56	7	63	Medium	Low	Low
806	555			1	7	6								277	123	20	11	9	86	20	105	High	Low	High
807	255			2						3	1	6	64	52	8				56	8	64	Medium	Low	Low
808	489			3	4	1			178	23	5	1	53	178	157	13	46	53	57	50	106	Medium	Medium	High
809	862			1	11	4			252	20	10	18	499	255	77	36	46	51	45	35	79	Medium	Medium	Medium
810	371				5				18		3		30	95	17				52	6	58	Medium	Low	Low
811	254			2	3	2								106	13	1	5		39	10	49	Low	Low	Low
812	539			1	9	2							368	216	6	4			42	7	49	Medium	Low	Low
813	687				5	7			39	11	2	2	437	252	59	8	26	28	41	22	64	Medium	Low	Low
814	239			2	5	9		1	36	5	3			19	20	12			62	26	88	High	Medium	Medium
815	381			1	9	1			122	11	23	2	108	166	28				65	20	84	High	Low	Medium
816	680		1	3	10	7			60	28	7		341	325	140	37	22	51	41	36	78	Medium	Medium	Medium
817	791			3	6	5			27				306	259	52	2			39	7	46	Low	Low	Low
818	272			2										93	145	13	12	2	65	22	88	High	Low	Medium
819	271			2	5	1					2	2		108	6	30	13	4	72	23	94	High	Low	Medium
822	286			1	4	5			117	4	4			76	62	7	2	4	65	22	87	High	Low	Medium
823	330					2	1			7				273	9	3	11	8	79	24	103	High	Low	High
824	858			4	9				7	18	8		419	164	13	7	9		42	6	48	Medium	Low	Low
825	265				2	1							245	176	6	2	4		55	11	66	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
826	766			5	8	2							686	37					40	2	42	Medium	Low	Low
827	455				13	6			66	8	4	3	50	256	10				69	16	85	High	Low	Medium
828	2,125	1		1	47	6			647	32	6		39	963	413	69	54	354	59	62	121	High	High	High
829	273				5				45	4	6	2		120	100	1			80	19	100	High	Low	High
830	234			2	1				112	2	5		8	19	152	53			45	33	77	Medium	Medium	Medium
831	880			2	2	4				35	24		330	244	22				42	8	50	Medium	Low	Low
832	269				10				25					128	75	10			86	17	102	High	Low	High
833	259			1	5	5			93		1		12	116	12	18	26	25	45	48	92	Medium	Medium	Medium
834	310				8	2				5	3			181					76	11	87	High	Low	Medium
835	685			3	14	3	1		287					192	56	4			61	14	75	High	Low	Medium
836	611			2	13	5			17		9		351	189	25	19	29	108	46	51	97	Medium	Medium	Medium
837	683			3	14	7								243	61	56	3		59	14	73	High	Low	Medium
838	252				1				106					57	5				43	7	50	Medium	Low	Low
839	582			2	5	2								202	115	23	32	86	52	46	98	Medium	Medium	High
840	100			1	1				90				10	49	18				33	19	51	Low	Low	Low
841	643			2	4	1			290					410	2				53	12	65	Medium	Low	Medium
842	179			1	4				37	4	18		72	62	95	0	7	11	55	45	100	Medium	Medium	High
843	2,044		1	6	39	19			299	40			47	731	758	52	74	75	56	29	85	Medium	Medium	Medium
844	475				3	2			84	6	13	5	295	162	41	39	52	61	44	54	98	Medium	Medium	High
846	595			2	16				19				38	216					63	7	69	High	Low	Medium
847	678				25	6				4			4	270	223	22	80	6	68	31	99	High	Medium	High
848	609				6	4			108	8	13	14	104	188	171	19	53	107	49	65	114	Medium	High	High
849	254				2								10	22					43	2	45	Medium	Low	Low
850	244			1	1	1			76	5	11		82	74	73	19	3	69	56	80	136	Medium	High	High
851	581	1			16	8							22	292	54	31	13	8	64	54	118	High	Medium	High
852	555		3	2	12	9					1	2		299	142	27	17	25	59	31	90	High	Medium	Medium
853	255			1	1					6				38					43	2	45	Medium	Low	Low
854	597			1	26	11	3	2						208	144	116	25		63	45	108	High	Medium	High
855	558			3	14	7								303	97	32	5	23	58	26	84	High	Medium	Medium
856	207			1	2	1								133	7				46	9	55	Medium	Low	Low
857	235				2	1													43	2	44	Medium	Low	Low
858	541			2	12	1								191					71	6	77	High	Low	Medium
859	329			1	4								326	247					54	9	63	Medium	Low	Low
860	411			1	6	1								101	127	159	14		50	33	83	Medium	Medium	Medium
861	354				7	6	1			6	16	2		89	14	31	6		76	25	101	High	Medium	High
862	366		1	4	10	1								14	7				52	4	56	Medium	Low	Low
863	285		2	2	4	3								166	33	7	24	31	42	43	85	Medium	Medium	Medium
864	222			2	12	8			48				92	64	4				76	18	94	High	Low	Medium
865	239				6								3	102	69	10	3	18	43	31	74	Medium	Medium	Medium
866	1,180	1		2	19	8			195	11	11		515	401	76	27	22	72	66	43	109	High	Medium	High
867	211				1					7	7			146	6				45	12	56	Medium	Low	Low
869	335				16				35				20	18	10	4			73	8	81	High	Low	Medium
870	298				4	1				4	3	3		115	20				59	11	70	High	Low	Medium
871	675			3	11	3								312	47	17	19		78	13	91	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
872	695			1	16	3			279	19	32		47	566	45				79	22	101	High	Low	High
873	223			2						15	11			34					44	8	51	Medium	Low	Low
874	415			2	8	3					3			195	80	21	5	52	30	41	71	Low	Medium	Medium
875	280				2	3			64	4	2	2		161	78	13	3		56	22	78	Medium	Low	Medium
876	355				5	1	1		171	39	6	5		61	59	55	6		54	32	86	Medium	Medium	Medium
877	300				2				56					37					45	4	49	Medium	Low	Low
878	207									7				85					44	5	49	Medium	Low	Low
879	1,103			5	16	5				7	5		482	316	75	8	4	169	68	39	107	High	Medium	High
880	330			3	1		1			4	5			58	110	7	1	2	61	18	78	High	Low	Medium
881	351				2	1								153	14	66	2		68	16	84	High	Low	Medium
882	194				2				38	8	6		82						46	7	53	Medium	Low	Low
883	459			2	6	1			53	4	4	6	360	135	3				43	10	53	Medium	Low	Low
884	181													71					44	4	48	Medium	Low	Low
885	395		1	2	8				114	4	3	2	80	125					46	10	56	Medium	Low	Low
886	85			1	1	2								28	18	15	5	5	53	40	92	Medium	Medium	Medium
888	199				5				100	5	4	3		8					71	13	84	High	Low	Medium
889	200				3	1			21	5	5	4		41	6	12	29	4	80	35	114	High	Medium	High
890	252				7	1			26	8	14		155	112	6				46	16	62	Medium	Low	Low
891	208			1	7				21				174	107	23	14			76	15	91	High	Low	Medium
892	502			1	2	5			44	6	3	5	386	226	23				45	12	56	Medium	Low	Low
893	257			1	8	1				9				102	32	4			76	12	88	High	Low	Medium
894	185			2	2	2				8				125	4				44	11	55	Medium	Low	Low
895	151		1		4	1							104	8	7				49	5	54	Medium	Low	Low
898	589				13	4			184		1		8	275	149	48	40	32	68	38	106	High	Medium	High
899	541			1	4				174	28			102	489	17				59	15	73	High	Low	Medium
900	338		1	1	3				22	6	5	5	81	104					48	9	57	Medium	Low	Low
901	228				3				39					44					71	5	76	High	Low	Medium
902	295				5									250					58	10	68	High	Low	Medium
903	255					2			128					207	40				58	18	75	High	Low	Medium
904	417				2	1				6			410	338	75				53	13	66	Medium	Low	Medium
905	362			2	8	7								117					67	9	76	High	Low	Medium
907	321			1	2	1				2	4		119	25	2				48	4	51	Medium	Low	Low
908	329				7	1								103	14				78	7	84	High	Low	Medium
909	276		2	1	5	4				3	5		3	81	13	27	24	3	46	26	73	Medium	Medium	Medium
910	287			3	3	4							109	20	114	4	6		44	15	59	Medium	Low	Low
911	270			1	1									118	91	37	5		40	20	60	Low	Low	Low
912	603				16	1			31					313	61	11			68	12	79	High	Low	Medium
913	318				4	5			115					113	144	28	3		44	26	69	Medium	Medium	Medium
914	200				3	3								84	12	0	0	2	71	12	82	High	Low	Medium
915	178				2	1			102					98	13	14			52	19	71	Medium	Low	Medium
916	360				8					3	6			170	37	9	6	9	58	19	76	High	Low	Medium
917	153				1									77					58	6	63	High	Low	Low
918	182				1	2							63	51	5				74	6	80	High	Low	Medium
919	554	1		10	15	5								163					81	44	124	High	Medium	High

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
920	248				2	4					3			144					69	11	80	High	Low	Medium
921	641				8	1			47				184	75	3	2			74	4	78	High	Low	Medium
922	332			1	13	4								174					78	12	90	High	Low	Medium
923	497			7	5	1			102	13			80	136	248	27	5		48	20	68	Medium	Low	Medium
924	234				5	1								43	2	5			68	6	74	High	Low	Medium
925	748		1	2	11	11			129		2	1	195	94	171	134	110	142	47	74	121	Medium	High	High
926	211			1										16	106	58	11	5	60	35	94	High	Medium	Medium
927	152				1									136	4				79	10	89	High	Low	Medium
928	191			1	2				42				139	53	75	44			44	25	69	Medium	Medium	Medium
929	1,141			1	4	5			510	30	9	10	37	306	26	26	38		66	16	82	High	Low	Medium
930	300				9	3							297	105	142	26	4		43	24	66	Medium	Low	Medium
931	454			2	8	3								288	48	30			62	15	77	High	Low	Medium
932	259				4	1							168	153	65	16			43	16	60	Medium	Low	Low
933	733		1	5	7	11			119	13	4		206	228	79	64	7	17	47	22	69	Medium	Low	Medium
934	228				6	1								151	28	1	9	8	81	24	104	High	Low	High
935	184				4	3			21	4	2	5	1	33	110	5	10	9	81	44	124	High	Medium	High
937	483				7	3				8				204	60	11	2	5	56	13	69	Medium	Low	Medium
938	451				5	4								214	18	19	10	4	62	15	76	High	Low	Medium
939	440			1	10	7								135	82	4	13	6	58	18	76	High	Low	Medium
941	690			4	11								472	267	21				51	6	57	Medium	Low	Low
942	251				6	1			55	8			78	76	17	2	1	21	45	28	73	Medium	Medium	Medium
943	268				4				23				242	83	18				43	7	50	Medium	Low	Low
944	228				1	3			76				68	54	139	31			43	28	71	Medium	Medium	Medium
945	1,114			4	11	3			158	2	8			682	46	54	104		71	22	93	High	Low	Medium
946	315				2	1	1							87	6				58	9	67	High	Low	Medium
947	409				2	2			25	2	6	2	3	68					30	6	36	Low	Low	Low
948	740			5	8	3			221	3			311	397	163	1			51	15	65	Medium	Low	Medium
949	319			1	7									187	16				81	9	90	High	Low	Medium
950	399			4	6	2			87	4	11			268	6				76	15	91	High	Low	Medium
951	773		2	9	12				83				375	341	163	40			58	14	72	High	Low	Medium
952	330			2	7	2								80	34				68	8	76	High	Low	Medium
954	675		1	2	12	5			28				360	281	203	59	1	6	58	20	78	High	Low	Medium
955	204				2									176					76	10	86	High	Low	Medium
956	866				4	2			6	11	8		104	480	16				45	8	53	Medium	Low	Low
957	921			3	6	1			102		7	5	111	181	4				48	6	54	Medium	Low	Low
958	482			2	6	13	1		229	35	48	11	81	82	109	76	48	148	47	100	147	Medium	High	High
959	252				6	1			63	14	2	5	17	188	17	5	8		79	25	104	High	Medium	High
960	201			1	3	2			19	2			1	96	38	7	11	14	53	34	87	Medium	Medium	Medium
961	245				4				40	7			13	5	7				47	5	51	Medium	Low	Low
962	263				4	7		1	159	6	2	4	11	136	47	16	3		48	38	85	Medium	Medium	Medium
963	582				6	2			250	3	7		4	319	23	8			67	14	81	High	Low	Medium
964	243				2						11		230	34	5				44	7	51	Medium	Low	Low
965	590			3	12	1			55					540	20				57	13	70	High	Low	Medium
966	578				9	3								390	47				68	11	78	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
967	268				3								267	172	26				44	9	53	Medium	Low	Low
968	623				1	4				3	5			335	31	6	4		74	10	84	High	Low	Medium
969	554		3		11	2								127	141	67			60	16	76	High	Low	Medium
970	603				7	8		1						244	76	62	14	8	54	24	78	Medium	Low	Medium
971	340			2	6	3			160					122	151	3	12		42	25	66	Medium	Medium	Medium
972	598				11	5			74		3	3		167	42	13	6	4	51	14	65	Medium	Low	Medium
973	587				13	4								143	55	79	6		64	16	80	High	Low	Medium
974	276			1	3	1								101	105	24	7		76	20	96	High	Low	Medium
975	450				2								449	363	53				52	11	63	Medium	Low	Low
976	510			2	6	4								201	184	34	3	30	42	30	71	Medium	Medium	Medium
978	250		1		2				21					108	93				63	13	76	High	Low	Medium
979	464			5	2								7	308	120	1	4		54	13	67	Medium	Low	Medium
980	721			2	9	4	1		128	19		1	322	201	177	141	66	58	47	50	97	Medium	Medium	Medium
981	469			7	2	2	1	1						204	160	58	18		62	30	92	High	Medium	Medium
982	261			8	5	2							243	95	90	18	0		52	17	69	Medium	Low	Medium
983	359			3	2	1			227	7			32	93					51	10	62	Medium	Low	Low
985	833			1	15	7	1		586	12	4	3	11	391	210	3	42	114	65	56	121	High	Medium	High
986	638			6	10	10	1	1	77		3		368	201	189	56	21	56	46	46	93	Medium	Medium	Medium
988	377				8	1					2	3		175	77	37	19	44	76	47	122	High	Medium	High
989	72								24	4	3	13	27	29	17	6	4		50	63	112	Medium	High	High
991	440	1			8	10			23	4	17	2		155	107	87	15	24	75	90	165	High	High	High
992	311				1									37					56	2	58	Medium	Low	Low
993	852			1	10	10				7	12	21	89	404	48	52	57	53	30	38	68	Low	Medium	Medium
994	566				11	3								304	111	54	29	19	75	29	104	High	Medium	High
995	422			2	3	1			53	4	6			73	68	25			34	12	46	Low	Low	Low
997	623			1	4	1			39	26	15	3	24	288	78	24			78	15	93	High	Low	Medium
999	95												9	19	9	10			49	9	59	Medium	Low	Low
1000	663		2	4	5				278				146	374	77	6			56	13	69	Medium	Low	Medium
1001	328		1	2	5	3			31	8			115	188	14	6			54	12	66	Medium	Low	Medium
1002	349			1	5	1						2	108	233	67				41	14	54	Medium	Low	Low
1004	186				1									130					80	8	88	High	Low	Medium
1005	923		1	2	9	2							272	438	278	33			55	14	69	Medium	Low	Medium
1006	220				4				40	14	3	3	34	28					71	10	81	High	Low	Medium
1007	224			2	5				83	7	7		126	26					45	11	56	Medium	Low	Low
1008	755		1	3	12	2			113	2		2	477	114	38	16	6		42	9	50	Medium	Low	Low
1009	511			1	7	1			65				73	178	4				40	7	47	Medium	Low	Low
1011	55								15	4	4		31	20	12				40	20	60	Medium	Low	Low
1012	306				7	3			89	5	1		194	84	75	42	27	64	46	73	119	Medium	High	High
1013	714			4	6	2			129				463	348	93	4	9	5	42	14	56	Medium	Low	Low
1014	486				4	3							3	275	60	10	61	37	59	39	98	High	Medium	High
1015	304			2	10	1			47				139	99	117	34	6	25	50	40	90	Medium	Medium	Medium
1016	584			5	6					3			6	541	10				55	11	66	Medium	Low	Medium
1017	227			1	3						3		104	36	14	2	2	28	46	31	77	Medium	Medium	Medium
1018	614			3	11	1			116					300	38	5	28	5	73	17	89	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1019	291				10		2						55	269	5				58	24	82	High	Medium	Medium
1020	239			1	1					3	7	8	221	101	39	7	6		35	22	57	Low	Low	Low
1021	283			2	13	1							265	186					58	12	69	High	Low	Medium
1022	592				12	1			169	5	5		23	265	78	20	4		53	16	69	Medium	Low	Medium
1025	209	1			4	2							206	80	36	12	1		40	100	140	Low	High	High
1026	478			2	1	2							475	92	6				47	3	50	Medium	Low	Low
1027	569				7									252	100	35	23	33	57	28	85	High	Medium	Medium
1028	169				1	2							167	52	8				53	7	59	Medium	Low	Low
1029	587	1			9	4								322	46	31	23		50	51	100	Medium	Medium	High
1030	299				1	3				3	1	2	278	130	28				53	10	63	Medium	Low	Low
1031	640			1	2	4			167	13	11	4	12	319	91	34	40	42	55	37	92	Medium	Medium	Medium
1032	527				10	1								192	4	0	18	4	55	11	66	Medium	Low	Medium
1033	190				1	1								72	40	1	10	7	41	22	63	Medium	Low	Low
1034	703				20	3			167	5	2	2		342	28				77	13	90	High	Low	Medium
1035	615	1			23	12	1		364	102	20	12	113	214	165	54	86	43	70	100	170	High	High	High
1036	306	1		2	4	21			136	17	8	5	69	89	34	24	3	17	56	100	156	Medium	High	High
1037	289			1		4			3	17	9	9	250	168	53	5	8	13	64	35	99	High	Medium	High
1038	565			2	10				128	11	8		7	101	34				60	9	69	High	Low	Medium
1039	460					1			72	17	9	3	14	29					45	7	52	Medium	Low	Low
1040	564			5	17	8			162	5	2	5		314	104	37	11		63	26	88	High	Medium	Medium
1041	586	1			7	3			45	3	10		14	338	59	16	6		78	49	127	High	Medium	High
1042	913			3	14	9				14	3			670	56	73			63	17	79	High	Low	Medium
1043	898			5		1								343	316	98	16	19	54	23	76	Medium	Low	Medium
1045	336				4								334	233	18	19	7		57	14	71	Medium	Low	Medium
1046	612			4	17	3								370	47				56	11	67	Medium	Low	Medium
1047	603			5	15	3								298	19	13			49	10	59	Medium	Low	Low
1048	594				12	1								173	24	4			55	6	61	Medium	Low	Low
1049	810				2					5	2	5	137	379	6				57	7	64	High	Low	Low
1050	584			7	9	4					4		15	294	16				66	9	75	High	Low	Medium
1051	525				12	3		2		16	4			365	7				41	20	61	Medium	Low	Low
1052	578				10	9	1	3			2	1		210	56	65	32	17	61	41	102	High	Medium	High
1054	237			1	2								204	112	20	7	6	12	36	21	57	Low	Low	Low
1055	695			5	13	1			12	11	13		2	476	78	4			76	14	90	High	Low	Medium
1056	643				8	1								345	30	25	8		76	11	87	High	Low	Medium
1057	236				2								227	120	65	2			48	12	60	Medium	Low	Low
1058	555				4	4				8				291	90	15	21	9	56	19	76	Medium	Low	Medium
1059	577			1	9	3								124					72	5	77	High	Low	Medium
1060	599				9	1							409	367	22	47	27	8	70	20	90	High	Low	Medium
1061	400			2	10	1			14				144	257	32	45	10	3	78	21	99	High	Low	High
1062	383			3	4	3			102				277	177	37	29			71	16	86	High	Low	Medium
1063	469			1	5	3			24	4	5		435	149	1				82	7	89	High	Low	Medium
1064	1,141				1				15	34	5		149	298	17				51	4	55	Medium	Low	Low
1065	1,343			2	26	5		2						246	66	40	7		68	10	79	High	Low	Medium
1068	210				4	1			6	11	5	8	179	66	12	3			43	19	62	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1069	365			2	2					1	1			200	50	2	3		43	10	53	Medium	Low	Low
1071	413				10	6			41				370	154	41	79	55	7	69	38	107	High	Medium	High
1073	410			3	5	6			56	6	6	6	139	149	26	13	24	6	69	25	94	High	Medium	Medium
1074	270				4									74	4	4	3		52	6	58	Medium	Low	Low
1075	399			2	8	4				6	1		363	190	15	6	6		80	12	93	High	Low	Medium
1076	226				7	1							7	3	10	1	4		59	7	66	High	Low	Medium
1077	309				3									167	10	22			57	11	68	High	Low	Medium
1078	603				5					4	11	1	580	396	79	0	1	11	74	16	90	High	Low	Medium
1079	206				3	2								117	16	6	15	6	50	25	75	Medium	Medium	Medium
1081	779			2	17	5			99	3	5	2		394	73	19	12	11	55	18	73	Medium	Low	Medium
1082	1,208			1	8	6			55				84	765	205	35	9	24	68	18	86	High	Low	Medium
1083	717			1	9	3			47	22	12	2	608	456	68	19	6		49	16	65	Medium	Low	Medium
1084	646			2	5	1			0	22	12	3	431	395	204	8	4	12	64	22	86	High	Low	Medium
1085	335			1	3					5	2	2		188	28	8	2	11	62	19	81	High	Low	Medium
1086	634			1	5	5			163	1	4	5	7	314	205	71	8		61	25	86	High	Medium	Medium
1088	358					1								81	4	8	29	12	57	19	76	High	Low	Medium
1089	930			3	14	7	1		641	34	20	11	15	467	59	48	23		67	28	95	High	Medium	Medium
1090	791			6	8						3		123	124	500	132	17	5	48	27	75	Medium	Medium	Medium
1091	665			6	10	1							659	111	334	130			49	23	72	Medium	Low	Medium
1092	818			4	9	6			621	10	4	5		409	50	54	7		73	22	95	High	Low	Medium
1093	647				8	4			35	8	41	20	512	355	75	106	33	10	65	40	105	High	Medium	High
1094	638				11	5			85					427	26	65	8	2	66	19	85	High	Low	Medium
1095	674			2	19	4			25	10	10		471	392	30	37	1	6	65	18	82	High	Low	Medium
1096	586				15	2			83	15				209	44				48	10	59	Medium	Low	Low
1097	289				4	3			58		0	8	43	108	132	10	28	5	62	39	101	High	Medium	High
1098	632			4	15	3								421	57	5			51	12	63	Medium	Low	Low
1099	905				13	3				9				450	112	25			72	11	84	High	Low	Medium
1100	609				3	1			113	4	4	3	168	500	37	1	6		56	15	71	Medium	Low	Medium
1101	1,153			2	15	1			24	7			440	711	238	21	4		54	13	68	Medium	Low	Medium
1102	605				10	5								347	100	32	48	7	57	25	82	Medium	Medium	Medium
1103	387			1	2	8			33	1				167	31	25	28	3	67	24	90	High	Low	Medium
1104	390		1	3	2	4			30	7	10	4	15	129	45	41	19		66	24	91	High	Medium	Medium
1105	555			1	12	1			5	10	10	6	519	223	98	71	20		69	24	93	High	Medium	Medium
1106	817			1	10	1					2	1		355	11	11			73	7	80	High	Low	Medium
1107	616				8	3								223	155	62	39	26	67	31	97	High	Medium	Medium
1108	864			5	23	16				6			108	303	91				74	12	86	High	Low	Medium
1109	677			2	7	11	2			5	2	3		250	71	116	52	95	28	60	88	Low	High	Medium
1110	638				17	1								186	102	24			55	11	66	Medium	Low	Medium
1111	460			1	8				27	6	3	5	14	69	2	21	17		66	13	79	High	Low	Medium
1112	821	1		7	17	8					3	5		119	94	18	9	2	57	36	93	Medium	Medium	Medium
1113	659			1	10	1			141		36	29	389	277	66	9	5		70	26	96	High	Medium	Medium
1114	804		1		11	3								308	43	45	40	57	65	29	94	High	Medium	Medium
1115	992			1	13	4				4	3	2	65	571	81	35	3	11	81	15	96	High	Low	Medium
1116	459				4					7	3	1		355	30				68	11	79	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1117	654				9	2			32	20	7	12	362	237	20	1	2	3	58	13	72	High	Low	Medium
1118	1,128			1	18	7			32	21	7	7	451	303	45	31	27	2	55	13	68	Medium	Low	Medium
1119	431				13				44	11	4		363	346	18				31	14	46	Low	Low	Low
1122	546				7	1							528	193	1	5			61	6	66	High	Low	Medium
1123	1,527			1	23	5							338	658	279	87	110	86	79	31	110	High	Medium	High
1124	581			3	13	3				5	4			322	92				52	13	65	Medium	Low	Medium
1125	851			4	18	2			1	3	13	8	125	582	70	6	4		74	15	89	High	Low	Medium
1126	607			2	8	4				7				177	9	28	59	7	58	20	78	High	Low	Medium
1127	625				12	6		2			3			381	2	51	67	19	81	38	119	High	Medium	High
1129	338				8	2				3	1		322	214	52	20	22		82	23	105	High	Low	High
1130	285	1			4									147	34	36	58		59	100	159	High	High	High
1131	1,566			3	27	18			192	15	10	4	335	250	678	307	52	175	78	52	130	High	Medium	High
1132	689		4	1	13	3				4	6		106	392	144	52			65	17	82	High	Low	Medium
1134	932				14	3				3	6			619	178	52	5		49	17	66	Medium	Low	Medium
1136	320													256	35				58	10	69	High	Low	Medium
1137	283								164	10	12	5	5	100	3	3	9	23	59	38	96	High	Medium	Medium
1138	613								0	4	11	6	538	156	3				48	7	54	Medium	Low	Low
1139	190				2									186	3				60	11	71	High	Low	Medium
1140	511			5	8				2	4	5		43	109	96	147	58		65	34	99	High	Medium	High
1142	210				3									203					62	11	73	High	Low	Medium
1143	470				2				53					375	13	4	21		54	15	69	Medium	Low	Medium
1144	254				7	1							74	65	50	14	3		58	14	72	High	Low	Medium
1145	248			1									246	106					54	4	58	Medium	Low	Low
1146	283		1		6	2								104	67	18			64	15	79	High	Low	Medium
1147	230			3	2				22				207	171	43				57	13	70	Medium	Low	Medium
1150	423				2	1							418	318	27				54	10	63	Medium	Low	Low
1151	695				4	2			31	5	13		545	143	114	44	20	27	49	23	72	Medium	Low	Medium
1153	408				8	1				3			402	249	24	44			50	15	65	Medium	Low	Medium
1154	180				1				131					31	16	0			40	11	51	Medium	Low	Low
1155	611	1		1	11	4			530	3	7		2	305	133	9	12	10	53	61	114	Medium	High	High
1156	609			2	13	5	1		555	13	12	9	13	556	39				56	31	88	Medium	Medium	Medium
1157	1,216				31	7	1			3	4	4		593	42	103	79	3	50	23	73	Medium	Low	Medium
1158	579				1				252					35					48	5	53	Medium	Low	Low
1159	611				15				164					238	60	38			43	14	57	Medium	Low	Low
1160	158				1				11					109					29	8	37	Low	Low	Low
1161	381			2	7									246	38				68	10	78	High	Low	Medium
1162	764				10	3			368	11	37	19	185	166	11				45	19	65	Medium	Low	Medium
1163	350				6	1							322	141	11	16	5		45	11	56	Medium	Low	Low
1165	576			3	9	3								143	56	21	2		45	9	54	Medium	Low	Low
1166	173			1	2									73	5				44	6	50	Medium	Low	Low
1167	573				9	4			4	11			553	44					42	4	47	Medium	Low	Low
1168	633				9	3			30	6	2	6	22	187	19	1	36	8	59	17	76	High	Low	Medium
1169	604			2	11	5				9				231	81	48	34	67	63	42	105	High	Medium	High
1170	650		5	7	13	5			142	27	6		246	490	106				51	18	70	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1171	630		6	12	11	1			47	11			230	452	42	4	1		51	12	64	Medium	Low	Low
1172	239					1			202	15	9			182	36				39	25	64	Low	Medium	Low
1173	582			2	6									179	11				60	4	65	High	Low	Medium
1174	441		1	1	7	2								240	7				61	8	69	High	Low	Medium
1175	293				3					2	2	5	4	145	8				51	11	62	Medium	Low	Low
1177	483				6									129	302	40			61	21	82	High	Low	Medium
1178	490				3					6	3		13	255	7				62	7	69	High	Low	Medium
1179	604				5				28	3	1		15	165	14				62	5	66	High	Low	Medium
1180	1,498			2	11	3								812	96	120	90	10	47	19	67	Medium	Low	Medium
1181	1,529			1	6	9								674	310	48	245	106	48	41	89	Medium	Medium	Medium
1182	359				3	1			37	3			26	223	22	12	24		58	18	77	High	Low	Medium
1183	596			1	12									156	5				51	5	56	Medium	Low	Low
1184	556			1	14	5								263	150	38	22		67	22	88	High	Low	Medium
1185	347				2					4	4	2		222	99				53	15	68	Medium	Low	Medium
1186	567				8	3					3		6	171	148	83			49	19	68	Medium	Low	Medium
1187	607			1	8	3				4	1	3	1	292	37	7	22	28	51	23	74	Medium	Low	Medium
1188	145				1	4			75	12	8			36	48	15	12	22	60	72	132	High	High	High
1189	532				9	6								100					49	6	55	Medium	Low	Low
1192	355			8	4	1								211	4				58	8	66	High	Low	Medium
1194	574				18				61	28	43		18	84	6	2	4		47	15	62	Medium	Low	Low
1195	403		1		10	3	2	1		4	6	2		171	41	34	24	16	68	44	112	High	Medium	High
1196	526				3				324	29	20	22	49	141	17	15	7		54	26	80	Medium	Medium	Medium
1197	156			1	1				40	9	4	6	4	20	113	4	4		62	34	96	High	Medium	Medium
1198	532				6	3			84				35	99	3				46	6	52	Medium	Low	Low
1199	542			1	9	8			417					358	177				51	25	76	Medium	Medium	Medium
1201	346				2	1			4	7	4		327	142	12				54	8	61	Medium	Low	Low
1203	292			1	1	8			105				127	39	80	112	31	3	54	48	102	Medium	Medium	High
1206	358			1	2	1				3	3	4	278	165	44	61			54	20	74	Medium	Low	Medium
1207	342			1	3	1			258	15	11	5	5	238	77	6			56	28	85	Medium	Medium	Medium
1208	194				3	2								117	42				66	14	80	High	Low	Medium
1209	609				9								318	277	286				66	15	81	High	Low	Medium
1210	363				3	1			250	14	7			312					53	20	73	Medium	Low	Medium
1212	230				34	3							172	65	45	46	6		51	37	88	Medium	Medium	Medium
1213	928				7	5			101	15			600	329	70	52	49	39	59	25	84	High	Medium	Medium
1214	385				5				42				256	60	67	56			55	15	69	Medium	Low	Medium
1215	206				1	1				3	5			163	4				59	13	71	High	Low	Medium
1220	1,058			4	29	5	3		8	8			128	412	491	93	23		53	28	81	Medium	Medium	Medium
1223	427		1		4	1			177	17	4		48	122	50	16	1	11	57	20	77	High	Low	Medium
1224	590				20	3							6	67	5				57	6	63	High	Low	Low
1226	229												227	98					62	4	67	High	Low	Medium
1228	291				3	2				5	5			154	7	7	9	10	68	21	89	High	Low	Medium
1229	671				5	3			227	21			143	400	54	12	10	4	57	17	74	Medium	Low	Medium
1230	1,249			1	21	1	1		41	13	7		184	993	134	8			64	15	78	High	Low	Medium
1231	269				2				223					150	2				52	15	67	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1232	552				4								549	291	22	1	0		53	7	60	Medium	Low	Low
1233	293				7				12					163	24				64	10	74	High	Low	Medium
1234	582				6	1				3	5		531	261	165	4			63	13	76	High	Low	Medium
1235	408				2								20	67	25				41	3	45	Medium	Low	Low
1236	843		2	5	12					5	3		374	123	90				53	5	59	Medium	Low	Low
1237	283				1				69	29	3	6	102	119	14	9			55	17	72	Medium	Low	Medium
1238	576		2	6	6	1			244		0		126	157	285	62	21	6	55	29	84	Medium	Medium	Medium
1239	675			1	13	1			182				159	259	212	67			55	20	75	Medium	Low	Medium
1240	1,015		1	8	4	2			272	11	3	3	212	126	9				51	6	57	Medium	Low	Low
1241	189				4	1							48	106	11				31	10	41	Low	Low	Low
1242	201													2	108	38	39	10	51	50	101	Medium	Medium	High
1243	374				11				228			14	81	20					48	17	65	Medium	Low	Medium
1244	215												213	140	29	4	7		51	13	64	Medium	Low	Low
1245	1,360					1							102	772	460	57	14	10	39	17	56	Low	Low	Low
1246	296				5				15	9	14	7	249	173	22	3			51	20	71	Medium	Low	Medium
1247	210												68	16					39	1	40	Low	Low	Low
1248	628				7	1			71				375	127	11	32			55	7	62	Medium	Low	Low
1249	420				3									33					46	2	47	Medium	Low	Low
1250	115					3	2	1					109	47	11	17	15	12	35	98	133	Low	High	High
1251	397				49	5			43				330	143	36	18	14		57	27	84	Medium	Medium	Medium
1252	592			2	4	1								155	38				53	5	58	Medium	Low	Low
1253	2,410			3	30	23	2		502	46	55	18	160	1312	283	51	136	129	43	36	78	Medium	Medium	Medium
1254	439				3	2								217	77	9	8		48	13	61	Medium	Low	Low
1255	165				5				49			9	24	129	14				44	26	70	Medium	Medium	Medium
1256	188				5	1							11	81	27				44	11	55	Medium	Low	Low
1257	438			2	8	5			214	7	4	1	33	261	33	37	5	4	73	25	98	High	Medium	High
1258	472			5	1	2			15	12	6	4	37	74	68	67	1	3	46	18	64	Medium	Low	Low
1259	394				8				275	4	11	1		323	19				55	22	76	Medium	Low	Medium
1260	206																		34	0	34	Low	Low	Low
1261	448			2	1									394	5				45	9	54	Medium	Low	Low
1262	373			2	3	1								302	1	2	3		50	11	61	Medium	Low	Low
1263	338		1	9	2									64					57	2	59	Medium	Low	Low
1264	571				3				451					263					41	13	54	Medium	Low	Low
1265	638			4	6	2								260	36	3	4		65	8	73	High	Low	Medium
1266	663			2	3	1													58	1	59	High	Low	Low
1267	163			3	3	2			40	2	8	6	2	95	1	1	12	4	61	38	98	High	Medium	High
1268	163				2								160	64	21				44	8	52	Medium	Low	Low
1269	290		2	1	4									175	74	17			52	15	68	Medium	Low	Medium
1270	361				7	2			37	34	2	4	33	241	82	16			53	22	75	Medium	Low	Medium
1271	708				22	15			223	9	8	3	88	129	290	59	25	112	63	62	125	High	High	High
1272	583				7	1								117	10				57	4	61	Medium	Low	Low
1274	612				8	3			143	21	19	7	23	50	55	12			56	14	70	Medium	Low	Medium
1275	615			5	14	9					1		2	240	244	16	31	37	59	36	94	High	Medium	Medium
1276	670				14					5	3	3		548	19				77	12	89	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1277	585				4	3			122	23	32	2		374	60	53	19	5	58	29	86	High	Medium	Medium
1278	578				10	9			247	6	6	3	56	156	155	43	7		59	24	83	High	Medium	Medium
1280	281			5	2	1								28					49	2	52	Medium	Low	Low
1281	1,151			4	14	2			115	16	10	12	192	294	91	11			36	10	46	Low	Low	Low
1282	610			1	7				214					343	14	3			34	11	45	Low	Low	Low
1283	164				2									152	10				49	12	61	Medium	Low	Low
1284	1,127				10	6			88	6	7		174	711	78	30	7		47	13	60	Medium	Low	Low
1285	195				1									21					50	2	51	Medium	Low	Low
1286	164				5				28	2	9			106	46	9			58	25	83	High	Medium	Medium
1287	686				11	7				7	11		62	365	121	4			45	15	59	Medium	Low	Low
1288	85				2						2			32	34	5			53	19	72	Medium	Low	Medium
1289	849				12	3			347	5	7	6	12	312	33	31	100	61	77	41	118	High	Medium	High
1290	215			1	7				63	12	16	3	28	35					47	19	66	Medium	Low	Medium
1293	239												238	58	23	18	14		53	14	67	Medium	Low	Medium
1294	386			2	4	7	1			4	2	4		180	58	17	31	38	65	49	114	High	Medium	High
1296	224			1	4	4			73	17			133	80	13	60	29	4	45	45	89	Medium	Medium	Medium
1297	995		1			2			310	17	3		311	322	131	38	7	8	47	14	61	Medium	Low	Low
1298	161				5	2				3	2	2	64	63	6	1	3	1	74	18	92	High	Low	Medium
1299	289				2				75	160	36		14	90	17	17	4		54	35	89	Medium	Medium	Medium
1300	575			1	27	2			65	7	6		358	231	61	19			52	16	68	Medium	Low	Medium
1301	274					1				3	4			130	87	9	5	29	42	38	80	Medium	Medium	Medium
1302	204					2								108	34	6	10	35	42	51	93	Medium	Medium	Medium
1303	193				1	2								72	20	39			44	18	62	Medium	Low	Low
1304	259				10	2			83				54	152	13	9	21	4	55	28	83	Medium	Medium	Medium
1305	159				3	2			38	4	4		15	52	3	27			74	22	96	High	Low	Medium
1306	314				1				308					111	6				49	14	63	Medium	Low	Low
1308	210				2	1				3	3			98	88	4	7		46	21	67	Medium	Low	Medium
1309	506			7	4	1	1							208	222	46	9		47	24	70	Medium	Low	Medium
1310	559		3	1	7	1								345	153	16	3	19	47	22	69	Medium	Low	Medium
1314	170									4	4			51	12	8	3	7	33	20	53	Low	Low	Low
1315	358				7	1			160	8	12	2		195	98				55	23	78	Medium	Low	Medium
1316	305				2	2								188	44	18	8		58	17	74	High	Low	Medium
1317	254			2	3									128	55	30			73	16	90	High	Low	Medium
1318	346		1	2	2	1								205	77				48	12	59	Medium	Low	Low
1319	255			1	8	1			40	9	3		2	121	62	25	20		65	30	94	High	Medium	Medium
1320	210			1	1									161	16	10			37	12	49	Low	Low	Low
1321	413			2	14	4			57					220	38	9	2		79	15	95	High	Low	Medium
1322	577			2	15	4				1	12		552	239	187	52	63		58	32	91	High	Medium	Medium
1323	452			2	8	1								313	50	18			48	13	61	Medium	Low	Low
1324	727				16	5							307	338	119	33	38	23	56	25	82	Medium	Medium	Medium
1325	492			6	2	5			32	24	12	4	135	164	34	24	10		42	17	60	Medium	Low	Low
1326	405				10	1			66	14	21		237	60	29	75	16	8	51	31	81	Medium	Medium	Medium
1327	345				7	4			10	3	5		277	99	62	25	17	5	46	24	70	Medium	Medium	Medium
1328	580	1			14	5				6	2	2	2	320	27	33			71	49	120	High	Medium	High

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1329	305			4	10				85					149	6				79	11	90	High	Low	Medium
1330	260				8	2					12		245	113	92	6	20		70	30	99	High	Medium	High
1331	249				6	2							246	162	13				58	12	70	High	Low	Medium
1332	656				8	1			74	10	9	6	162	441	63	11	5		57	16	74	High	Low	Medium
1333	593				15	10	1		20	4	1	3	556	208	147	44	73	44	47	50	97	Medium	Medium	Medium
1335	323					1			164	4	3	2	2	262	40				37	19	56	Low	Low	Low
1336	643				7	1				16	9			533	5				45	12	57	Medium	Low	Low
1337	380			1		1			28	13	1	5	5	125					72	8	80	High	Low	Medium
1338	237				11	2			100	14	8	13	90	75	61	7			88	36	124	High	Medium	High
1339	271	1			9	1			92	3	2	2	147	107	82	38	11		76	100	176	High	High	High
1340	610			1	11	3								558	24				50	13	62	Medium	Low	Low
1341	302				3									137	106	38	3	3	49	22	70	Medium	Low	Medium
1342	228			1	4	2			33	5	2	3	43	9	37	81	51	43	65	90	155	High	High	High
1344	367			1	5									284	53				49	12	60	Medium	Low	Low
1345	275			1	8	2			209					115	6				79	17	96	High	Low	Medium
1347	594			2	20	5				4	4			210	14	2	4	3	78	12	90	High	Low	Medium
1348	401				8	11			127	9	11	2	56	91	117	140	8	4	78	44	123	High	Medium	High
1349	598			7	8	3								77	10				63	4	67	High	Low	Medium
1350	280				10	4				7				179	8				75	14	89	High	Low	Medium
1351	593			1	8	4								289	252	8	1	16	70	22	92	High	Low	Medium
1352	250				10	1								116	48	37	9	17	45	38	83	Medium	Medium	Medium
1353	597				21	7			245	13				264	5				76	15	91	High	Low	Medium
1354	606				10	3			73	21	10		182	362	21	11			71	14	85	High	Low	Medium
1355	614				17	9			108	11	13	2	35	95	275	51	32	33	80	41	121	High	Medium	High
1356	599			1	6	6	1		42	29	14		85	342	105	27	9	19	55	29	84	Medium	Medium	Medium
1357	603				14	7			175	9	7	6	19	153	123	18	6	7	58	22	81	High	Low	Medium
1358	602				15	2			28	6	10	2	3	224	235	76	36	4	58	31	89	High	Medium	Medium
1359	328				5	9			42	21	18	9	125	139	48				54	28	81	Medium	Medium	Medium
1360	615				23	4			52	27	9	1	21	107	41	14			55	13	68	Medium	Low	Medium
1361	776			1	4	3			46	3	8			378	103	62	81	27	48	32	80	Medium	Medium	Medium
1362	1,054				6	3							99	617	77	3	51	9	47	15	62	Medium	Low	Low
1363	742			4	8	1					3		35	238	131	15	12	6	59	13	71	High	Low	Medium
1364	214				10	4			45	10	1	1	4	35	78	8			76	24	100	High	Low	High
1365	623				7	3							27	123	11	25			54	6	60	Medium	Low	Low
1366	633	1		1	10	2				3	4		8	509	96				50	46	96	Medium	Medium	Medium
1367	984				15	5							6	510	22	38	31	10	56	15	71	Medium	Low	Medium
1368	235				1									66					76	3	79	High	Low	Medium
1369	359				5	1			46	8	5	6	278	27	30	28	18	22	68	32	100	High	Medium	High
1370	797			1	2	8								146	130	37	3		35	10	45	Low	Low	Low
1371	511		2	6	6									349	69				42	11	53	Medium	Low	Low
1372	335	1			11	3			8	9			240	78	5	9	7		80	72	152	High	High	High
1373	462		5		16	5			51	12	9	16	315	276	78	42			70	30	100	High	Medium	High
1374	351				21	3			275					168	36	38	16		77	32	109	High	Medium	High
1375	518		1	2	3	1			172					123	335	34			42	23	65	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1376	349			1	9	1			277	11	4	5	33	103	66	59	30	18	78	50	127	High	Medium	High
1377	282			1	6	1								122	28	6			68	10	78	High	Low	Medium
1378	618			1	12	7			80	15	8	7	229	178	24	35	103	9	70	36	105	High	Medium	High
1379	940					1								266	42	4			54	4	58	Medium	Low	Low
1380	705				1				23				36	241	5				38	4	42	Low	Low	Low
1381	300			3	2	1			37	15	1	3	157	129	33	16	8		68	18	86	High	Low	Medium
1383	295				4									132	53	22	7		44	16	59	Medium	Low	Low
1384	287		3		4	2				3	4			79	37	54	13		77	24	100	High	Low	High
1385	260			1	2	3							31	40	65	64			69	22	91	High	Low	Medium
1386	292	2	1		2								14	105	44	10	4		69	100	169	High	High	High
1387	597				15	5			19	2	1		64	244	101	72	38	10	73	28	101	High	Medium	High
1388	277	1			4				209	21	6		37	32	38	43	71	70	82	100	182	High	High	High
1389	52				1	1	1		18				29	25	10	3			71	52	123	High	Medium	High
1390	253	1			3					7	9	3	232	28					59	88	146	High	High	High
1391	350		1		4	4								139	33	16	2		79	12	91	High	Low	Medium
1393	187				1					10				58	24				79	7	86	High	Low	Medium
1394	280				4	3			41	24				149	66				52	17	69	Medium	Low	Medium
1395	306									5	4			157	29	2	3		79	10	89	High	Low	Medium
1396	584				7	4			160	2	1		7	296	154	5			59	16	76	High	Low	Medium
1397	457				7	4				7				392	17				53	13	66	Medium	Low	Medium
1398	294				3	2			77	12	4		201	19					40	8	48	Medium	Low	Low
1399	298			2	6	1				5	3	2		109	55	28	9	2	80	22	102	High	Low	High
1400	256				2	2			95	6	8	7	137	146	32	6			48	24	73	Medium	Medium	Medium
1401	500			1	4	2								132					44	4	48	Medium	Low	Low
1402	618				13	3				6	5		598	211	78	38	16	4	54	17	71	Medium	Low	Medium
1403	239				4	1							33	111	76	2	24	9	83	32	115	High	Medium	High
1404	594		1	8	11	3	1		112	14	6		43	413	136	8			58	21	79	High	Low	Medium
1405	669		2	5	11	6	1		124	4			103	471	62	9			58	17	75	High	Low	Medium
1406	298				1	1			76	2			24	250	19				81	13	94	High	Low	Medium
1407	428			1	8	6				10	7	10	4	161	44	31	3	12	76	27	103	High	Medium	High
1408	1,220	1		4	15	1			178				16	172					49	21	69	Medium	Low	Medium
1409	450			1	10				114		3			251	10	2	3		73	12	86	High	Low	Medium
1410	305		2						66	9	4	6	152	206	15				62	16	78	High	Low	Medium
1411	590		1	6	5	1			129		4			269	210	11			59	17	75	High	Low	Medium
1412	490		3		12	9			9	5	3	4	460	299	63	3			64	18	81	High	Low	Medium
1413	429				3	4								100	185	53	36	10	70	33	103	High	Medium	High
1414	449			2	10									60					64	4	68	High	Low	Medium
1415	204												203	42	10				57	3	60	Medium	Low	Low
1416	1,093				9	5			314	23	12	3	187	237	4				43	9	52	Medium	Low	Low
1417	1,063		1		16	1			0	17	21		1018	469	341	23			45	16	61	Medium	Low	Low
1418	309			2			1				4		246	64	49	18	3	72	37	62	99	Low	High	High
1420	331				7	1			40	8	22		198	107	7	8			53	16	69	Medium	Low	Medium
1421	406				3	7			342	22			14	65	76	121	94	37	44	75	119	Medium	High	High
1422	340				8	1				3	2	7	293	136	21				79	13	92	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1423	373				6	3				4	4		354	71	100	38	44	94	79	79	158	High	High	High
1424	747			4	4	4			85	36	11	10	319	179	10	23			32	12	44	Low	Low	Low
1425	434	2			1								420	185	14	25	46	19	78	100	178	High	High	High
1426	215	1		3	2									176	4				55	100	155	Medium	High	High
1428	232				6	2			94	12	6	5		171	5				51	24	75	Medium	Medium	Medium
1429	984			1	22	2			7					634	89				52	11	63	Medium	Low	Low
1430	305	1			3				116				39	84	14	5	1	19	51	88	139	Medium	High	High
1431	319			1	4				63				160	136	141	8	9	6	42	24	67	Medium	Medium	Medium
1432	305			5	3	8				7	2	2		173	50	3	3		48	19	67	Medium	Low	Medium
1433	762			2	12	5			263	10	1	6	6	275	77	39	8		56	18	73	Medium	Low	Medium
1434	388				7	3				6	7	9		226	51	44	8		58	26	84	High	Medium	Medium
1435	307	1			7	5	1				1			93	37	34			57	87	144	Medium	High	High
1436	736			3	23	5	1	1	178					486	75	3			55	21	76	Medium	Low	Medium
1437	771				18	6	1		381	6	5	1		369	116	3	47	40	50	36	86	Medium	Medium	Medium
1438	721			4	14	11			86	3	3	2	566	364	141	48	43	30	77	34	111	High	Medium	High
1439	318			2	9	4			4	14			296	123	37	2	18	17	60	29	89	High	Medium	Medium
1440	1,007			1	17	10			123	16	13	19		285	80	74	13	2	42	20	62	Medium	Low	Low
1441	343			2	4	1			70	26	4		142	135	11	3			55	11	67	Medium	Low	Medium
1442	271				4	2			71					118	97	16	0	26	78	39	117	High	Medium	High
1443	247					1							245	105	9				57	6	63	Medium	Low	Low
1444	360				9	2								72	13	19	3		59	10	69	High	Low	Medium
1445	761			3	11	1			39	15	10	6	423	200	23				78	9	87	High	Low	Medium
1446	270			2	8	5								64					58	9	67	High	Low	Medium
1447	767			1	10	3			65	3	4		397	367	29	94	42		78	21	99	High	Low	High
1448	757	3		4	8									371	162	26			59	91	150	High	High	High
1449	546				12		1	1	9	4	3		526	129					47	12	59	Medium	Low	Low
1450	756				5	5			46	2	1	3	6	349	195	89	34		57	24	80	Medium	Low	Medium
1451	641	1		1	15	9			36	27	12	5	340	192	164	81	82	72	68	91	159	High	High	High
1453	721				8	4		5						214	154	101	66	14	89	43	132	High	Medium	High
1454	345				2	1							341	163	154	13			58	17	74	High	Low	Medium
1455	219				5	1							219	184	3				57	12	69	High	Low	Medium
1456	154				2				27				125	32	31	30	7	48	43	86	128	Medium	High	High
1457	886				15	7	1		33	5	5	3	15	358	200	23	4	22	88	22	110	High	Low	High
1458	308				5	4								159	39	3			59	12	71	High	Low	Medium
1459	65				1	1			54	3	3	4		13	22	17			44	53	97	Medium	Medium	Medium
1460	779			1	5	4			287	5	6			522	106	19	7		60	18	77	High	Low	Medium
1461	359				4				15	14	11		317	134	26	2	13	32	78	32	110	High	Medium	High
1462	579			1	3	1				6				424	116				55	12	68	Medium	Low	Medium
1463	383			1	7	11				7			62	177	66	15	29	21	50	37	86	Medium	Medium	Medium
1464	842			1	13	8		3	154	9	10		662	372	96				49	20	69	Medium	Low	Medium
1465	314				2	1				4	2	2		223	22				43	12	55	Medium	Low	Low
1466	250			1	2	3							246	93	82	13	3	23	49	36	84	Medium	Medium	Medium
1467	764	1		4	15	6			64	11	7		161	354	158	62	22	23	70	53	123	High	Medium	High
1468	204				3								201	155	10				49	10	59	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1469	188			1	3					19	6			120	9				48	14	62	Medium	Low	Low
1470	606	1			1	1			109				10	124	3	10			55	38	93	Medium	Medium	Medium
1471	223				1				20	4	11		110	122	40	2	6		78	19	97	High	Low	Medium
1472	278			3	2									272	4				42	11	52	Medium	Low	Low
1473	531				4					12	6			454	13				43	11	54	Medium	Low	Low
1474	229					1			38	3			4	99	23	10			50	11	61	Medium	Low	Low
1475	386				3								72	74	279	27			79	21	99	High	Low	High
1476	231								106					88					50	8	58	Medium	Low	Low
1477	361				7	1			36				7	51	278	10	1	16	78	31	109	High	Medium	High
1479	629		1	6	13	2			286				189	538	34				58	17	75	High	Low	Medium
1480	624		3		11	3				8	1	6	270	472	26	5			58	14	72	High	Low	Medium
1481	809		2	3	10				138					299	26	5	8		50	9	59	Medium	Low	Low
1482	606			1	4	7			87	18	8	4	266	310	77	13	28	58	79	40	120	High	Medium	High
1483	346				13	1								308	12				42	14	56	Medium	Low	Low
1484	264				1	1								77	136				77	14	91	High	Low	Medium
1485	343				2	1								257	73	5			44	14	58	Medium	Low	Low
1486	358			3	2	5				15	14	7	10	122	78	18	14	3	54	28	82	Medium	Medium	Medium
1487	175				2	3			61				90	99	45	5	1	8	78	30	108	High	Medium	High
1490	720		1	3	12	11	1			3	2		357	278	198	108	33	68	43	48	90	Medium	Medium	Medium
1491	613				8				169	12	12			435	16				58	14	72	High	Low	Medium
1492	1,356				27	4					2	2		926	96	47	41	23	55	19	74	Medium	Low	Medium
1493	1,324		4	8	24	7				12	8	3	39	321	414	301	58	159	62	53	115	High	Medium	High
1494	1,270			9	14	5			318	17	8		239	722	243	62			57	17	74	Medium	Low	Medium
1496	564				2	7	1				1	2		305	29	6	61	113	58	64	123	High	High	High
1497	625				2	3	1							89	20	6	17		56	9	65	Medium	Low	Medium
1498	2,013			3	24	10				4	8			1152	87	15	69	55	43	18	61	Medium	Low	Low
1499	888			1	23	8			120	20			243	194	307	109	17	104	77	47	124	High	Medium	High
1500	440			1	2	2				7	13			177	3	3			44	9	54	Medium	Low	Low
1501	95									5	3			18	1	1	18		45	26	70	Medium	Medium	Medium
1503	449				10									424	9				43	12	55	Medium	Low	Low
1504	813			3	9	3			178	2	5	3		111	33	25	14		58	11	69	High	Low	Medium
1505	908				15	10			60	3			130	464	120	25	62	135	77	50	128	High	Medium	High
1506	689			2	5	2		1					680	314	18	5			73	10	83	High	Low	Medium
1507	489		2	2	10				233	4	4		10	197	214	36	10		48	26	74	Medium	Medium	Medium
1508	1,374			6	13	5	1		157	10	16	18	85	685	235	37	50	86	77	34	111	High	Medium	High
1509	1,350			3	29	15	1	4	47	9	3	11	78	478	234	73	73	52	74	37	111	High	Medium	High
1510	250			1	4	1								46	5	19	34		43	22	65	Medium	Low	Medium
1511	1,163			2	23	5		2	66	11	9	4	452	485	411	32	14	20	42	26	67	Medium	Medium	Medium
1512	1,321	1		3	22	22	2			11	15	13		762	232	88	42	12	82	43	125	High	Medium	High
1513	248				3	3								84	52	32	23	7	58	33	91	High	Medium	Medium
1514	90			2	1	3				5	2	3		35	5	2	0	3	45	31	76	Medium	Medium	Medium
1515	295	1			3									93	66	11	26		44	87	131	Medium	High	High
1516	475			2	6	4								122	226	21	28	25	43	34	77	Medium	Medium	Medium
1518	271				6	1				5	7		246	84	103	13	11	41	45	53	98	Medium	Medium	High

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1519	392				8					11	6			259	4				67	11	78	High	Low	Medium
1520	1,141			3	21	8	3	2			4			318	374	145	72	151	80	60	140	High	High	High
1522	175			1	5	1								89	23	16	10	16	45	40	85	Medium	Medium	Medium
1524	1,243			1	11	4					3			668	97	53	39	28	56	18	74	Medium	Low	Medium
1525	240			1	5	1			99	66	10		63	108	94	1	1	22	46	48	93	Medium	Medium	Medium
1526	520				17	2				12	4			481	14				51	15	66	Medium	Low	Medium
1527	198								73	21	2	3	98	107	9	2	8	46	46	67	113	Medium	High	High
1528	488			2	4	2								298	173	5			50	15	65	Medium	Low	Medium
1529	165			1	1	5			43	6	3	3	105	95	24	14	1	7	44	37	81	Medium	Medium	Medium
1530	165			1	3				13	10			139	49	4	6			56	9	65	Medium	Low	Medium
1531	300				3	4	1	1	76				135	102	99	3	5	25	61	47	108	High	Medium	High
1532	2,587	1	2	6	12	5		2	284	12	1	2	7	1231	362	194	94	7	49	27	76	Medium	Medium	Medium
1533	496				4					3			490	407	35	26	5		42	14	56	Medium	Low	Low
1534	258			2		1							159	106	38	15	31	34	43	49	92	Medium	Medium	Medium
1535	135			5	3	1			3				129	25					55	6	61	Medium	Low	Low
1536	726				7	1							233	347	49	4			51	8	59	Medium	Low	Low
1537	347				5				78					200					54	9	64	Medium	Low	Low
1538	436				10	4			2	18	3	2	73	43	271	55	11	48	56	51	107	Medium	Medium	High
1539	120																		49	0	49	Medium	Low	Low
1540	266				3	2				6	5		9	168	15	8	17	12	54	29	83	Medium	Medium	Medium
1544	1,187				4	5					2		79	515	407	127	26	10	40	22	62	Medium	Low	Low
1545	1,100		2	3	21	4			163	15	12		41	892	52	8	40	31	50	24	75	Medium	Medium	Medium
1546	611			2	5	11			106	28	35	34	263	161	64	77	31	14	38	45	82	Low	Medium	Medium
1547	90								43				40	28	1	2	8	24	40	71	111	Low	High	High
1548	1,111			3	17	6			391	22	4	4	68	623	159	53	17	26	43	25	67	Medium	Medium	Medium
1549	1,824				11	2							1034	567	22				53	4	57	Medium	Low	Low
1550	1,057			6	8	5			16	8	11	16	980	65	97	263	271	325	42	100	142	Medium	High	High
1551	436				11									307	24				58	11	68	High	Low	Medium
1552	301				6	3								217	41	1	17	4	65	22	88	High	Low	Medium
1553	220			1	2				67	2	4	4	26	42	24	27	26		56	32	88	Medium	Medium	Medium
1554	1,140			1	16	4			40	4	8	4	157	443	44	65	1	2	42	12	54	Medium	Low	Low
1555	319			1	1	3								20	241	46			53	25	78	Medium	Medium	Medium
1556	161			1		3							111	67	18	2	12	18	63	40	104	High	Medium	High
1557	529			1	3	1					2	2		215	32	35	71	17	55	30	86	Medium	Medium	Medium
1558	283		1	2	1	1								9					63	1	64	High	Low	Low
1560	1,083			2	11	10				36	9			489	8				57	9	66	High	Low	Medium
1561	504				4					3	2	2		274	45	28	47	43	55	39	94	Medium	Medium	Medium
1562	498		1		10	7			347	2	23	10	7	3	131	193	37	126	70	100	170	High	High	High
1563	405				1				102	20	5	3	18	344					57	15	72	Medium	Low	Medium
1564	503			3	8	4				13	8	6		347	18	10	1	13	71	22	92	High	Low	Medium
1565	693			3		1			34	2	1	3	53	331	63	61	80	18	50	30	80	Medium	Medium	Medium
1566	324			1	2									217	71				53	12	64	Medium	Low	Low
1567	234				1									100	104	4	5	14	40	29	69	Medium	Medium	Medium
1568	684		1	2	5	1			53	11	13	5		550	64	2	6		47	16	63	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1569	267				7					3			262	137	3	3	5	62	56	57	113	Medium	High	High
1570	277				8				8					226					57	11	69	High	Low	Medium
1571	365			1	2						2		362	50	6	8			40	4	44	Medium	Low	Low
1572	611			4	2				26	2	2	3	104	286	53	57	15	19	62	22	84	High	Low	Medium
1573	651								72					475	33				40	9	50	Medium	Low	Low
1574	560			1	1					5	4	5	153	446	44				59	12	71	High	Low	Medium
1575	781				3									591	40	5			44	9	53	Medium	Low	Low
1576	313													204					41	7	48	Medium	Low	Low
1577	30			1	1									5					49	5	53	Medium	Low	Low
1578	105				1									61					57	7	64	High	Low	Low
1580	285					1								99	2	2	4	8	52	12	63	Medium	Low	Low
1581	195			1	5	1			103	23	7		10	66	6	3	6	19	43	42	85	Medium	Medium	Medium
1582	1,068			5	11	3			158					459	31	3	15		48	9	57	Medium	Low	Low
1583	865				15									47					40	2	42	Medium	Low	Low
1584	1,183			3	15	2								269	853	27	7	18	52	23	75	Medium	Low	Medium
1585	509			4	5	2			70	16	5		114	281	63	22	14	80	49	49	98	Medium	Medium	High
1587	815				5	7			283	10	5	7	449	374	136	37	7	6	59	21	80	High	Low	Medium
1588	241			4	3	10	1		91	23	10	8	106	112	6	18	4	17	56	57	113	Medium	High	High
1589	217				3	1							217	151					57	9	67	High	Low	Medium
1590	246				6				8	14	2	6	44	152	20	3	3	11	51	28	79	Medium	Medium	Medium
1591	290			1	11	4			186	9	11			234	10				56	26	82	Medium	Medium	Medium
1592	603			2	7	8				3	1		364	373	82	11	7	8	60	18	77	High	Low	Medium
1593	290				4									145	126	4			53	16	69	Medium	Low	Medium
1594	311				1				45	14	14	15	5	187	80	7			55	29	85	Medium	Medium	Medium
1596	515	1		5	3	1				8				150	2				57	43	100	Medium	Medium	High
1597	463			3	4	4				3	3	2		156	9	4	6		33	10	43	Low	Low	Low
1598	1,237				12	1			49	17	8	6	250	841	9	4	0	31	57	16	73	High	Low	Medium
1599	80	1		4	9	5			52					17	6	8	6	8	36	100	136	Low	High	High
1600	162					1			98	3		2	26	127	7				57	19	76	High	Low	Medium
1602	570				1	1				7	15		542	185	78	55	40	18	43	28	71	Medium	Medium	Medium
1603	170													106	4				58	7	65	High	Low	Medium
1606	40			1	1									27	10				57	14	71	High	Low	Medium
1607	475			2	1					24	11	2	7	48	8				55	6	61	Medium	Low	Low
1608	436			3	8	3	2			3	2	3		167	171	30	13	45	75	51	126	High	Medium	High
1609	151				3	1			17	5	2	5	75	95	10				57	21	77	Medium	Low	Medium
1610	242				2	1				22	7	1		200					58	15	73	High	Low	Medium
1611	345				3				19	2	1	5		284					58	13	71	High	Low	Medium
1612	653			3	11				87	7	1		154	327	289				45	17	62	Medium	Low	Low
1614	553				4	2			104	10	8	5	24	382	11	2	23		56	19	75	Medium	Low	Medium
1615	389			1	2									315	17				58	9	67	High	Low	Medium
1616	325				5				57	2	7		58	287					47	14	62	Medium	Low	Low
1618	214				7									173	18	5			60	14	75	High	Low	Medium
1619	387				6								220	287	68				44	12	56	Medium	Low	Low
1620	273			1	18	2							259	147	20				44	15	59	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1621	483			2	8	3				6	11			390	20	13	3		61	16	78	High	Low	Medium
1622	339			3	29	1								156	3				42	14	56	Medium	Low	Low
1624	234				4				16					26					57	4	61	High	Low	Low
1625	344				4	2			172	13	6			140	3				51	14	66	Medium	Low	Medium
1626	665			6	9	4			50	13	8	24		147	247	126	87	23	48	51	99	Medium	Medium	High
1627	155					1			38	6	3	4	86	55	45				43	21	64	Medium	Low	Low
1628	225				6				61				130	96	49	24	3		56	21	77	Medium	Low	Medium
1629	337				6	1			43	4	6		178	312	7				50	15	65	Medium	Low	Medium
1630	205				8				62	3			139	169	2				50	16	65	Medium	Low	Medium
1631	294				5	1				0				272	18				44	13	57	Medium	Low	Low
1632	545				1				31	7			40	369	72	5			49	11	59	Medium	Low	Low
1633	251			1					169	13	5	15	36	156	79	4			46	35	81	Medium	Medium	Medium
1636	567				5	1			63	7	7	10	463	204	65	0	0	5	44	15	59	Medium	Low	Low
1637	935			5	19								282	551	34				53	9	61	Medium	Low	Low
1639	372			2	3	1			27	9	8	7	92	223	97	9	4	6	58	25	83	High	Medium	Medium
1640	639	1		1	2	4								199	82	96	42		44	53	97	Medium	Medium	Medium
1641	220		1	9	2	1			28	4	6	2	91	98	52	19	1	6	47	27	74	Medium	Medium	Medium
1642	135				1				70					84	4				60	13	72	High	Low	Medium
1643	894				12	1			105				252	550	28				53	10	62	Medium	Low	Low
1644	225				1	1			54	16	3			95	17	4	2	6	60	19	79	High	Low	Medium
1645	65								5				53	31	8	1	10	7	48	46	93	Medium	Medium	Medium
1646	233				2									110	76	1	4	32	51	42	92	Medium	Medium	Medium
1647	242			1	3	2								115	6	6	26	14	45	32	77	Medium	Medium	Medium
1648	265			2	4									80	156	24			51	21	71	Medium	Low	Medium
1649	388		3	2	5	2								188	108	14	4		49	16	65	Medium	Low	Medium
1650	110			1	1									52	39	7			48	16	64	Medium	Low	Low
1651	192				3	1			26			3	161	95	0	0	18	8	54	30	83	Medium	Medium	Medium
1652	252			1	6	1			23	2	1	7	1	102	61	22	17	25	49	50	99	Medium	Medium	High
1653	650			2	2	7			153	66	43	5		248	76	55	42	17	38	37	75	Low	Medium	Medium
1654	414				5				39	5	5		15	266	9				58	10	69	High	Low	Medium
1655	452				2	2			49	13	18			273	5				54	13	67	Medium	Low	Medium
1656	540				3	1				4	3	5		367	54	29			62	15	77	High	Low	Medium
1657	466				1	1				12	1	5	2	65					58	5	62	High	Low	Low
1658	265			3	3	4					3		123	99	31	13			54	14	68	Medium	Low	Medium
1659	454			1	5	3			25	6	5		36	127	135	64	14	96	50	66	116	Medium	High	High
1660	216			3	3	2			44	4	3	4		32	115	30	2	12	49	42	91	Medium	Medium	Medium
1661	504			5	4	4			145		3			178	73	16	20	93	51	55	105	Medium	Medium	High
1662	271			1	4	2			137	5	3			71	120	64	1	10	46	40	86	Medium	Medium	Medium
1663	650			11		2	1		144	4	2	3		212	132	52	19	15	45	26	71	Medium	Medium	Medium
1664	723			10	13	15			189	5	2	2	277	186	71	51	22	57	55	36	91	Medium	Medium	Medium
1665	203		1		4					6				70	102	10			49	18	68	Medium	Low	Medium
1666	204			3									195	50					51	2	54	Medium	Low	Low
1667	209			2	3	3							70	14	151	20	12	8	51	38	89	Medium	Medium	Medium
1668	231		1	5	5	3	2		2				228	75	144	8			52	36	88	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1669	217		1		2	1								102	102				61	16	77	High	Low	Medium
1670	229				1	5	1							116	95	4			62	26	88	High	Medium	Medium
1671	383		1	2	8	3			113	10	7	5	31	98	23	28	13	8	52	27	79	Medium	Medium	Medium
1672	361		1	2	4	5	3		20	3			303	123	16	0	1	1	54	23	77	Medium	Low	Medium
1673	473					1			2	3	1	4	426	116	163	88	20	9	42	29	72	Medium	Medium	Medium
1674	255			1	3									135	8				57	7	64	High	Low	Low
1675	496				6	1								241	169	41			57	17	75	High	Low	Medium
1676	446			2	1	5			42	16	14	5		108	134	65	17	48	56	51	106	Medium	Medium	High
1677	430			3	11	3						1		129	160	66	37	16	70	39	108	High	Medium	High
1678	197				4				79	3	2	2	2	136	50	7			55	23	78	Medium	Low	Medium
1679	255				1									61					59	3	62	High	Low	Low
1680	421			1	8									201	197				55	16	71	Medium	Low	Medium
1681	569			1	7	3							88	340	71	35	35	3	56	21	77	Medium	Low	Medium
1682	227				5									130	88	4			61	17	77	High	Low	Medium
1683	295				1				5	2	14		272	112	3	4	7	18	47	25	71	Medium	Medium	Medium
1685	1,132			1	29	1								718	116				29	11	40	Low	Low	Low
1686	159				1									94					69	7	75	High	Low	Medium
1688	744			2	10	5								327	185	35	22	116	50	49	99	Medium	Medium	High
1689	351			6	5	2					3			74	103	47	17	43	57	47	104	High	Medium	High
1690	583			1	9	1				4	3			257	57	9	22	66	50	36	86	Medium	Medium	Medium
1691	625			4	9					4	3	2	373	473	4				53	10	63	Medium	Low	Low
1692	804		3	3	21				142				264	495	187	27	5	9	55	20	74	Medium	Low	Medium
1693	255			3		1								91	26	2	14	24	57	31	88	High	Medium	Medium
1694	687		1	5	12	6			65				215	74	332	158	34	55	61	48	109	High	Medium	High
1695	666			3	13	3							181	399	169	9	1	6	62	17	79	High	Low	Medium
1696	580			4	5				5				434	476	77				53	12	65	Medium	Low	Medium
1697	666			12	12	3			92				269	133	411	80	3	26	60	33	93	High	Medium	Medium
1698	236				4	2			45				189	54	22	84	51		57	49	106	High	Medium	High
1699	940			2	11	1				6	11			507	11				45	8	53	Medium	Low	Low
1700	513			5	4	1			89				331	131	349	23			55	21	76	Medium	Low	Medium
1701	275			2	3	2					0		274	66	32	26	7	3	55	17	72	Medium	Low	Medium
1702	269			1	3									65					57	4	60	Medium	Low	Low
1703	1,412				24	1							1106	914	422				48	14	62	Medium	Low	Low
1704	510		2	8	9		1		169	20	5		283	184	44	21			54	17	71	Medium	Low	Medium
1705	170			1	1					2	19		147	78	9	4	8	42	46	73	119	Medium	High	High
1706	280				3									68	13				56	4	61	Medium	Low	Low
1707	152			1		1				3	3	4	120	20	56	14	20	2	51	38	89	Medium	Medium	Medium
1708	375			4	5	1							181	62	192	36	11	42	57	44	101	Medium	Medium	High
1709	277			2	2									87	13	17	38	36	58	48	105	High	Medium	High
1710	1,348			2	14	2			82	5	13	7	785	682	28				65	9	75	High	Low	Medium
1712	689			8	7	4			94	6	4		134	330	185	36	16	29	59	28	87	High	Medium	Medium
1713	233			1	2	2								59	22	19	29	45	58	62	120	High	High	High
1714	964				9	1								359	11				60	5	65	High	Low	Medium
1715	683				16	2			34	12	10	2	216	371	14				46	12	57	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1716	357													245					64	7	71	High	Low	Medium
1717	1,422			4	21	5			164	30			764	627	368	38			62	15	77	High	Low	Medium
1718	461			3	5	4				3			454	136	134	6	36	85	47	57	103	Medium	High	High
1719	1,093				13									159					42	3	45	Medium	Low	Low
1720	270				7	1								146	19				56	10	66	Medium	Low	Medium
1721	326			2	1	1				3	4			4	272	46			54	26	80	Medium	Medium	Medium
1722	807				8				15	13	4		5	119					58	3	61	High	Low	Low
1723	537		1	5	9	5								159	173	83	62	4	69	34	103	High	Medium	High
1725	498			1	11	1				7				57	250	98			67	24	91	High	Low	Medium
1726	845			2	6	1				10	15			193					64	5	69	High	Low	Medium
1729	327								17				199	189	4				56	7	62	Medium	Low	Low
1730	393			1	4	2			6	11	5	2	158	95	181	59	13	15	56	35	91	Medium	Medium	Medium
1731	203				4				5	3			186	6	172	11	3		51	24	75	Medium	Medium	Medium
1732	300			3	3	2				3	4		282	39	51	50	64	59	54	78	132	Medium	High	High
1733	282				2				43	9	10	3		91					59	12	70	High	Low	Medium
1734	135				1								7	53	8				57	6	62	Medium	Low	Low
1735	610			2	9				10	7	9	3	238	78	44	2	8	37	45	21	66	Medium	Low	Medium
1736	70				1									62					47	10	57	Medium	Low	Low
1737	604				4	1							3	196	65	33	2	47	45	25	70	Medium	Medium	Medium
1738	282													47	3				58	2	59	High	Low	Low
1740	210				2									102	99				46	15	61	Medium	Low	Low
1741	205													173	25				47	11	58	Medium	Low	Low
1742	290				1									245	10				47	9	57	Medium	Low	Low
1743	719			1	2					7	10		1	527	14				55	10	64	Medium	Low	Low
1744	151				5	1			32	23	5		4	7					58	14	71	High	Low	Medium
1745	195				2	2							194	28	13	12	21	3	45	23	68	Medium	Low	Medium
1746	256				4	3			108				139	57	11				46	11	57	Medium	Low	Low
1747	765		1	2	3				503					127					58	9	67	High	Low	Medium
1748	490				6	1				12	5			58	394	32			55	24	78	Medium	Low	Medium
1749	826			1	10	8				26	18			691	16				55	15	70	Medium	Low	Medium
1750	400				6				89	7	4	5	70	58	20	1	15		45	14	59	Medium	Low	Low
1751	487				5				178	78	10	16	69	28	29	4			45	19	63	Medium	Low	Low
1752	365			5	2	2			209	17	3	8		146	123	58			69	32	101	High	Medium	High
1753	445				6	3			128	5	11	2		267	105	44	8		66	27	92	High	Medium	Medium
1754	310					5				2			248	73	95	39	39	27	54	48	102	Medium	Medium	High
1755	744			2	11	2			449	25	15	5	177	169	51	60	57	45	45	40	84	Medium	Medium	Medium
1756	721			1	8				39	6	9	2	66	77	179	229	25	191	45	82	127	Medium	High	High
1757	513				6	2								129	20	21	13		66	10	75	High	Low	Medium
1758	597			5	2				68	7	9	4	3	343	76	7	20	25	46	25	72	Medium	Medium	Medium
1759	247			2	9	3							244	81	109	15	11	11	46	35	81	Medium	Medium	Medium
1760	299				4	1							181	27	3				57	3	60	High	Low	Low
1761	503				6	1								65	17				55	4	58	Medium	Low	Low
1764	565			1	2					8				249					59	5	64	High	Low	Low
1765	157				1					5	2	3	98	13	14	11			40	13	52	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1766	795				9	1	1						784	235	535	10			35	20	55	Low	Low	Low
1767	615			1	7	1		1						183	20	2			64	9	73	High	Low	Medium
1768	395			1		1				7			117	175	132	8			65	13	78	High	Low	Medium
1769	246			5	3	1	1		68	7			161	84	109	14			45	27	72	Medium	Medium	Medium
1770	356			3	11	2							298	132	169	43			44	23	68	Medium	Low	Medium
1771	1,461			1	29			1	73	16				144	17	3			43	5	49	Medium	Low	Low
1772	403			3		2			1	20	3	3	326	166	113	33			69	18	87	High	Low	Medium
1773	257			3	1	2			3				252	122	17				44	8	52	Medium	Low	Low
1774	275				4						4			67	17	9			44	8	52	Medium	Low	Low
1775	241			1										72	130	13	20	1	44	26	69	Medium	Medium	Medium
1776	707			4	7	6			56		1	2	530	53	364	75	14	183	45	74	119	Medium	High	High
1777	171			4	1	1			26				76	55	10	13			46	11	57	Medium	Low	Low
1778	233			1	5									99	39				73	10	83	High	Low	Medium
1779	547			1	6	3			7	8	18	6	58	160	155	90	11	10	53	31	84	Medium	Medium	Medium
1780	448			1	10	1			199	28	19		192	255	22				45	19	64	Medium	Low	Low
1782	501				2	9			126	189	77	14	60	102	179	61	9	17	67	59	126	High	High	High
1783	735			2	9	3							587	128	195	172	46	159	45	70	115	Medium	High	High
1784	444			1	4	5			137					254	44	2	23		69	19	88	High	Low	Medium
1785	200				2	1								70	3				46	6	51	Medium	Low	Low
1786	450			1	2				35	7	10		248	307	130				55	16	71	Medium	Low	Medium
1787	312				2				115	67	36			91	3				44	23	67	Medium	Low	Medium
1788	190	1			2									94	3				46	100	146	Medium	High	High
1789	575				2				80	5	12		295	349	48				45	12	57	Medium	Low	Low
1790	774			4	4	5			129	4	2		132	210	363	126			61	24	85	High	Medium	Medium
1791	723				3	3			163	4	7	6		483	49	6	42	47	59	33	93	High	Medium	Medium
1792	1,499				31				336					316	971	195			23	26	49	Low	Medium	Low
1793	238				7								4	6	127	16	5	77	45	84	130	Medium	High	High
1794	819			1		1			182					289	102	6			62	9	71	High	Low	Medium
1795	746			3	8	4	1			6	4	5		454	75	11	33	86	60	43	103	High	Medium	High
1796	1,030			3	1	2			90	18	21	11	75	232	187	86	35	10	39	21	60	Low	Low	Low
1797	791			7	12	7			17	19	4	5		196	49	6			83	10	93	High	Low	Medium
1799	276			4	10	1			106	10	2	2	9	103	56	7	37	15	69	44	113	High	Medium	High
1801	686			7	4	8			58	6	6	5	541	146	240	117	64	34	45	43	88	Medium	Medium	Medium
1802	179			3					62	16	10	29	12	5	35	43	34	49	44	100	144	Medium	High	High
1803	275			3		1			45	9	6	3	46	105	87	33	15		54	29	83	Medium	Medium	Medium
1804	872			3	7	1							168	453	85				39	8	47	Low	Low	Low
1805	720			4	4	2			92	4	1		464	179	286	59	83	44	43	41	83	Medium	Medium	Medium
1806	315		1	3	10	5			51	17	1		50	121	70	37	4		69	25	94	High	Medium	Medium
1807	443				5				86	26	3	6	291	96	239	52	41	2	42	37	79	Medium	Medium	Medium
1808	760		1	2	2	4	1		29				176	548	123	7	3		40	15	55	Medium	Low	Low
1809	490			2	8	4								116					79	6	85	High	Low	Medium
1810	512			2	6	1			77		3	7	310	72	25	9			41	10	51	Medium	Low	Low
1811	365			8	12	7	3	1	40	6	2		218	61	132	125	8	12	42	62	104	Medium	High	High
1812	199				6	3					2	2	66	150	19	24	3		44	26	70	Medium	Medium	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1813	556				2	1			54	17			8	322	38	14	1	2	41	12	53	Medium	Low	Low
1814	721				7	2				3	6		416	213	231	15	54	110	42	51	93	Medium	Medium	Medium
1815	464				6	3				5	3			40	5				68	5	73	High	Low	Medium
1816	343		1	2	5	1			31	4	17	4	89	127	20	2	3		70	17	86	High	Low	Medium
1819	485			2	3		1		18	8	7		26	55					75	7	82	High	Low	Medium
1821	287			5	8	10		1		4	5	6	65	96	18	8	14	48	67	67	135	High	High	High
1822	1,235				8	3			378	82	47			435	20				37	13	50	Low	Low	Low
1823	835				17	2		1					29	201	24	12	2	9	35	11	46	Low	Low	Low
1824	390			2		1				5	8	2	11	136					52	7	59	Medium	Low	Low
1825	398				3								161	31					43	2	45	Medium	Low	Low
1826	224			2	9								223	87	3	2	3	14	55	22	77	Medium	Low	Medium
1827	362		1						184	13	18	6	11	144	63	25			54	25	79	Medium	Medium	Medium
1828	256			2	5									19					44	3	47	Medium	Low	Low
1829	278				1								267	179	28				51	9	60	Medium	Low	Low
1831	345		2	2	3	1							239	270	20				70	10	80	High	Low	Medium
1832	1,468				3	1			61	7			111	619	72				34	6	40	Low	Low	Low
1833	599		2	3	17	17			70	16	10	4	288	119	94	52	58	130	42	76	118	Medium	High	High
1834	614				6	5				4	4		276	182					57	6	64	High	Low	Low
1835	181			1	4	1								154	19				45	14	58	Medium	Low	Low
1836	539			2	1	1				22	9		388	79	132	146	15	35	40	39	79	Medium	Medium	Medium
1837	463				8	1			5	5	8	5	150	26					60	7	67	High	Low	Medium
1838	1,371				5	2							9	72	1277	7			42	20	62	Medium	Low	Low
1839	567				6	3			70				404	237	9				71	8	79	High	Low	Medium
1840	1,398			1	23	7								286	64	28	14		60	8	68	High	Low	Medium
1841	650	1			3	9			233	7	10	5	10	168	98	92	119	9	77	75	151	High	High	High
1842	603				6				80	5	3	5	166	205	3	2	34		53	14	67	Medium	Low	Medium
1844	520				4	4			29	67	21	5	145	143	9				69	15	84	High	Low	Medium
1845	427			1		1							339	92	69	128	19		60	25	86	High	Medium	Medium
1846	463			1	1				107				140	72	86	111	34		46	27	73	Medium	Medium	Medium
1847	610				3	2			57	15	19	8	378	469	93				72	19	91	High	Low	Medium
1848	761				1								121	368	122	20			35	9	44	Low	Low	Low
1852	753			5	7	3			67				619	380	24	11	30	10	38	16	53	Low	Low	Low
1853	846			1	10	8			245	27	20	9	16	206	237	102	50	103	38	55	93	Low	Medium	Medium
1854	756	1		2	14	6								374	159	100	52	26	57	59	116	High	High	High
1855	1,480			3	20	4			273					228					45	5	50	Medium	Low	Low
1856	304			1									187	92	34				37	5	42	Low	Low	Low
1857	318				5	2					1	2		115	166	2	27	2	43	28	72	Medium	Medium	Medium
1859	737			1	12	4								254	186	70	23	112	38	49	87	Low	Medium	Medium
1860	402				2								395	219	1				38	6	44	Low	Low	Low
1861	329				8	1			51	2	14		20	151	137	9	6	10	32	31	64	Low	Medium	Low
1862	921			6	9	3			72	15	22	11	141	457	218	29	15	44	57	30	87	High	Medium	Medium
1863	272		1	2	4					8				174	54				75	12	87	High	Low	Medium
1864	330								55					206	28				38	10	48	Low	Low	Low
1865	528			2	6				128	10			9	29	188	165	9	121	35	75	110	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1866	384			1	3	2			69				259	136	11	6	34	28	49	32	81	Medium	Medium	Medium
1867	201			1									198	152	25	3	6		44	14	57	Medium	Low	Low
1868	528				9	6			60					109	19	45	13		35	15	49	Low	Low	Low
1869	268				7	5			36	8	4	8	12	25	16	4			52	19	70	Medium	Low	Medium
1870	225								42	12			34	16	27	4			60	7	67	High	Low	Medium
1871	181				1								24	124					49	7	57	Medium	Low	Low
1872	434			1	5	3				4	2	1	242	53	17	6	4	43	54	27	81	Medium	Medium	Medium
1873	2,234				6	8	1	5	271	46	21	21	68	988	255	137	28	41	26	25	51	Low	Medium	Low
1874	408				6	3			101	1	11	5	120	131	64	38	26	53	36	54	90	Low	Medium	Medium
1875	612			1	6	14							127	87	130	116	84	142	53	81	134	Medium	High	High
1876	394				4	3				4	5	3	87	57	20	29	34	4	36	22	58	Low	Low	Low
1877	230				4	1			5	5	4		215	63	77	41	8		35	27	62	Low	Medium	Low
1878	199				2	1							196	115	42	12	2	16	35	32	67	Low	Medium	Medium
1879	564			2	10	4	1		51	8	0	2	396	137	204	141	53	7	46	42	88	Medium	Medium	Medium
1880	219				8	3				0	12		204	33	18	19	6	5	35	27	62	Low	Medium	Low
1881	262			2	10	3			40				220	35	26	60	27	15	35	44	79	Low	Medium	Medium
1882	532			3	4	2							407	80	267	145	4	3	47	29	76	Medium	Medium	Medium
1883	388	1		1	7	1								265					56	61	117	Medium	High	High
1884	284		1		6				48					127	15	6	8	8	53	19	72	Medium	Low	Medium
1885	840	1			1				199	50	8		137	107	4				38	30	68	Low	Medium	Medium
1886	422		2	3	7	2			48	6			4	277	86	3	9		54	17	71	Medium	Low	Medium
1887	369			1	1				124	8	13	1	36	211	141	6			34	22	56	Low	Low	Low
1888	348			1		1			117	7	9	18		264	37				32	27	59	Low	Medium	Low
1889	516			4	1	6			9					125	73	18	3		55	10	65	Medium	Low	Medium
1890	323			1	2	1								48	11	4			60	4	64	High	Low	Low
1891	316			1	11	4			70	7	2	4	33	11	136	124	31	8	35	55	90	Low	Medium	Medium
1892	373			2	3	2			64	28	26	1	108	121	45	16	9	16	35	31	67	Low	Medium	Medium
1893	236				2	2					2		64	66	4	25	6	5	36	19	55	Low	Low	Low
1894	226				1	1			69					178	46				54	16	70	Medium	Low	Medium
1896	152						1		7				142	10	35	29	12	61	70	100	170	High	High	High
1897	175			1	1				44				78	20	23	58	14	54	71	93	164	High	High	High
1898	419			2		3				2	2	2	38	62	294	37	15		52	26	78	Medium	Medium	Medium
1899	775				11	20			36	4	17	22	14	185	20	64			38	22	60	Low	Low	Low
1900	347			5									346	64	173	99			29	26	55	Low	Medium	Low
1901	345			2	2								342	229	43				34	10	44	Low	Low	Low
1903	632			6	12	4			319	66	7	5	8	237	207	53	11	73	34	52	87	Low	Medium	Medium
1904	667			2	8	5			72		3			218	57	6			30	10	40	Low	Low	Low
1906	391				6	2								153	19	4			52	8	60	Medium	Low	Low
1907	480				9	5					4		310	118	42				32	9	41	Low	Low	Low
1908	1,485				7									352	248	92	4		34	10	43	Low	Low	Low
1909	607			2	4	8	1						597	108	90	30	14		33	15	49	Low	Low	Low
1910	519			3	3	4			66				248	75	239	62	35	86	41	60	101	Medium	High	High
1911	296			2	2					1			294	122	166	2			30	16	47	Low	Low	Low
1912	522				12	3			60	6	4	1	361	128	185	26	19	18	36	29	64	Low	Medium	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1913	246			2	2				17		3		207	84	109	17			34	18	53	Low	Low	Low
1914	736				9	4			48	9	10	3	523	181	507	7	17	10	42	27	69	Medium	Medium	Medium
1915	363				3	10			38		3		319	65	15	29	27	29	36	38	74	Low	Medium	Medium
1917	2,083	1		6	31	10	1		777	46	66	21	12	745	231	28			75	29	104	High	Medium	High
1918	1,988			5	18	2			139	10	3	6	3	537	214	3			67	8	75	High	Low	Medium
1919	379		1	3		1			30				227	192	142	26			38	17	55	Low	Low	Low
1923	725			1	3	2				17	9			547	55	4			55	12	67	Medium	Low	Medium
1924	333			2	13	2			47			3	253	53	170	24	21		38	30	68	Low	Medium	Medium
1925	832			3	13	4			118	7	40		476	325	382	91	11		44	29	72	Medium	Medium	Medium
1926	1,093		1		8	2								682	193	20	63	90	51	34	85	Medium	Medium	Medium
1927	164	1		1	2									105	16				67	100	167	High	High	High
1928	238			1	3								238	16	69	107	33	9	32	52	84	Low	Medium	Medium
1929	716			4	9	2			74		8		331	279	9				43	8	51	Medium	Low	Low
1930	1,107				7	3			122	31	24	2		692	147	13			49	15	64	Medium	Low	Low
1931	234			1	5	3			16	3	3		209	68	101	13	1	17	34	36	70	Low	Medium	Medium
1932	384			1	1	1								229					71	7	78	High	Low	Medium
1935	259			1	4				95				50	50	77	52	25	19	39	47	86	Low	Medium	Medium
1936	244			1		1				7			229	116	21	14	13	30	40	41	81	Medium	Medium	Medium
1937	468			1	7				101					159	197	92			70	25	96	High	Medium	Medium
1938	296			2	4	3		1	67	3		5	22	114	11	13	26		40	32	72	Medium	Medium	Medium
1939	381			1	1	2			28	7	8	7	203	51	45	48	27		41	25	66	Medium	Medium	Medium
1941	239				5	3							236	27	17	1	21		41	16	57	Medium	Low	Low
1942	218			1	2				31					56	18	11	8		37	13	49	Low	Low	Low
1944	674			1	2	2			79	26			105	106	24	11			38	6	44	Low	Low	Low
1945	464			8	6					12	10	8	415	168	143	106	11	2	42	32	74	Medium	Medium	Medium
1946	322				2	1								151	98	2	3		57	13	70	Medium	Low	Medium
1947	225				3	1			30	5	3	6	26	171	2	1	5		40	21	61	Medium	Low	Low
1948	309			1	5	3			32	0			225	172	78	19			41	18	59	Medium	Low	Low
1949	248								69	7	6	3		32					40	9	49	Medium	Low	Low
1950	258			1	3	2					3			84	26	16	3	14	42	24	66	Medium	Medium	Medium
1952	318		1	1	3	1			96					160	124				63	17	80	High	Low	Medium
1953	215			1	8	3			98	57	13		32	18	32	88	24	39	38	94	131	Low	High	High
1954	602			5	8				98				204	134	46				42	7	49	Medium	Low	Low
1956	125									6	8		14	70	12				40	15	55	Medium	Low	Low
1957	244		1	2	4									65	106	10	8	6	68	23	91	High	Low	Medium
1958	291			4	7	9			88	41	30	12	64	101	43	28	3	3	42	47	89	Medium	Medium	Medium
1959	569	1		1	13	8							114	326	101	23	2		39	52	91	Low	Medium	Medium
1960	571			1	8	3			148				115	333	122	40	22	6	42	25	67	Medium	Medium	Medium
1961	435			2	5	4			38	6			3	226	42				42	11	53	Medium	Low	Low
1962	1,191			2	5	1								78					39	1	41	Low	Low	Low
1967	820		1	2	14	5			214	14	11	5	298	211	103	80	89	19	42	34	76	Medium	Medium	Medium
1969	278			1	1	2							274	55	130	57	8		46	26	73	Medium	Medium	Medium
1970	255				2								253	127	11	4			47	7	54	Medium	Low	Low
1971	272		1	1	2	1							270	125	127	15			47	18	65	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1972	226				1				99				11	19	146	58			46	31	78	Medium	Medium	Medium
1973	344			2	3	1			25	3			308	59	205	64	3		48	26	74	Medium	Medium	Medium
1974	241				1	3						3	198	109	90	33	4		55	26	81	Medium	Medium	Medium
1975	434			1	4	5			34	18	2		231	88	144	86	32	41	35	50	86	Low	Medium	Medium
1976	164				1					3	1		159	44	116	2	0		44	19	63	Medium	Low	Low
1978	358				12	3				13	9	10	164	250	12				40	22	61	Low	Low	Low
1979	282				1	1					1		278	83	111	69	7	5	46	30	76	Medium	Medium	Medium
1980	253				4	1							250	34					47	4	51	Medium	Low	Low
1981	536				2									19	5	3			41	1	42	Medium	Low	Low
1982	274				2								272	20					47	1	48	Medium	Low	Low
1983	310				6	1				2	1	2	7	177	127				40	18	58	Low	Low	Low
1984	343				1				217			1	123	79	52	18	12		40	19	59	Medium	Low	Low
1985	125								44	7	3		13	60	2				41	12	53	Medium	Low	Low
1987	404				5				53				274	219	20				47	9	56	Medium	Low	Low
1988	549		1	1	9	7			78	2	3	12	191	122	140	39	18	73	41	51	92	Medium	Medium	Medium
1989	1,094			8	60	5	1		570	47	34	2	198	334	140	26	4	3	60	25	86	High	Medium	Medium
1990	295				2	6			32	2	2	1	21	62	33	35	32		41	28	69	Medium	Medium	Medium
1991	253				4				30	4	1	12	65	195	33	7	3	1	47	27	74	Medium	Medium	Medium
1992	297				3	3			43	3	7	5	75	38	72	27	38	115	55	100	155	Medium	High	High
1993	370			1	4	2					7	5	98	171	42	6	7	15	50	24	75	Medium	Medium	Medium
1994	401					4								54	178	96	51	13	57	43	100	Medium	Medium	High
1995	297			1	4	1	1		238	7			50	87	29				48	21	68	Medium	Low	Medium
1996	178							1					176	116	14	7			37	21	59	Low	Low	Low
1997	545			4	9	7	2	1	205	8			331	200	69	34			45	27	72	Medium	Medium	Medium
1999	216			1	7	3							29	46	118	44	6		45	32	77	Medium	Medium	Medium
2000	253				2	1			45		4		146	61	28	19	13	23	42	37	78	Medium	Medium	Medium
2001	247			1	5	4								198	43				45	17	62	Medium	Low	Low
2002	531			3	12	2			13	2	1		474	152	216	75	30	24	45	36	81	Medium	Medium	Medium
2003	293		1	3			2		39		6	1	239	104	162	22			48	33	82	Medium	Medium	Medium
2004	287				7	1			41				118	109	40	8	9	89	42	78	119	Medium	High	High
2005	921			6	8	3			252	19	21	10	444	436	75	16	42	108	42	44	86	Medium	Medium	Medium
2006	512			4	4	1			129		1		316	298	44	3			48	12	59	Medium	Low	Low
2007	527		1	3	4	2							399	44					48	2	50	Medium	Low	Low
2008	269				2								259	131	110	16			49	17	65	Medium	Low	Medium
2009	350		1	2	2	1			114					204	22	3	20		46	18	63	Medium	Low	Low
2010	610			3	8	7								307	217	38	5		56	20	75	Medium	Low	Medium
2012	331				3					17	4		292	101	30				43	8	51	Medium	Low	Low
2013	279				13	1							275	174	11	10	18		45	21	65	Medium	Low	Medium
2014	483				4				31		1	2	176	307	69	6			45	12	58	Medium	Low	Low
2015	490			1					35	8			35	160	164	64	30	8	40	27	67	Medium	Medium	Medium
2016	486			2	3	2							176	209	52				46	8	54	Medium	Low	Low
2017	210			3										78	34	2	3		35	9	44	Low	Low	Low
2018	151			2									150	56	52	26			45	19	64	Medium	Low	Low
2019	480				3	4			10	10	8		446	89	219	53	29	19	43	35	78	Medium	Medium	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2020	545			3	6	1		1	15	6	16		413	181	46	29	15	102	43	56	100	Medium	Medium	High
2021	231		1	2	8	1	2						228	102	34	8	13	15	43	46	88	Medium	Medium	Medium
2022	178			1	2	1							85	52	46	13			45	14	59	Medium	Low	Low
2023	412				4	2			41	5			271	96	155	39	17	85	43	63	106	Medium	High	High
2024	541				6	1			98	17			412	146	88	69	19	70	42	46	87	Medium	Medium	Medium
2025	834				9	3			195	7	9	4	340	72					47	7	54	Medium	Low	Low
2026	328			5	5	2					4	3	304	161	113	7			47	19	66	Medium	Low	Medium
2027	318				3				22				293	125	182	6			48	18	65	Medium	Low	Medium
2028	495				2	1				6	9	2		296	193				56	17	73	Medium	Low	Medium
2029	421				1	1			2		3		3	136					55	5	60	Medium	Low	Low
2030	239			2	1	1							137	70					48	4	52	Medium	Low	Low
2031	219			3	1	2	1		29	14			121	120	73				48	24	72	Medium	Medium	Medium
2032	421			2	3	1			55				72	107	236	29	18	10	41	29	69	Medium	Medium	Medium
2035	253				2	1				14	2	2		122	39	26	20	4	41	29	70	Medium	Medium	Medium
2037	458			2	13	5				4	8	1		184	104	24	13	10	55	26	80	Medium	Medium	Medium
2038	242			1	12	3								150	22				56	15	71	Medium	Low	Medium
2040	626			1	5				72	11			5	376	3				58	8	66	High	Low	Medium
2041	297				4	1				19	6			249					57	14	71	High	Low	Medium
2042	95				1	1							86	37	13	9			41	15	55	Medium	Low	Low
2043	608		1		9	4		1	73	4			214	160	49	5			49	12	61	Medium	Low	Low
2045	666			3	6	2			26				269	331	27				49	8	57	Medium	Low	Low
2046	451				6	1			140	15	12	9	13	354					53	20	73	Medium	Low	Medium
2047	290			2	7	2							287	40	9				48	6	54	Medium	Low	Low
2048	358			5		2			46	3	2		227	97	52	13	7	22	44	25	69	Medium	Medium	Medium
2049	190				2				44	21			110	127	31				46	16	61	Medium	Low	Low
2050	560				4	4				19	4			194					47	7	54	Medium	Low	Low
2051	806				1	4				6	5	3		283	75	19	9	5	57	12	69	High	Low	Medium
2052	252			2	2	3							237	68	21				48	8	56	Medium	Low	Low
2053	513			1	10	3			108	18	2	2	56	229	39	29	49	40	45	41	86	Medium	Medium	Medium
2054	189				2	2			31		5	2	149	87	21	10	18	15	42	44	87	Medium	Medium	Medium
2056	232				2					10	4	1		85					47	8	55	Medium	Low	Low
2057	539			2	8	1			43				172	110	16	3			42	6	47	Medium	Low	Low
2058	368				4	7	1			1	1	0		155	43	7	16	51	47	49	96	Medium	Medium	Medium
2059	674			1	5				40	22	14	13	187	498	57	5			33	17	50	Low	Low	Low
2060	651			3	18	2			83	26	6	5	476	131	78	48	76	5	46	29	75	Medium	Medium	Medium
2061	198				1	1			105					119	29	16			43	20	63	Medium	Low	Low
2062	545				3									66	3				44	2	46	Medium	Low	Low
2063	179				3				47	5	1	3	1	46					47	11	58	Medium	Low	Low
2064	474		1	5	7	3			54	5	7	7	188	211	172	46	16		37	28	65	Low	Medium	Medium
2065	343				2				19	5	2	6	163	219	113				36	18	54	Low	Low	Low
2066	644		1	3	18	2			80	14	8		513	221	91	29	55	148	47	69	117	Medium	High	High
2067	333			1	3				184	47	22	20	26	102	15	19	12		41	38	79	Medium	Medium	Medium
2068	271			2	2	5			9					82	34	15			40	13	53	Low	Low	Low
2069	352								79	3			204	194	51	3			43	11	54	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2070	208				2									190	2				47	10	57	Medium	Low	Low
2071	507			1	2					12	5	1	26	283	199	18			47	17	65	Medium	Low	Medium
2072	283				2				57	2	3		33	124	66	3			41	14	54	Medium	Low	Low
2073	1,135				3	1							377	534	218	10			39	9	49	Low	Low	Low
2074	406			1	5	2							311	253	132				46	15	61	Medium	Low	Low
2075	477			2	7	1			23		4		443	271	116	48			46	19	65	Medium	Low	Medium
2076	466		1	2	5	2			32	7	10		239	92	317	44			47	25	73	Medium	Medium	Medium
2077	184			4		1							182	76	3				50	6	55	Medium	Low	Low
2078	403			5	10	2							147	83	199	97	16		47	31	79	Medium	Medium	Medium
2079	367					5				4	4			98	118	33	7		41	20	60	Medium	Low	Low
2080	602			1	9	2			31				129	370	194	12			47	16	63	Medium	Low	Low
2081	284			2	2	1								10	257	14			68	22	90	High	Low	Medium
2082	584			4	23	3			103				122	268	242	20			47	21	68	Medium	Low	Medium
2083	430		1		8	9	1		43	17	12	15	72	101	78	88	39	102	41	94	135	Medium	High	High
2084	254				3									149	92	11			70	16	86	High	Low	Medium
2085	813				9	7					2	2	663	270	68	58	5		48	13	60	Medium	Low	Low
2086	394		2	2	7	3			36	8	2		171	59	12	17			49	9	58	Medium	Low	Low
2088	320			1	7									41	3				38	4	42	Low	Low	Low
2089	202			4										151	5				38	8	46	Low	Low	Low
2090	247		2		25	12			28	1	5	3	114	61	33	12	7		49	36	84	Medium	Medium	Medium
2091	630				4	3			9	3	7	3	239	302	69	22	9	3	68	15	83	High	Low	Medium
2092	304			3	3	2			55	12	13	17		27	27	2			36	23	59	Low	Low	Low
2093	297		1		3									167	51				38	10	48	Low	Low	Low
2094	750				15	2			237	23	14		4	291	9	6			51	13	64	Medium	Low	Low
2095	389			4	2	3			34				292	100	195	57	12		56	26	82	Medium	Medium	Medium
2097	311					1								230	62				38	12	50	Low	Low	Low
2098	443				2									249	7	4	21	9	55	16	70	Medium	Low	Medium
2099	374			2	3								374	85					50	3	53	Medium	Low	Low
2100	234		1	1	6				73	5			84	123	57	5			49	17	66	Medium	Low	Medium
2101	597			2	10	5			36		9		334	128	210	145	71	27	48	48	96	Medium	Medium	Medium
2102	289			6	3								188	87	25	11	19	85	34	73	107	Low	High	High
2103	299			1	4				41	4			175	155	19				49	9	59	Medium	Low	Low
2104	278					1				5	3			71	19	2			49	6	56	Medium	Low	Low
2105	260			1	1	1								134	22				48	8	56	Medium	Low	Low
2106	206				1									176	18				49	11	59	Medium	Low	Low
2107	404			1	8								160	213	67				48	11	59	Medium	Low	Low
2108	199				1								198	186	1	5	5		48	14	61	Medium	Low	Low
2109	199			1	3	1							198	56					45	5	51	Medium	Low	Low
2110	262		1	1	1	1								82	78	29			37	16	52	Low	Low	Low
2111	318				4	1				2			313	89					48	5	53	Medium	Low	Low
2112	330				1		1							37					41	6	48	Medium	Low	Low
2113	313			1	2									159	150				44	15	59	Medium	Low	Low
2114	313				1				57	18			141	245	24				53	13	66	Medium	Low	Medium
2115	220				2	1	1			6	6	1	20	160	20				67	22	90	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2116	608				7	2			49					396	24	15	22	21	65	22	86	High	Low	Medium
2117	295				1	4							293	46	94	69	8	3	48	27	75	Medium	Medium	Medium
2119	316				6	3			2				312	83	106	27	16	14	47	31	78	Medium	Medium	Medium
2120	349				1	2							348	88	104	20			47	13	60	Medium	Low	Low
2121	254				1	5			52		2	2	5	96	22	30	1	3	48	23	71	Medium	Low	Medium
2122	894		1	2	11	20	1	2	147	32	15	10	440	240	277	121	41	156	53	73	126	Medium	High	High
2123	897			2	16	8	1	1	93	20	8	10	484	354	78	63	75	17	54	34	88	Medium	Medium	Medium
2124	290			2	2	1								182	3				49	8	56	Medium	Low	Low
2125	265			1	2	3			75					174	39				49	15	64	Medium	Low	Low
2126	359			1	6	1			5	6	3	4	114	185	14	6	2		45	13	58	Medium	Low	Low
2127	1,329			1	8				161				537	581	176	3			53	9	62	Medium	Low	Low
2128	746			1	2									474	171	43	11		70	16	86	High	Low	Medium
2129	529				6	1			17	3	7		224	306	9				36	9	45	Low	Low	Low
2130	765				14					3	3			231	291	17			69	14	83	High	Low	Medium
2134	891			3	11				169	22	19	14	167	401	3				38	13	51	Low	Low	Low
2135	352				2	1							350	272					43	9	52	Medium	Low	Low
2136	426			1	1	1				2	4	5		258	46				49	12	61	Medium	Low	Low
2137	407								99				97	153	87	38	4	3	49	18	67	Medium	Low	Medium
2138	306				3	3								163					55	8	63	Medium	Low	Low
2139	353			1	3	2			157	9	4	7	28	96	50				48	18	66	Medium	Low	Medium
2140	378			1	7	1			164	22	16	7	9	189					48	21	69	Medium	Low	Medium
2141	593			3	3	1			40	7	11	1	532	264	11	6	5	16	49	16	65	Medium	Low	Medium
2142	185					3								133	17				39	12	52	Low	Low	Low
2143	248			2	3	1								154	44	11			51	14	65	Medium	Low	Medium
2144	1,095				7									124	14				44	2	46	Medium	Low	Low
2145	462				3				32	5	10	5	15	114					47	8	55	Medium	Low	Low
2146	470			1	7	2					1	2	65	115	256	23			62	19	81	High	Low	Medium
2147	467			1	6	3			83	6	5		333	130	250	32	11	34	62	40	102	High	Medium	High
2149	181				4								114	41	15	17			50	11	61	Medium	Low	Low
2150	425		1	3		3				5	4	3		125	64	25	14		35	16	51	Low	Low	Low
2151	154			3	1	1			11	4	44	58	36	36	45	38	8		47	100	147	Medium	High	High
2152	369				5	1			68	3	17	2	153	100	191	59			41	31	72	Medium	Medium	Medium
2153	206			3	6				33	18	18	3	7	144	32				39	28	67	Low	Medium	Medium
2154	274				6	2								102	26				44	9	53	Medium	Low	Low
2155	874				1	1			40	9			5	718	6	2			70	9	80	High	Low	Medium
2156	211			1	6				36					144	64				37	17	54	Low	Low	Low
2157	278				2	2			11	6	8	2	247	73	15	41	10	6	46	26	73	Medium	Medium	Medium
2158	381				5	3			90	3			124	112	19	21	3	2	61	14	74	High	Low	Medium
2159	303				5				44	11	1	5	235	107					48	11	59	Medium	Low	Low
2160	1,149	1		4	20	7			221	24	35	2	291	331	92	16	34		62	34	97	High	Medium	Medium
2161	459				3	1						8	445	266	125	8			61	17	78	High	Low	Medium
2162	405				4				108				129	287	53	8	19		57	19	77	High	Low	Medium
2163	248				1				13	10	5	5	214	46	6	14	2	9	50	21	70	Medium	Low	Medium
2164	272				7						3	5	260	171	11				45	14	59	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2165	221				7	3							221	101					40	10	50	Medium	Low	Low
2166	371				14	1			63	5	5		294	189	41	21			60	18	77	High	Low	Medium
2168	239				5				2				235	129	24				38	10	48	Low	Low	Low
2169	188				1								186	22	11	6	12	12	54	24	77	Medium	Low	Medium
2170	260				1	1							259	42	20	6			48	5	53	Medium	Low	Low
2171	255				4								255	184	17				40	10	50	Medium	Low	Low
2172	547				20	11	2	1			6	5	527	206	65	20	10	15	46	35	81	Medium	Medium	Medium
2174	253				7	4					1		250	147	45				38	16	54	Low	Low	Low
2175	534			1	1	1			76			4	189	85	42	16			45	8	53	Medium	Low	Low
2176	570				11	6					3	19	543	176	240	75	17	35	44	45	89	Medium	Medium	Medium
2177	1,369			1	15	4			229	43	23	24	35	487	341	89			53	21	74	Medium	Low	Medium
2178	340				2				3	9	13	5	304	199	36	16	25		48	26	74	Medium	Medium	Medium
2179	306			1	3	4			58	2	3		216	148	42	23	2	10	48	25	73	Medium	Medium	Medium
2180	238		1	2	8	3			30	7	17	2	8	75	42	7	21	9	39	41	80	Low	Medium	Medium
2181	1,071			3	12	7			50	7	6	7	297	389	24	5			40	9	49	Medium	Low	Low
2182	1,374			3	19	9								1012	97				48	11	59	Medium	Low	Low
2183	297				1	1			256	6	6		28	150	30				48	19	67	Medium	Low	Medium
2184	406				2	2			236		3			232	31				62	15	77	High	Low	Medium
2185	414				10	5			31	2	1		63	253	147				37	19	56	Low	Low	Low
2186	1,047				18	1				2	4	1	331	78					34	3	37	Low	Low	Low
2187	667			1	3								6	460	66	28	18		46	14	60	Medium	Low	Low
2189	217								79		4			27	3				46	7	52	Medium	Low	Low
2191	220				1					5	2	6		178	6				47	16	63	Medium	Low	Low
2193	558				3	4			29	4	12	12	100	310					50	15	65	Medium	Low	Medium
2194	563				4	5			97	18	18	3	106	357	103				51	19	70	Medium	Low	Medium
2195	165			1	1	1			145					68	10				40	16	56	Medium	Low	Low
2196	1,345			5	19	4			25	13	10	2	27	138	10				51	5	56	Medium	Low	Low
2197	1,370			1	21	3			35	11	7		16	194	23				61	5	66	High	Low	Medium
2199	479				4	3			416	11	7	14	24	364	13				47	27	73	Medium	Medium	Medium
2205	945	2	1	1	20	1			318	9	11	6	464	408	433	62	5		50	68	118	Medium	High	High
2207	389			1	4	2					4	2	170	157	84	4	62	46	34	53	86	Low	Medium	Medium
2208	1,321			1	6	6			269	37	2		378	354	34	1	4		36	8	44	Low	Low	Low
2209	215				1				89					139	4	4			48	12	60	Medium	Low	Low
2211	289				1	2			253	3	3		29	256	11				47	21	68	Medium	Low	Medium
2212	70				1	3				5			44	14	3	6	11	6	47	52	99	Medium	Medium	High
2213	845			5	16	8				13	10	10	379	95	538	84	29	47	51	41	92	Medium	Medium	Medium
2214	590	1		2	9	6								139	60	22	7		38	45	83	Low	Medium	Medium
2215	225				3				120	4	2	2		90	4	21			44	19	63	Medium	Low	Low
2216	968	2		1	24	7			67	5	11		103	125	246	301	28	35	40	79	119	Low	High	High
2217	200			1	1	2			28				22	135	29	12	0	13	56	30	86	Medium	Medium	Medium
2218	572				5	4								274	99	21	4	98	52	47	99	Medium	Medium	High
2219	1,287			4	12	2			175	139	43		564	812					42	14	56	Medium	Low	Low
2220	1,391			5	24	5								616	53	30			48	9	57	Medium	Low	Low
2222	634				1	4	1						259	69	3	21	48		52	14	66	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2223	1,252			8	13	3			499	8	3	2	400	200	12				50	8	58	Medium	Low	Low
2224	728				6	1								21					57	1	58	Medium	Low	Low
2225	656			1	3				386	9			244	412	49				53	14	67	Medium	Low	Medium
2226	1,272			5	25								383	569					44	6	50	Medium	Low	Low
2227	668			3	12	4			90	15	8	8	4	196	36	27	33	4	53	21	73	Medium	Low	Medium
2228	456				6	3							132	19	330	25	7	48	57	43	100	High	Medium	High
2229	661				8	5				9	7	3	225	333	100	19	15		48	17	64	Medium	Low	Low
2230	739				6	1			84		3		236	555	28	41	51	25	53	27	81	Medium	Medium	Medium
2231	2,420			2	26	7	1		467	3	2	2	9	1445	72	12	4		42	11	53	Medium	Low	Low
2232	229				2				116	8	5	6	66	19					51	15	66	Medium	Low	Medium
2233	348				3	1			21		1	5	316	45	13	16	14	11	49	20	69	Medium	Low	Medium
2234	2,207				7	6								1034	54	1	65	14	31	10	41	Low	Low	Low
2235	877				13				135	2	2	8	479	153	245	134	45	102	52	48	101	Medium	Medium	High
2236	298				2	1				4	4		289	163	64	4			51	13	65	Medium	Low	Medium
2237	710				4	2							672	132					54	3	57	Medium	Low	Low
2238	319		1			2			14	10	6		8	13					47	5	52	Medium	Low	Low
2239	263			2		4			34	22	40	102	63	40	33	64	12	64	48	100	148	Medium	High	High
2240	308				5									136	11				51	7	58	Medium	Low	Low
2241	573		2	6	10				114	12			232	290	110	39	15	3	38	20	58	Low	Low	Low
2242	694		1	6	8				46	5	4		301	439	45	8			39	11	50	Low	Low	Low
2243	640			2	8	1				3	7	28	591	389	195				48	24	72	Medium	Low	Medium
2244	312			1	6	3			51	21	3		233	223	2				53	15	68	Medium	Low	Medium
2245	582				1	3								331	193	28	12	4	48	19	67	Medium	Low	Medium
2246	353				3	1								287	57				45	13	58	Medium	Low	Low
2247	162			1									119	149	7				47	10	57	Medium	Low	Low
2248	604			5	3	2	2			9	3	4		423	80	5	53	7	52	30	82	Medium	Medium	Medium
2249	264				1				63				199	221	3				53	11	64	Medium	Low	Low
2250	751			1	7	9								333	57	12	4		49	11	60	Medium	Low	Low
2251	261				1	1							55						49	1	50	Medium	Low	Low
2252	493			4		1								390	7	1	4		46	10	56	Medium	Low	Low
2253	367				4	2								167	54				50	10	59	Medium	Low	Low
2254	447			2	5	3								180	138	29	25	18	46	30	76	Medium	Medium	Medium
2255	174				1				49	3				72	7	4			50	10	60	Medium	Low	Low
2256	273			1	3	2				0			7	120	22	12	6	5	41	17	58	Medium	Low	Low
2257	1,083				3	2			207				11	131	47	22	5	6	47	7	54	Medium	Low	Low
2258	1,105			1	11	4				4	6		267	514					49	7	56	Medium	Low	Low
2260	371			1	4	2				10	2		293	177	3	1	30	3	41	18	59	Medium	Low	Low
2261	404				4	1								160	12				44	6	50	Medium	Low	Low
2262	387				8	1			3	8			36	284	69	3			52	14	67	Medium	Low	Medium
2263	923				12									709	60				43	10	53	Medium	Low	Low
2264	397								36	10	3	6	7	302					46	13	59	Medium	Low	Low
2265	409				3				16				5	344	17				46	10	56	Medium	Low	Low
2266	90				1									78	8				33	12	45	Low	Low	Low
2268	480	1			6				9	10			138	393	35	14			42	55	97	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2269	204			1		3							3	59	30				46	9	55	Medium	Low	Low
2270	475				7	3			21	3			8	227	34	15			44	11	55	Medium	Low	Low
2271	563				4				38	22	34		457	247	150	36			33	21	54	Low	Low	Low
2272	1,082			4	15	5								297	603	76	31	57	45	33	78	Medium	Medium	Medium
2273	650				6	1			611					365	196	4			52	23	74	Medium	Low	Medium
2274	265				2								81	156	62				56	11	67	Medium	Low	Medium
2275	405				2	1			166	7	17		111	266	87	1	1	37	33	39	72	Low	Medium	Medium
2276	423				2					5	4		3	281	8				51	9	59	Medium	Low	Low
2277	145				3								6	36	8				52	6	58	Medium	Low	Low
2278	642				4	3								278	96	3	2	3	46	10	56	Medium	Low	Low
2279	568				11	3				7				332	29	9	16	16	51	19	71	Medium	Low	Medium
2280	704			1	15	7								331	81	11	35	34	45	27	72	Medium	Medium	Medium
2283	570			1	3	1								355	46				50	9	59	Medium	Low	Low
2285	636			1	13	2				2	6	4	501	274	14				53	10	63	Medium	Low	Low
2286	270				5	3				12	2		253	128	85	1	25		45	26	71	Medium	Medium	Medium
2287	843				11	5				8				443	39	3			48	9	57	Medium	Low	Low
2289	739				11	1								492	54	1	4		50	10	61	Medium	Low	Low
2290	2,255			10	35	7		1	165	129	102	26	987	702	225	23	26	14	50	20	70	Medium	Low	Medium
2291	530				5				50	3	5		3	327	12	1	4		52	10	62	Medium	Low	Low
2294	534			1	2				99				10	67	111	13			52	9	61	Medium	Low	Low
2295	590			1	13	2			31	3	1	26	15	79	25	10			40	16	56	Medium	Low	Low
2296	413	1			8									12	2				48	51	99	Medium	Medium	High
2297	472			1	1					2	5		176	343	109				38	13	52	Low	Low	Low
2298	304				3	3								116	17				52	8	60	Medium	Low	Low
2299	428				5	1	1							154	68	8			53	13	66	Medium	Low	Medium
2300	2,827		4	2	7	6			310	134	78		45	670	426	422	220	68	27	31	58	Low	Medium	Low
2301	1,130				8	3			2	6	4	2	431	190	16	8	20	3	58	7	65	High	Low	Medium
2302	755			2	7								594	337	160	9	6		53	11	64	Medium	Low	Low
2303	658				3									56					51	1	52	Medium	Low	Low
2304	300			2	2	6							296	217	42	4	15	2	53	22	74	Medium	Low	Medium
2305	334			2	2	4					2		324	48	1	6	25		53	13	67	Medium	Low	Medium
2306	817			3	2				216	6	29	11	275	484	109	37	16		37	22	59	Low	Low	Low
2307	1,279			1	14	4	1		39	2			74	484	33	36	72	7	58	16	74	High	Low	Medium
2308	226				1	1			106	8				75	9	2	5		51	14	64	Medium	Low	Low
2309	468			2	1	1			4	4	2		451	202	184	62	4		49	21	70	Medium	Low	Medium
2311	1,676		1	2	14	4			218				68	724	184	79	14	46	53	18	71	Medium	Low	Medium
2312	2,000			2	3	3					5	2		639	31	17	40	19	42	9	51	Medium	Low	Low
2313	680				16	2								156	133	67	46	214	51	84	135	Medium	High	High
2314	727	9			16	2				11	17	4		219					58	100	158	High	High	High
2315	570			1	9	2								395	115	1	1		31	14	45	Low	Low	Low
2316	1,257				3	2								687	177	1	4		40	9	49	Medium	Low	Low
2317	310				2				15					95	4	7	2		45	6	52	Medium	Low	Low
2318	589			1	1	1					3			75	3	5			34	3	37	Low	Low	Low
2319	902				15	7			29	13	11	6	42	442	168	95	10		45	21	66	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2320	984			1	6	8			41	21	19	11		427	98	29	9	3	45	17	62	Medium	Low	Low
2321	154								46	5	7		95	79	2	4			42	15	57	Medium	Low	Low
2323	168			2	1				58					72	30	10			40	15	55	Medium	Low	Low
2324	532			3	7	4		3		3	9		153	149	39	65	54	4	43	38	80	Medium	Medium	Medium
2325	552				11	1			119	20	25	3	373	390	58	8			38	21	59	Low	Low	Low
2326	544				5	3		1	208	4	7			335	29	20	19	13	54	28	82	Medium	Medium	Medium
2327	415	1			1	1								363	7				44	58	102	Medium	High	High
2328	620	1			11	2	2		18				594	129	15	34	12		60	47	108	High	Medium	High
2329	250				1				94					140	3	6			40	11	51	Medium	Low	Low
2331	572				10	4							563	106	12	90	27		62	18	80	High	Low	Medium
2334	199		1											145	42				43	11	55	Medium	Low	Low
2335	161				3				0	11	4	9	44	107	33	6			42	29	71	Medium	Medium	Medium
2339	1,501			1	25	7		1		7	8	4		422	48	5			47	9	55	Medium	Low	Low
2340	563			3	1							11	362	367	59				62	13	75	High	Low	Medium
2342	730									3	5			274					59	5	64	High	Low	Low
2343	620			4	7	1			109		5	7	309	323	21	10	7		61	14	76	High	Low	Medium
2344	745	6	3	1	6	1		2		11	4			81	77	23			64	100	164	High	High	High
2346	411			2	3			1	90	32	10	10	262	146	94	12			36	26	62	Low	Medium	Low
2347	288			2	1									235					37	9	46	Low	Low	Low
2349	327			6	2	2			104				207	62	11	16			35	10	45	Low	Low	Low
2350	1,049			6	3	3								209	568	226	19		33	26	60	Low	Medium	Low
2351	177				3	2		1					176	30	10	6	4		35	22	57	Low	Low	Low
2352	1,032			4	7	7								72	634	240	39	28	33	36	69	Low	Medium	Medium
2353	1,445			2	13				433	54	49	10	15	625	102	47	59	111	38	36	74	Low	Medium	Medium
2354	548		2	9	3				101	3	4	26	361	277	80				35	21	56	Low	Low	Low
2355	372		1	1	1									107	164	41	17		29	22	51	Low	Low	Low
2356	185		2	2	1								184	85	12				36	6	42	Low	Low	Low
2357	207			1	3				34				120	85					36	7	43	Low	Low	Low
2359	325			2	1									164	143				30	14	45	Low	Low	Low
2360	399		2	3	6	8	2	2					175	268	56	15	2	13	35	42	77	Low	Medium	Medium
2362	521			1	7	1	1							270	139	23	1	26	34	28	62	Low	Medium	Low
2363	395			3	3	5			105		1	2	69	254	8	4	25	55	48	49	96	Medium	Medium	Medium
2364	284				4									69	177	34			36	22	58	Low	Low	Low
2365	161					1							63	57	10	10			33	9	42	Low	Low	Low
2366	245			3	15	6			46	3			192	70					30	16	46	Low	Low	Low
2367	180				5					3	1		126	48					52	6	59	Medium	Low	Low
2368	473			4	7									179	114	31	4	37	55	30	85	Medium	Medium	Medium
2369	1,265			8	12	3								598	492	58	6	2	33	17	50	Low	Low	Low
2370	347			1	3				105				161	236	84				30	16	45	Low	Low	Low
2371	1,314		1	7	14	5								210	627	403	36		33	31	64	Low	Medium	Low
2373	235			1	3	4			109	4			121	153	10	0			29	17	46	Low	Low	Low
2374	277		1		6				54				156	134	64	12	7	20	27	33	60	Low	Medium	Low
2376	472			3	1				49	4	5			101	167	140	35	8	29	37	66	Low	Medium	Medium
2377	268		1	1	2	1			33				174	175	11				26	10	36	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2378	227			2	3	1			112				114	98	105	19			25	25	50	Low	Medium	Low
2379	1,261				2				23					564	5				38	5	42	Low	Low	Low
2380	348			4	6				136				36	130	122	4			28	17	45	Low	Low	Low
2381	465		1	1	4						2	1		138	221	74	3		29	23	52	Low	Low	Low
2384	344		1		1				54			1	285	140	173	7			28	18	46	Low	Low	Low
2385	625				3	2								116					59	3	62	High	Low	Low
2386	321			2	4	1			7				310	68	81	109	7	13	26	37	63	Low	Medium	Low
2387	261				5	2							259	60	82	53			25	22	47	Low	Low	Low
2388	261			1	4	2			17	32	12	2	195	146	40	28	11		25	31	56	Low	Medium	Low
2389	154		1		2	1								48	18	17	11		26	21	47	Low	Low	Low
2390	284			5	6	1				3			280	129	61	4			27	13	40	Low	Low	Low
2391	650	3		1	10	3		2	220	18	19	7		94	18	12	18		65	100	165	High	High	High
2392	246		1		2									103	101	13			29	16	45	Low	Low	Low
2393	269			4	2									22	78	145	19		29	41	70	Low	Medium	Medium
2394	958		3	10	11	2						2	556	242	94	50	20	21	33	16	49	Low	Low	Low
2395	300				8	1								203	19	20			65	15	80	High	Low	Medium
2396	297			1	3	1								123	20	4	38		53	21	74	Medium	Low	Medium
2397	604		1	7	8			1						211	241	44	14		35	22	57	Low	Low	Low
2398	990			11	6	7	3		35	2	6	3	487	346	401	125	41	33	34	37	71	Low	Medium	Medium
2399	669			3	3	1								339	155	41	5		35	14	49	Low	Low	Low
2400	655		3	3	10	2				20	8	3		266	324	25	2	28	48	30	78	Medium	Medium	Medium
2401	153				6								153	32					25	6	31	Low	Low	Low
2402	588			3	5	8		1						50	39	161	175	116	28	92	120	Low	High	High
2404	263			2	1	1								8	95	72	57	26	33	64	97	Low	High	Medium
2405	265			4	3	3				7				104	103	17	1	3	33	22	55	Low	Low	Low
2406	625			3	9	3								158	279	106	35	7	32	30	62	Low	Medium	Low
2407	220				3									64	57	21	1	59	29	68	97	Low	High	Medium
2408	303			5	4	3	1							103	113	43	18		29	32	61	Low	Medium	Low
2409	305			1	4									55	147	79	14	2	29	32	61	Low	Medium	Low
2410	1,165				30	7			124	11	7	12	196	225	39	70	5		43	14	57	Medium	Low	Low
2411	1,543				2	8			694	244	123	48		451	116	23	14	7	38	30	68	Low	Medium	Medium
2412	558		5	7	6				35					147	33				26	6	31	Low	Low	Low
2413	1,052			6	4	4								253	311	326	50	47	34	39	73	Low	Medium	Medium
2414	585		2	1	8	2			30					405	112	9			28	14	42	Low	Low	Low
2415	268		1		5	1								52	164	26			29	22	51	Low	Low	Low
2416	1,146				18					2	4		202	243	59	10			62	6	67	High	Low	Medium
2417	296			1	4									2	104	157	23	3	29	45	74	Low	Medium	Medium
2418	434			7	3	7			84				324	81	164	73	8	5	26	28	54	Low	Medium	Low
2419	157			4					16				139	93	3				40	7	48	Medium	Low	Low
2420	529		1	3	5	3							400	209	182	27			29	15	44	Low	Low	Low
2421	385		1	1		1								192	124	7			37	13	50	Low	Low	Low
2422	344		2	1	2	2			21	8			301	239	4				37	10	47	Low	Low	Low
2423	199			2					26		1	2	106	39	111	15			41	21	62	Medium	Low	Low
2424	152					2			14		3	5	101	117	22				51	23	73	Medium	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2425	853			5	6	2		1	42				457	283	304	58			57	18	75	High	Low	Medium
2426	308		1		1	2			38				268	111	95	10			38	14	52	Low	Low	Low
2427	754			1	6	7	1		160	17	32	23	202	363	269	56	22		58	36	94	High	Medium	Medium
2429	469			3	8	1			92	14	22	8		244	36	17			43	21	64	Medium	Low	Low
2430	297			1	3	1			19	8			97	144	49	4			36	12	47	Low	Low	Low
2431	173			1	1					2	1	2	2	116	6				48	11	60	Medium	Low	Low
2432	156			4	1						8	8	139	47	53	12	4	27	39	67	106	Low	High	High
2433	297			1	2	3								79	136	53			39	23	63	Low	Low	Low
2434	490			1	6	3				7				319	6				58	9	68	High	Low	Medium
2436	418			4	4	1								132	164	85			28	23	51	Low	Low	Low
2437	798			2	6	3			22	5	2	5		192	166	10			47	11	57	Medium	Low	Low
2438	481			3	4	5			56	9	9	5	25	241	12				61	14	75	High	Low	Medium
2439	443			1	6	5								8	58	90	108	165	28	100	128	Low	High	High
2441	55				1									30	18	1	1	4	47	31	78	Medium	Medium	Medium
2442	431				8								194	84	2	3	5		67	5	73	High	Low	Medium
2443	470	1		3	7				237	7	3	3	163	170	50	51			63	62	126	High	High	High
2444	260			1										86					37	3	41	Low	Low	Low
2445	875		2	12	4						0	3	575	562	103				41	10	51	Medium	Low	Low
2448	527			2		3								324	104	32	7		29	16	45	Low	Low	Low
2449	569				5	2			68	23	18	13	159	487	30				53	21	74	Medium	Low	Medium
2451	350			1	1									190	103	14	32		32	23	55	Low	Low	Low
2453	502			5	3	5								192	151	77	5	35	29	35	64	Low	Medium	Low
2454	396			7	2	1								197	160	12	18		40	20	60	Low	Low	Low
2455	314			3	3									8	244	57			32	26	58	Low	Medium	Low
2457	202			1	1	2			24	8	9		89	115	29	5			46	19	65	Medium	Low	Medium
2458	478				4				23	6	5	5	28	118					54	7	62	Medium	Low	Low
2459	397		1	2	8	3				5	3			17	70	206	60	34	39	67	106	Low	High	High
2460	343			7	6					20			179	167	6				43	8	51	Medium	Low	Low
2461	167			3	3	1			2	4	12		146	107	38	6			48	24	72	Medium	Low	Medium
2462	265			1	2						2		262	41	91	61	28	39	42	61	104	Medium	High	High
2463	1,198			3	10	1			195	16	19		44	907	14				51	12	63	Medium	Low	Low
2464	676			15	10	9			174	28	14	3	443	241	64	77	97	103	39	66	105	Low	High	High
2465	690		2	3	5				110	7	7	6	390	229	5	11	59	18	64	23	87	High	Low	Medium
2466	276			1	4									3	83	117	53	14	29	58	87	Low	High	Medium
2468	272			1	1									113	82	14	8		30	16	46	Low	Low	Low
2469	275		1	3		2								111	148	10			34	18	52	Low	Low	Low
2470	270			2	3									35	179	51			34	25	59	Low	Medium	Low
2471	1,261			4	9	2			31	3	8			989	12				53	10	63	Medium	Low	Low
2472	653		3	7	9				4	28	9	6	471	99	30	46			63	11	75	High	Low	Medium
2473	217				5										72	111	1	29	42	62	104	Medium	High	High
2474	272		1	3										114	2				40	4	45	Medium	Low	Low
2475	255			2	3				35	4	6	2	7	159	8				41	14	55	Medium	Low	Low
2477	965		1	8	10	6			100		3		836	70	157	348	178	89	42	63	105	Medium	High	High
2478	477			2	9								474	344	114				49	14	63	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2481	377		1	1	6	3			35	14	3	8	242	16	79	71	49	114	49	97	147	Medium	High	High
2482	667			2	7	1								91	257	260	13	30	32	41	72	Low	Medium	Medium
2483	998				8				172					343	49	17	4		36	8	44	Low	Low	Low
2484	887			5	3	3			214	4	5		272	652	149	12	7	5	58	17	75	High	Low	Medium
2486	856		2	7	12	8			252	8	7	6	252	459	273	34	12	31	58	31	89	High	Medium	Medium
2487	459	1		2	4	3								24	203	156	25	36	39	93	132	Low	High	High
2488	788				9				390	8	4	2	348	312	70	56	2	5	59	18	77	High	Low	Medium
2489	69		1	2									69	30	37				48	15	63	Medium	Low	Low
2490	332			2	5	1							323	4	52	143	32	89	44	90	135	Medium	High	High
2491	790				4	1			343	21	26	12	383	490	15				56	19	74	Medium	Low	Medium
2494	691				9				58	11	9	5	226	247	97	46			60	15	75	High	Low	Medium
2495	376		1	2	6										76	154	111	27	39	70	109	Low	High	High
2496	804			2	11	14	7	12	16	5	4		735	259	220	113	33	10	57	72	129	High	High	High
2497	640		1	5	8	8	1		34	3	1	3	298	322	130	24	36	22	40	31	72	Medium	Medium	Medium
2498	1,403		1	8	8									743	432	52	9	21	37	18	55	Low	Low	Low
2499	461			5	2	5	2						453	298	47				47	18	66	Medium	Low	Medium
2500	454			6	3	1			2				418	95	225	76			48	22	70	Medium	Low	Medium
2501	718			1	9	2								229	69	51	84	87	21	46	67	Low	Medium	Medium
2502	869			2	12	1			64	75			91	601	50	57	16	4	58	18	76	High	Low	Medium
2503	802			7	9	5								283	229	23	52	80	21	39	60	Low	Medium	Low
2504	1,229			3	8	2			140	2	3		93	499	19				53	7	60	Medium	Low	Low
2505	1,140			2	18	6			54	10	3	3	145	789					54	11	65	Medium	Low	Medium
2508	114			1	2								113	64	31	6			47	15	62	Medium	Low	Low
2509	205			4	3	2				1	2	12	186	72	12				43	21	64	Medium	Low	Low
2510	1,616		1	13	10	9								421	114	113	57	59	26	20	46	Low	Low	Low
2511	1,627			8	15	4	1							542	139	66	57	24	27	16	43	Low	Low	Low
2512	225			3	4	1			58	14	1	2	148	58	78	6	5	20	49	40	88	Medium	Medium	Medium
2513	255			2	3	6			42		3		138	87	64	19			44	21	65	Medium	Low	Medium
2514	715		1	5	11	8			213	18	3	5	405	160	99	133	63	11	46	35	81	Medium	Medium	Medium
2515	925				8	9								412	234	66	41	30	32	27	59	Low	Medium	Low
2517	166			1	6	2	8	6					164	59	25	2	25	27	55	100	155	Medium	High	High
2518	450				7	1			177	10	10		243	190	107	83	12	3	57	31	88	High	Medium	Medium
2519	1,386	1		4	19	6	1							667	202	65	42	14	35	33	68	Low	Medium	Medium
2520	422			1	5	2							418	208	17				56	8	64	Medium	Low	Low
2521	249			3	3							1	246	182	12				49	10	59	Medium	Low	Low
2522	461				1	1			89	2	1	3	228	261	5	11			62	11	74	High	Low	Medium
2523	354			8	5	5		1	181					76	12				44	18	62	Medium	Low	Low
2524	403			1	8	4			15					156	80	24			46	15	61	Medium	Low	Low
2525	420				2					11	38	31	333	232					56	30	86	Medium	Medium	Medium
2526	462		6	3	12	11	3	1						63	7				43	24	67	Medium	Low	Medium
2527	1,101			9	16	9	1						843	483	218	79	61	87	35	38	73	Low	Medium	Medium
2528	1,037			11	16	9					5		801	342	88	74	85	57	42	32	73	Medium	Medium	Medium
2530	201			1						6	6		187	78	92	14			37	20	57	Low	Low	Low
2532	424												171	337	5				36	8	44	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2534	540			6	10	8	1		62				281	129	68	27	8	3	43	19	62	Medium	Low	Low
2535	363			3	5						3		2	205	42	19	9		62	15	77	High	Low	Medium
2536	383			2	3	5		3	22		9		343	138	62	30	50	36	46	65	111	Medium	High	High
2537	384			5	8	3							123	192	76	14	3		44	15	59	Medium	Low	Low
2538	308			4	3	4			74	7			225	93	35	14	13		45	18	63	Medium	Low	Low
2540	247			3	8								240	105	94	16	8		42	22	63	Medium	Low	Low
2541	156			1	1				49	2	5	2	86	22	3	13	11		42	23	65	Medium	Low	Medium
2542	178				3				9	9			159	91	20				39	11	50	Low	Low	Low
2543	471			6	6				36				202	159	87	75	3		46	18	64	Medium	Low	Low
2544	646		1	2	5				166	17	11	0	129	334					57	11	67	Medium	Low	Medium
2545	198										0		196	36					44	2	46	Medium	Low	Low
2546	269				2								266	2	24	152	81	4	42	64	106	Medium	High	High
2548	120		1			1							118	27					39	4	43	Low	Low	Low
2549	450			3	1	10								180	160	15	13	8	27	24	51	Low	Low	Low
2550	238	1		1	4	2			31	6	3	2	171	69	24	12	37	13	46	100	146	Medium	High	High
2551	216			1	2	2			19	21	9		166	93	53	9	12	18	45	43	88	Medium	Medium	Medium
2552	237			1	5	2			105	11			95	110	32	14			45	19	65	Medium	Low	Medium
2553	543			1	5	4								67	325	117	12	4	36	30	66	Low	Medium	Medium
2554	568			4	9	9			178	31	11	5	318	240	143	34	21	25	43	37	80	Medium	Medium	Medium
2556	185													138	19				45	10	54	Medium	Low	Low
2557	207			2	3				28				178	58	79	7	9	27	43	45	89	Medium	Medium	Medium
2558	329			2	3	1								155					31	6	37	Low	Low	Low
2559	297			3	5								293	114	18				44	7	51	Medium	Low	Low
2560	444				3				57					146	3				41	5	46	Medium	Low	Low
2561	380				1				27				329	356	5				42	11	53	Medium	Low	Low
2562	180				1	1			13	6				162	1	5			56	14	69	Medium	Low	Medium
2564	223				2	1			7				212	66	5				46	6	51	Medium	Low	Low
2567	290		1	2	1								285	21	71	154	36		45	45	89	Medium	Medium	Medium
2568	910				4	2			571					654	10				45	15	60	Medium	Low	Low
2569	890			3	4								428	427	17				33	6	39	Low	Low	Low
2570	252			1	2	1							17	71	5	1	1	28	37	28	65	Low	Medium	Medium
2571	463			6	9	2			14	4	4		331	202	59	14	39	25	46	32	77	Medium	Medium	Medium
2572	657								130					29	20	11	7		35	5	40	Low	Low	Low
2573	1,065				3	1							12	453					38	5	43	Low	Low	Low
2574	281				2			1		3	2	2	6	32	89	63	64	8	43	57	101	Medium	High	High
2575	1,295	1			16	8			365	6	3	2	298	656	43	2	5	5	56	28	84	Medium	Medium	Medium
2576	2,488				1	10	1		302	184	55	37	106	1220	572	103	10		34	21	56	Low	Low	Low
2577	187				2	1			75				22	44	11	11			45	13	57	Medium	Low	Low
2578	311			5	4	1			53				256	74	1	6			47	7	54	Medium	Low	Low
2579	350								244	3	1		26	49					49	9	58	Medium	Low	Low
2581	1,223		4	6	6	1			56	5	6	2		675	92	44	60	59	57	25	82	High	Medium	Medium
2582	430			1					379					70					46	10	56	Medium	Low	Low
2583	993			8	16	8			168	21	7	6	780	73	140	169	265	272	44	100	144	Medium	High	High
2584	329	2		1	3	10				5	7		313	52	71	112	33	29	42	100	142	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2586	618				5				33	4	4		523	438	26	3	4		45	11	56	Medium	Low	Low
2587	765			3	14	7		1	22				350	7	57	116	376	190	45	100	145	Medium	High	High
2588	410			1					25				33	75	13				51	3	55	Medium	Low	Low
2590	1,499			3	27	10			45	10	7	3	1325	198	430	324	109	377	44	80	124	Medium	High	High
2591	455								307					409	3				49	16	65	Medium	Low	Medium
2593	534		1		8	2			101	4	5		292	308	168	13			32	18	50	Low	Low	Low
2595	363				2									318	18				48	10	58	Medium	Low	Low
2596	630			1	6	1				4	5			295	26				54	8	62	Medium	Low	Low
2597	944			10	13	9			112		4		57	382	226	35	27	66	45	32	77	Medium	Medium	Medium
2598	704			9	6	13			398	27	11	7	116	232	80	57	20	14	46	31	77	Medium	Medium	Medium
2599	922			8	29	10			126	8	13	10	219	430	243	27	12		44	23	67	Medium	Low	Medium
2600	835			2	12	3			31	14	5	3	112	549	128	22			29	15	44	Low	Low	Low
2601	1,615			6	25	13	1			6	1	10	1579	609	191	137	78	46	47	26	73	Medium	Medium	Medium
2603	196				6	2							194	15	40	63	42	26	48	74	122	Medium	High	High
2604	928			7	13	17			39	5	14	2	240	234	183	66	25	3	44	21	65	Medium	Low	Medium
2605	691				5				120	24	10		26	300	195	6			29	15	44	Low	Low	Low
2606	529				4								272	216	14				28	5	34	Low	Low	Low
2607	313			3	3								138	194	98				48	13	61	Medium	Low	Low
2608	285				4	1			43	4	3		195	76	96	34			32	20	52	Low	Low	Low
2609	318			1	1				195	3			79	97	151	33	3		46	25	71	Medium	Medium	Medium
2611	306				1	2			45				219	76	136	76			33	27	60	Low	Medium	Low
2612	184			1	3								183	120	19				32	10	42	Low	Low	Low
2613	356			3	3				57	6	10		82	242	88				30	17	47	Low	Low	Low
2614	452			3	1				36		7		21	308	26				48	11	58	Medium	Low	Low
2616	310			3		6		2					303	85	68	62	29	24	42	59	101	Medium	High	High
2617	410			1	3				42	26	6	2	212		16	75	148	163	49	100	149	Medium	High	High
2618	675				9	2			87	5			481	468	41				33	12	44	Low	Low	Low
2620	251				2									64	104	79			48	27	76	Medium	Medium	Medium
2621	460		1	3	4	8		1			9	6	429	45	116	138	76	23	42	61	103	Medium	High	High
2622	229				4	3			95				26	52	103	27	36	4	50	45	95	Medium	Medium	Medium
2623	1,459				3								1448	448					46	3	49	Medium	Low	Low
2624	264				4				135	4			4	144	74				30	18	48	Low	Low	Low
2625	273			2	1	4					3		249	34	57	79	32	30	33	58	91	Low	High	Medium
2627	502				8				71		1	1	377	222	205	12			29	17	47	Low	Low	Low
2628	184					1	1		45				78	124	28				29	22	51	Low	Low	Low
2629	1,145		1	5	3	4				3	2	10	1026	926	33				34	12	46	Low	Low	Low
2630	504				3				47		1		424	276	7				29	7	37	Low	Low	Low
2631	188			3	1					20	10	9	148	40					29	20	49	Low	Low	Low
2632	151				1				30				115	76	20	9			30	13	43	Low	Low	Low
2633	269				4								228	103	133	17			32	18	50	Low	Low	Low
2636	235			1	1								74	192	28				43	11	54	Medium	Low	Low
2637	261			1	6				110				150	74	150	25	4		32	27	59	Low	Medium	Low
2638	212			1	2				185	25			3	164	33	11	1		41	26	67	Medium	Medium	Medium
2639	265		2	3	1									0					42	0	42	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2640	414			2	7	2				3	3		95	201	181	9			32	18	50	Low	Low	Low
2642	363		2		5	3			14	23	56	3	48	212	20	1	1	14	34	37	70	Low	Medium	Medium
2644	168				6	1			150	5	3	2		8	38	71	28	7	51	69	121	Medium	High	High
2645	250			4	5	2			167		10	17	52	103	51	22	46	13	51	69	120	Medium	High	High
2647	247			1	2				37					109	2				45	7	52	Medium	Low	Low
2648	445			3	4	3							156	306	38	8			40	12	52	Low	Low	Low
2650	325				10					14			276	90					36	7	43	Low	Low	Low
2651	315				3					5	11		263	55					36	7	42	Low	Low	Low
2652	468				3					2	1	2		202	260				51	17	69	Medium	Low	Medium
2653	221		3		3	1			17	5	8	6		129	53	10	8	15	45	43	88	Medium	Medium	Medium
2654	167			2	3	1							166	34	32	3	3	3	41	15	56	Medium	Low	Low
2655	507				5	2							282	310	18				33	9	41	Low	Low	Low
2657	542		1		9	2			190				248	256	240	4			32	20	52	Low	Low	Low
2658	540				7	1					1	9	340	337	57				33	14	46	Low	Low	Low
2659	275			1	3				11	3	4	13	231	163	30				42	21	62	Medium	Low	Low
2660	89				2								85	22	51	12			51	23	73	Medium	Low	Medium
2661	260				4	1			10				7	230					33	12	44	Low	Low	Low
2662	248		2	2	3	4	1		4	14	23	1	202	72	54	38	30	21	41	66	108	Medium	High	High
2663	310				1									174	134				33	15	47	Low	Low	Low
2664	527			4	4	5			345	14	12	10	5	161	26	39	23	7	43	31	74	Medium	Medium	Medium
2665	310				4	3			128					108	105	21	37	22	51	47	98	Medium	Medium	High
2666	325			2	3	4			93	9	4	7		29	90	135	18	20	52	57	109	Medium	High	High
2667	302			1	5				216	5	3		76	99	146	41	11		41	34	74	Medium	Medium	Medium
2668	176			2	4	3			71	4	1	1	98	18	98	5	13	35	36	72	109	Low	High	High
2669	382			1	5	2			32	5			16	36	184	113	21		44	34	78	Medium	Medium	Medium
2670	195			4	7	2			6				187	77	51	8	9	4	41	26	67	Medium	Medium	Medium
2671	217				4								216	93					33	6	39	Low	Low	Low
2672	254			1	5				10	2	1		237	45	21				39	6	45	Low	Low	Low
2674	220			1	3	1			33			2	183	136	72	7			35	20	55	Low	Low	Low
2675	156			1	6								31	116	9				39	12	51	Low	Low	Low
2676	402		2	4	3	1			37	23	7	11	289	91	134	71	52	45	45	64	108	Medium	High	High
2677	181				2								155	157	16				39	12	50	Low	Low	Low
2678	248			4	1	1							180	57	15				37	5	41	Low	Low	Low
2679	455		1	2	3				28				344	314	61	10	4	14	35	19	54	Low	Low	Low
2680	405			4	5	3			31	7	30	3	271	63	187	142	4	2	45	43	88	Medium	Medium	Medium
2681	578			1	9				128					410	2				37	11	48	Low	Low	Low
2682	342			2	3					4			337	155	156	8	2	14	34	25	58	Low	Medium	Low
2683	159			2	5	1			22	0			134	121	33				45	18	62	Medium	Low	Low
2684	174		1	1	6	3		1	5	36			132	80	51				44	33	78	Medium	Medium	Medium
2685	376		1		1						5	1	238	264	28				33	11	44	Low	Low	Low
2686	532		1	1	11				258					195	328	3			37	23	60	Low	Low	Low
2687	194			3	1				38	11	18	35		159	9				38	58	96	Low	High	Medium
2688	170				2				41				11	11					39	4	43	Low	Low	Low
2689	331				5	1								156	116	6			38	15	52	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2690	177													107	32	16			38	14	52	Low	Low	Low
2691	201		2	4	3	1			47				24	125	29				45	14	58	Medium	Low	Low
2692	229			3	2				87				19	182	46				34	17	51	Low	Low	Low
2693	251			1	5				136					153	3				34	14	48	Low	Low	Low
2696	377			5	4	1							181	215	49				38	10	48	Low	Low	Low
2698	240			1	5				41	10	10	5	171	23	102	62	13	13	52	52	103	Medium	Medium	High
2700	255			8	7	1								42	117	69	6		39	30	69	Low	Medium	Medium
2701	263			1	4				38	8	9			141	34				38	15	53	Low	Low	Low
2702	788			5	10	1			46	2	16		458	349	61				34	10	44	Low	Low	Low
2703	270			2	6	2		1	32					154	39	5			45	22	66	Medium	Low	Medium
2704	278			7	2	2				1	12	22	241	174	49	4	5		51	35	86	Medium	Medium	Medium
2705	245			5	5								77	31	9	14	2	4	39	11	50	Low	Low	Low
2707	819				14	7							372	524	244	1	1		48	16	63	Medium	Low	Low
2708	336			2	4				52				162	136	7	4			38	8	46	Low	Low	Low
2709	752		1	7	6	2			217	3	6	3	338	355	344	16	7		38	22	59	Low	Low	Low
2710	230				4				47					139	21	4			38	13	51	Low	Low	Low
2711	542				11	1			105	6	5	5	282	409	103	12			43	20	63	Medium	Low	Low
2713	802			1	1	4				10	7	5	520	132	366	76	82	96	47	53	101	Medium	Medium	High
2714	309				4	1			90	4	8	19	92	163	101				39	32	71	Low	Medium	Medium
2716	273				7								70	130	31				38	10	48	Low	Low	Low
2718	208				1	2			18				31	41	19	24	4		49	15	64	Medium	Low	Low
2720	151				1				23				127	96	6				45	9	54	Medium	Low	Low
2721	535			1	8	2			86				291	281	150	23	8	12	42	23	65	Medium	Low	Medium
2722	318			1	7	2	1				1	1		211	57	2	12	26	41	40	81	Medium	Medium	Medium
2723	311			2	2				64		2	2	85	135	123	3			38	17	55	Low	Low	Low
2724	326				3					4	5		213	86	150	54	1	21	52	36	87	Medium	Medium	Medium
2725	315			6	3	5			22	3	3	2	111	108	1	12	9		44	16	59	Medium	Low	Low
2726	547			2	9				204	11			66	171	27	11	3	4	40	13	53	Medium	Low	Low
2728	224			3	2				39	12	24	13	116	62	41	68	14	15	45	67	112	Medium	High	High
2729	430			2	7				158				141	223	125	23			36	19	55	Low	Low	Low
2730	340			1	5									149	164	5			38	16	54	Low	Low	Low
2731	152		2		2								142	87	12				37	9	46	Low	Low	Low
2732	535			3	6	2								232	48	10			40	9	49	Low	Low	Low
2733	522			1	8	1			158				26	410	51				40	15	55	Medium	Low	Low
2734	179													94	41	2	7	3	42	18	60	Medium	Low	Low
2735	388			2	5	1			2	1	2		379	58	12	9	14	41	49	30	79	Medium	Medium	Medium
2736	423				5	2				7	7		210	258	48				41	12	54	Medium	Low	Low
2737	307			4	1	2			102	2	4		196	115	128	20	7		38	24	62	Low	Medium	Low
2739	372			2	2					10			361	147	59				44	8	52	Medium	Low	Low
2740	406			1	1	1				8				366					36	10	47	Low	Low	Low
2741	358			5	4	6			44	3	2	3	205	85	9	1	3		43	12	55	Medium	Low	Low
2742	216				1	2							213	141	4				40	9	49	Low	Low	Low
2743	188			1	4	1			48					80	10	6			44	13	57	Medium	Low	Low
2744	196				5	1							190	24	5				44	5	49	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2745	203			4	2	3							31	66	57	11			37	16	53	Low	Low	Low
2746	1,299	1		18	20	20	1			26	31	35	74	454	420	118	60	57	42	57	99	Medium	High	High
2748	437				6									47	287	78	19		37	29	66	Low	Medium	Medium
2749	1,744			7	10	12	3	10	178	20	8		751	421	52	51			43	22	65	Medium	Low	Medium
2751	365			6	1									30					38	1	39	Low	Low	Low
2752	482				5								58	260	205	9			37	16	53	Low	Low	Low
2753	325				7	4			74		0	13	67	228	82				42	27	69	Medium	Medium	Medium
2754	312				6	4				2			310	106	169	32			51	24	75	Medium	Medium	Medium
2755	312			2	2									176	12				38	7	45	Low	Low	Low
2756	488			2	9	1							220	197	14				42	7	49	Medium	Low	Low
2757	302								45					189	5				38	8	46	Low	Low	Low
2758	357			3	4				49				258	50	256	43			42	24	66	Medium	Medium	Medium
2759	381			2	7	3								112	207	45			36	23	59	Low	Low	Low
2760	508			9	8	2			111	9			212	111	163	92	14	93	50	62	111	Medium	High	High
2761	1,491			7	19	3							479	492	3				43	5	48	Medium	Low	Low
2762	496			1	7								228	34	288	142	20	5	43	34	77	Medium	Medium	Medium
2763	205			1	2				43					133	45				38	14	52	Low	Low	Low
2764	368			1	5	1							242	217	16				38	9	47	Low	Low	Low
2765	277			2	1								274	141	82	11			43	13	56	Medium	Low	Low
2766	211				3								208	163	30				44	12	56	Medium	Low	Low
2767	381		1	13	2	2		1	4	19	14		336	51	73	104	46	29	43	58	100	Medium	High	High
2769	255			3	2									106					46	5	51	Medium	Low	Low
2770	160			2	2	2			50				102	64	41	4			38	17	55	Low	Low	Low
2772	314			1	2				90				137	147	108	13			41	17	58	Medium	Low	Low
2773	202			2	1	2							191	9	169	10			43	22	65	Medium	Low	Medium
2774	256				8	1							129	109	116				44	17	61	Medium	Low	Low
2775	387				4	2							179	110	3				41	5	47	Medium	Low	Low
2776	369			3	2				67					221	116	19			39	17	56	Low	Low	Low
2777	556		1	4	10					8			405	204	256	61			40	20	60	Medium	Low	Low
2778	295			3	3	2			37				249	93	64	10	3		39	14	53	Low	Low	Low
2779	498			5	5	1							340	273	49	11			38	10	48	Low	Low	Low
2782	220			1	5				161	6		8	39	65	48	31	21		31	41	72	Low	Medium	Medium
2784	316				7	1							91	212	12				44	10	54	Medium	Low	Low
2785	183			2					34		3	7	138	72	67	22			42	28	71	Medium	Medium	Medium
2786	322		2	4	4	3							284	126	109	32	16		39	24	63	Low	Low	Low
2787	1,137				8	2			207		2		185	616	28	4			32	9	41	Low	Low	Low
2788	1,119				14	3							254	610	268	13			32	13	45	Low	Low	Low
2789	180			3	7				4	12	4		158	22	137	17			40	29	69	Medium	Medium	Medium
2790	957		1	18	23	8			156	12	6	4	407	349	274	52	35	31	42	30	71	Medium	Medium	Medium
2791	308				5	2			137				57	70	201	26			42	27	69	Medium	Medium	Medium
2792	232		2		4	3			20	10			130	84	69	30	21	4	50	35	84	Medium	Medium	Medium
2793	196			1	3								194	99	89				40	16	56	Medium	Low	Low
2794	524			6	4	3							208	163	318	5			38	18	56	Low	Low	Low
2795	365				3	3							170	244	29				41	11	52	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2796	226				3	12	3	4	21	2	2	1	191	53	128	26	3		36	92	129	Low	High	High
2797	538		2	5	10								255	292	125	9			38	13	51	Low	Low	Low
2798	177				1	1			99	5	2	6		15					47	17	63	Medium	Low	Low
2799	354				2	4			19				208	199	103				41	15	56	Medium	Low	Low
2800	173				1				131					107	60	4			35	22	57	Low	Low	Low
2801	745			5	10	1								83	18	7	9		49	5	54	Medium	Low	Low
2802	226				3	1			38				13	118	6				31	10	41	Low	Low	Low
2803	240				1									192					31	8	39	Low	Low	Low
2804	443				3	1								92	255	40	19	20	43	33	76	Medium	Medium	Medium
2806	888			12	21	7	1		67	8	26	2		117	408	161	84	101	49	62	111	Medium	High	High
2807	450			1	11	1			114				262	326	87				43	17	59	Medium	Low	Low
2808	209			1	2								209	50	104	8	0		35	15	50	Low	Low	Low
2809	428			1		1								2	202	86	38	89	43	71	114	Medium	High	High
2810	220			1	8								219	115	86				42	17	58	Medium	Low	Low
2811	219				2				92	3	3		10	100	81	6	9	0	43	24	67	Medium	Medium	Medium
2812	395			3	3				84				65	289	102				37	15	52	Low	Low	Low
2813	254				4				14		5	2	211	20	158	49	22		42	37	79	Medium	Medium	Medium
2814	223		1	3	3	3			83				106	46	8				42	11	52	Medium	Low	Low
2815	410				5	3							407	31	180	95	36	57	50	60	111	Medium	High	High
2816	200				2	2			51					116	59	10	2		43	21	64	Medium	Low	Low
2817	441				9	1			58				311	262	150	8			43	17	60	Medium	Low	Low
2818	215			2		1			44	7			7	80	92	27			43	22	65	Medium	Low	Medium
2819	459		3		8	2	2		62	5			144	235	48	2			41	19	59	Medium	Low	Low
2820	279				9	2	1							92	169	14			43	28	71	Medium	Medium	Medium
2821	419			3	16	6			88	3	4	11	283	101	7	7	4	21	42	30	71	Medium	Medium	Medium
2822	203		1		3	1			38	11	3	1	91	89	40				42	16	58	Medium	Low	Low
2823	573			6	1	4		2					565	4	37	165	134	218	45	100	145	Medium	High	High
2824	328			2	5				14				122	8					43	2	45	Medium	Low	Low
2825	602			4	14	3			112	40	12	2	158	207	39	14	19	70	42	41	83	Medium	Medium	Medium
2826	743			6	6	1							654	173	9				40	4	44	Medium	Low	Low
2827	396			3	3	2							152	98	194	75	20		39	29	67	Low	Medium	Medium
2829	165			1	2	3					1	2	4	116	29	4	5		41	23	64	Medium	Low	Low
2830	421		1	4	5	1							179	122					39	5	43	Low	Low	Low
2831	392				2	4			26				243	152	63	19			41	13	54	Medium	Low	Low
2832	159				3				148					99	50	8			42	26	68	Medium	Medium	Medium
2833	606		2	2	14	3			180	7			71	377	110	33	4		37	20	57	Low	Low	Low
2834	330			1	3	1			36				138	85	161	66			43	25	68	Medium	Medium	Medium
2835	675		1	7	8	2							258	252	225	134	33	3	38	28	66	Low	Medium	Medium
2836	615		1	7	9	3			148				374	356	61	10	8		40	15	55	Medium	Low	Low
2837	423			2	6								300	104	304				36	18	54	Low	Low	Low
2838	591		1	5	7	3			142	14			170	353	62	14	3		38	15	53	Low	Low	Low
2839	1,469				3	1			507	12	7		540	1101	178	17	54	10	54	20	74	Medium	Low	Medium
2841	329			2	7	1			21				182	91	9				34	7	41	Low	Low	Low
2842	498			4	4	1								348	51				42	10	52	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2843	467		1		11								323	318	19				37	10	47	Low	Low	Low
2844	203				2				40	5			14	72	30	7			31	12	43	Low	Low	Low
2845	553		1	13	5	3			180				307	263	75				40	13	53	Medium	Low	Low
2846	266			5	1	1			1	18			245	76	28	13			42	10	52	Medium	Low	Low
2847	187				7				21				94	30	107	47			37	30	67	Low	Medium	Medium
2848	158		1											72					38	5	43	Low	Low	Low
2849	325			1	1						8	8	306	101	19	22			45	15	61	Medium	Low	Low
2850	643		1	1	2	3		1	52	23	13		337	412	102				42	17	59	Medium	Low	Low
2851	404				4				143					228	6	6			38	11	49	Low	Low	Low
2852	442			1	2	1			11				429	153	156	31			44	15	59	Medium	Low	Low
2853	228				3				31				62	195	15				31	13	44	Low	Low	Low
2854	355			2	1				62				238	169	70	23			49	14	63	Medium	Low	Low
2855	225				6								123	86	124	11			37	20	57	Low	Low	Low
2856	230			5	2				86				18	121	7				43	10	53	Medium	Low	Low
2857	259				4			1					123	171					41	16	57	Medium	Low	Low
2858	518	1	2		13	1			36	6	2	2	441	75	355	68			44	65	110	Medium	High	High
2859	681		1	7	6	5	1	2	46		2		458	211	188	46	85	39	35	47	83	Low	Medium	Medium
2860	612			2	2	2							606	275	88	12	26	106	36	48	85	Low	Medium	Medium
2861	389		1	8	7	3			68	11			75	120	229	19			46	23	69	Medium	Low	Medium
2862	722			1	5	4	1						225	105	318	182	86	6	41	40	81	Medium	Medium	Medium
2864	417			4	5	1			18	4	6		158	79	2	1	2	12	43	12	55	Medium	Low	Low
2866	1,193			6	17	5			125	11	9	2	901	314	51	69	30	6	40	14	54	Low	Low	Low
2868	1,218			3	31	15	3	4	181	30	14	8	899	288	135	127	69	84	39	49	88	Low	Medium	Medium
2869	523			9	2	1			109				44	236					43	7	50	Medium	Low	Low
2871	574			3	9	1			99	5	1		153	92	310	149			39	29	68	Low	Medium	Medium
2872	425			6	4	1			170				61	258	116	2			40	17	57	Low	Low	Low
2873	674			7	6	3							384	144					39	4	43	Low	Low	Low
2874	443		2	10	9	3							101	207	195	21	2	3	38	21	59	Low	Low	Low
2875	153			1	4								86	92	19	6			40	13	53	Medium	Low	Low
2876	474			5	7	4							276	89	45	68	34	47	48	41	89	Medium	Medium	Medium
2877	670			4	5	2			298				193	214	24				40	10	50	Medium	Low	Low
2878	160				3						8	6	70	91	63	3			39	29	68	Low	Medium	Medium
2879	267			1	1	4			27	9	3		120	115	10	5			45	12	57	Medium	Low	Low
2880	356				3									181	111	17	24	9	45	26	71	Medium	Medium	Medium
2881	211				6								208	110					33	8	41	Low	Low	Low
2882	349				1									192	38	1	1		39	8	47	Low	Low	Low
2883	246			4	2				100					13					44	5	49	Medium	Low	Low
2884	508				6	1							505	219	187	84			33	22	54	Low	Low	Low
2885	365				1			1						144	195	14			45	22	68	Medium	Low	Medium
2886	289		1	1		1							230	216	26				42	10	51	Medium	Low	Low
2887	229			3	1	3							93		41	136	49		42	58	99	Medium	High	High
2888	404			5	7	6					2		397	54	40	32	32	29	42	35	76	Medium	Medium	Medium
2889	366		2	1	3									319	9	4			39	11	50	Low	Low	Low
2890	204			4	2				26	2			176	17	128	48	8		38	31	70	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2891	175				6									37	47	69	17		39	40	79	Low	Medium	Medium
2892	244			3	6									145	41				39	12	51	Low	Low	Low
2893	386			1	7	3							226	65	231	64	9	10	40	33	73	Medium	Medium	Medium
2894	634			1	11								357	345	236				33	15	47	Low	Low	Low
2895	415			5	8	1			52				242	125	216	45			44	22	66	Medium	Low	Medium
2896	775			1	7	6			20	27	20	4	558	281	215	78	63	63	42	46	88	Medium	Medium	Medium
2897	436			5	6								228	192	221	18			45	18	62	Medium	Low	Low
2898	223			2	5								71	146	3				43	9	52	Medium	Low	Low
2899	414			4	9				79	10	10		193	153	133	33			34	21	55	Low	Low	Low
2900	618			5	4	3			46				517	227	216	63	16		44	21	65	Medium	Low	Medium
2901	423			2	7				108	7			276	135	31	4			34	10	44	Low	Low	Low
2902	250		1		1	1				14	15			3	110	84	11	33	44	65	109	Medium	High	High
2903	191			5	4	1			43				73	114	4	2			38	12	50	Low	Low	Low
2904	190				3				6					151	35				45	14	58	Medium	Low	Low
2905	320			1	6	2	1		167				138	110	139	10			39	27	66	Low	Medium	Medium
2906	455			5	5	2					8		443	162	152	51	15	55	41	47	88	Medium	Medium	Medium
2908	642			5	6	2			20	4			263	270	240	88	3		38	21	59	Low	Low	Low
2909	344			2	5				45				205	118	102	30	29	9	36	30	66	Low	Medium	Medium
2910	198			3	3				59	5			62	64	21	11			39	13	52	Low	Low	Low
2911	507			2	5	4							414	378	105	3			38	14	52	Low	Low	Low
2912	293			2	1				88					37					43	5	47	Medium	Low	Low
2913	709		2	1	6	2			105				190	445	177	22			38	16	54	Low	Low	Low
2914	402			2	2								65	126	35	35	5		40	11	51	Medium	Low	Low
2915	279		2	3	2				21					160	64				45	12	56	Medium	Low	Low
2916	370		1	4	9	1			76				270	90	98	110	32	15	40	44	84	Medium	Medium	Medium
2917	370			5	1								326	51	120	102	17		39	27	66	Low	Medium	Medium
2918	913		2		12	2								521	280	14	3		47	15	61	Medium	Low	Low
2919	507		1	11	7	1			338	8	7	2	145	259	167	42	13		39	29	68	Low	Medium	Medium
2920	280			1	8	1	1	1						28	4	2	1	19	40	32	72	Medium	Medium	Medium
2921	250			4	2	1			90					40	7				44	7	51	Medium	Low	Low
2922	312		3	1	3	1								182	89	9	4		45	16	60	Medium	Low	Low
2923	425			5	7	1							346	108	175	107	23		39	31	70	Low	Medium	Medium
2924	355			2	3	1							353	162	102	14	11	4	40	19	59	Low	Low	Low
2925	336				2	1								86	5				44	4	48	Medium	Low	Low
2926	391			2	4								120	205	14				33	7	40	Low	Low	Low
2927	708		3	6	6	1								519	34	3			47	10	57	Medium	Low	Low
2928	385			2	4	6			63	3	3	1	153	190	88	61	2		44	25	69	Medium	Medium	Medium
2929	360			1	8				77	4	4		37	94	8	6	3		36	10	47	Low	Low	Low
2930	168			1	1	3	1	2	46				110	117	15				45	49	93	Medium	Medium	Medium
2931	160	1			1				57				103	99	32	4			43	100	143	Medium	High	High
2932	471			6	5	1							26	172					44	5	49	Medium	Low	Low
2933	278		1	1										59	133	26			47	16	63	Medium	Low	Low
2934	242			2	1				12	3			207	112	28				35	8	43	Low	Low	Low
2935	364			1	7	1			77					252	69				36	15	52	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2936	189			2				1	49	7			98	131	37				41	25	66	Medium	Medium	Medium
2937	254				4	1								98	123	28			45	21	66	Medium	Low	Medium
2939	826		1	9	12	1			201	30			5	311	22				44	9	53	Medium	Low	Low
2940	397			2	10	1			373	3		4	16	310	79				35	26	61	Low	Medium	Low
2941	193			2	3				95			2	95	105	78	3			43	23	66	Medium	Low	Medium
2942	254				1	1							40	106	109	24	11		43	23	66	Medium	Low	Medium
2943	309				3									25	233	47			44	24	69	Medium	Medium	Medium
2944	455		1	3	8				47	1			329	190	182	24			40	18	57	Low	Low	Low
2945	369		2	7	7								310	148	132				38	13	51	Low	Low	Low
2946	429			5	4				31	11	11			82	8	8			41	8	49	Medium	Low	Low
2947	422			7	10	3							252	208	99	8	33		36	22	58	Low	Low	Low
2948	525		1	8	3	1		1	152	38	20	9	57	277	72	7			44	25	69	Medium	Medium	Medium
2949	456			1	8	2			48	8			355	297	36				40	12	52	Low	Low	Low
2950	485			3	2						1		480	150	67	40	13		38	13	51	Low	Low	Low
2951	429			1	6	3			6				418	149	25	14	19	30	39	28	66	Low	Medium	Medium
2952	402		1	1	4	5			120					45	43	31	14	20	30	27	57	Low	Medium	Low
2953	834			1	2	9	1	1					766	245	102	33	78	52	40	36	76	Medium	Medium	Medium
2954	1,784		1	15	21	10			563	128	18	3	506	649	133	20	6		41	14	55	Medium	Low	Low
2955	175				1								171	139	20	8			43	13	56	Medium	Low	Low
2956	186					2			38		4		100	84	35	16	8	9	36	33	69	Low	Medium	Medium
2957	219				1				174	6	7		6	121	27	24			41	26	67	Medium	Medium	Medium
2959	348		2	6	2	1								160	7				39	6	45	Low	Low	Low
2960	195			1	4								167	72					44	6	50	Medium	Low	Low
2961	325		1	4	11	3			37	4	11	8	29	134	69	20	18	53	31	65	95	Low	High	Medium
2962	328				2	2	1	1					326	125	107	21	5		40	28	68	Medium	Medium	Medium
2963	234			2	3	1			64	9	3	3	111	102	37	9	20		41	28	68	Medium	Medium	Medium
2964	331			2	2									169	98	37	15		48	22	70	Medium	Low	Medium
2965	278				7	1			89	10	5		149	59	16	9	13	4	42	21	63	Medium	Low	Low
2966	544				2				44	6	6		312	291	58	94	10		38	20	59	Low	Low	Low
2967	233			2	9	3			90	20			34	52	48	26	8	22	37	46	83	Low	Medium	Medium
2968	302			1	4	1								183	34				39	10	49	Low	Low	Low
2969	473		1	3	7	1			54				260	123	123	132	2	7	43	28	71	Medium	Medium	Medium
2970	495			2	2									158	211	39	5		41	17	58	Medium	Low	Low
2971	323				5	1			20					204	23	6	8		47	14	61	Medium	Low	Low
2972	380			1	6	2								162	148	43			50	20	71	Medium	Low	Medium
2973	1,764		4	7	20	6			333				511	648	440	346	85	11	40	28	68	Medium	Medium	Medium
2975	342			1	2									88	211	38			45	21	66	Medium	Low	Medium
2976	420			2	3	1			34	2			8	219	108	4			40	13	53	Medium	Low	Low
2977	361			5	8	3			116	15	13	6	65	50	124	77	29		32	42	74	Low	Medium	Medium
2978	351			7	5	1								105	178	22			50	18	69	Medium	Low	Medium
2979	156				2	3			74	24	5		7	25	13	16	21		37	38	75	Low	Medium	Medium
2980	226			1	2				42		1	5	172	72	31	3	9	28	31	43	74	Low	Medium	Medium
2981	308			3	9	1			40	4	1	1	0	116	144	19			46	22	68	Medium	Low	Medium
2982	221			2	2				80				102	70	19	17	17		37	21	58	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
2983	501			3	1	1							358	260	26	51	1		38	12	50	Low	Low	Low
2984	167			2	1						2	1	126	29	2	23	6	9	40	26	67	Medium	Medium	Medium
2985	808			5	2	2			0				806	174	133	166	157	158	40	75	115	Low	High	High
2986	238			2	2	1								117	8	5			39	8	47	Low	Low	Low
2987	323				5	3								78	45	6			39	10	48	Low	Low	Low
2988	166				1				105	23	4		26	34	28	34	28	6	35	52	87	Low	Medium	Medium
2989	286			2	5	1			77				156	162	21	27	7	14	42	29	71	Medium	Medium	Medium
2990	300			3	4									107	2				40	5	45	Low	Low	Low
2991	290			1	4					2	1		16	86	38	35	22	32	39	43	82	Low	Medium	Medium
2992	404		1		4				192				73	370	6	1			49	15	64	Medium	Low	Low
2993	201			1	4					7	7	1	184	90	21	36			36	23	59	Low	Low	Low
2994	255				10	3			87		2	2		45	4	4	45	18	32	47	79	Low	Medium	Medium
2995	227			4	2	1			23					134	1	1			37	9	46	Low	Low	Low
2996	566			4	6								125	304	4	4			48	7	55	Medium	Low	Low
2997	834			3	2					2			826	283	374	140			39	21	60	Low	Low	Low
2998	232			3	3	3			48				183	42	8	20	9	18	37	32	69	Low	Medium	Medium
2999	365			1	7	3							362	143	37	15	7	17	32	23	55	Low	Low	Low
3000	367			1									366	121	34	32			37	10	46	Low	Low	Low
3001	300			2	1	4			49	11	11		121	101	19	21	6		33	19	52	Low	Low	Low
3002	200				5									2	146	44			50	28	79	Medium	Medium	Medium
3003	191			3		1								81	2	4			39	7	46	Low	Low	Low
3004	403				9	7							386	76	26	24	26	31	30	34	64	Low	Medium	Low
3005	300		1		1						19	92	182	39	50	55	66	56	37	100	137	Low	High	High
3006	173			2	4								132	99	9				38	9	47	Low	Low	Low
3007	601		2	4	7	2			119	15	1	8	419	281	68	8	1	9	40	18	57	Low	Low	Low
3008	374			5	4								371	63	51	35			36	10	46	Low	Low	Low
3009	167		1	4	2	2								101	58				37	17	54	Low	Low	Low
3010	192				1			1					5	0	175	10	4		48	34	81	Medium	Medium	Medium
3011	336			8	3	2			85				19	130	43				47	11	58	Medium	Low	Low
3012	56								25				31	22	6				41	11	52	Medium	Low	Low
3013	206			1	2	1								100	81	17	4		51	21	71	Medium	Low	Medium
3014	199				1				36	3	5		8	66	91				42	18	59	Medium	Low	Low
3015	455		1	2	2									306	45	18	13	24	39	25	64	Low	Medium	Low
3016	434			2	2						4		34	107	4	18	22		39	11	50	Low	Low	Low
3017	222			2	1									142	3				46	7	53	Medium	Low	Low
3018	213				2									143	41				51	11	62	Medium	Low	Low
3019	227				1				86	2			5	137	10	6	2	14	33	26	59	Low	Medium	Low
3020	335			3	2	2			57	19	23		221	110	85	11			31	21	52	Low	Low	Low
3021	231			2	2				74	3	6		10	102	9	26	13		33	23	56	Low	Low	Low
3022	573			1	4	3			80	10			195	14	290	198	54	4	39	42	81	Low	Medium	Medium
3023	230				3				26	5			7	118	11				39	9	48	Low	Low	Low
3024	405			4	3				144	2	6	1	77	51	10	37	51	20	38	35	73	Low	Medium	Medium
3025	1,210		2	3	8	7			661	68	64	37	292	113					52	21	72	Medium	Low	Medium
3026	1,514			2	10	4			121		7		621	839	596	23	1	6	39	17	57	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3027	293			5	4	3			43				103	26	23	28	13		37	17	54	Low	Low	Low
3028	344			5	4				8	10	5		303	84	9	2			37	7	44	Low	Low	Low
3029	391		1	5	7	1			52	7	16	10	202	233	26	19	22	17	38	37	75	Low	Medium	Medium
3031	335			3	4	6		2	27	3	4	9	224	141	15	13	18		33	37	70	Low	Medium	Medium
3032	426			2	10				53				308	256					45	10	54	Medium	Low	Low
3033	894		1	4	8	8			134	6	11	5	246	314	29	17	10	8	36	15	51	Low	Low	Low
3034	385		1	3	10								106	215	39	16	21	26	37	31	68	Low	Medium	Medium
3035	235			3	2	2		1					234	104	84	23	12	5	41	37	78	Medium	Medium	Medium
3036	357			2	6				42				266	154	5				44	7	52	Medium	Low	Low
3037	235				1				46				77	100	50				39	11	50	Low	Low	Low
3038	314			2										210	17	11			51	10	60	Medium	Low	Low
3039	248		1	1	2	2								70	131	30	12		51	27	77	Medium	Medium	Medium
3040	178					1				6	6			35	37	24	11	38	38	67	105	Low	High	High
3041	190			4	2									29	10	7	3	9	38	17	55	Low	Low	Low
3043	197			1		1			51			2	8	24	27				37	10	47	Low	Low	Low
3044	246			2	4	1								142	13				39	9	48	Low	Low	Low
3045	265				1	2			71					34					39	6	45	Low	Low	Low
3046	196				1				56			14	65	101	59	2	4		39	31	71	Low	Medium	Medium
3047	272				3	2		1	10				257	65	124	22	8	44	30	61	91	Low	High	Medium
3048	1,088			2	26	5				3	77		1001	651	190	8			47	20	67	Medium	Low	Medium
3049	508			6	4	2		1						138	74	11			35	12	48	Low	Low	Low
3050	174		1	2	2				27	15			117	64	32	4	6	42	42	65	106	Medium	High	High
3051	380			5	6	2								165	122	19	12	18	33	29	61	Low	Medium	Low
3052	740		1	12	7	2								415	244	10			51	14	65	Medium	Low	Medium
3053	294			5	6	1							271	119	36	23	22	29	41	40	81	Medium	Medium	Medium
3054	718		1	2	12	4								400	250	24			51	17	68	Medium	Low	Medium
3055	505			4	3				76				170	48	179	260	12		38	38	76	Low	Medium	Medium
3056	404		1		7				167					308	66				39	17	56	Low	Low	Low
3057	486			3	2	1			132	5			184	93	39	9			38	8	46	Low	Low	Low
3058	196			3		2								150	11				39	11	50	Low	Low	Low
3059	451				3				178					395	10				39	14	53	Low	Low	Low
3060	421			3	4									296	26				40	9	49	Medium	Low	Low
3061	327			1	13				66		10		164	91	91	38	26	36	35	53	88	Low	Medium	Medium
3062	238			2	2								237	54	49	50	25	19	30	44	74	Low	Medium	Medium
3064	419		1	8	3	1							100	37	287	68	12		51	27	78	Medium	Medium	Medium
3065	620			1	3				114				63	152	344	22	24	3	50	23	72	Medium	Low	Medium
3066	720			2	5				173	12	6	30	109	508	56				52	21	73	Medium	Low	Medium
3067	601			2	5	2			4				594	12	40	170	154	192	31	100	131	Low	High	High
3068	679	1			12	2	1						109	224	54				55	39	94	Medium	Medium	Medium
3069	393		3		2	1							112	92	230	48	6	5	51	25	76	Medium	Medium	Medium
3070	429			10	3			4					427	61	182	89	31	46	41	68	109	Medium	High	High
3071	658			9	2	5	1	1		1			647	193	148	72	50	9	33	31	64	Low	Medium	Low
3072	168				1	1	1						162	17	40	43	25	38	34	90	124	Low	High	High
3073	265				4								105	34					41	3	43	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3074	578			1	4	4			209	3	3	3	353	174	53	22	19		37	17	54	Low	Low	Low
3075	354			1	2				131					289					52	12	64	Medium	Low	Low
3076	434			2	4	2			145				204	214	100	61	15	3	35	27	62	Low	Medium	Low
3077	795			1	8	2							609	312	110	8			34	9	43	Low	Low	Low
3078	722			13	8	6			10		2	8	693	314	105	48	43	43	35	34	69	Low	Medium	Medium
3079	322		3	4	6	3				6	5	3		229	41	5	2	14	51	27	78	Medium	Medium	Medium
3080	321					1			64	85	142	13	14	27					45	61	106	Medium	High	High
3081	496		1	2	3	1		1	107				122	283	140				45	19	63	Medium	Low	Low
3082	1,178			1	14	4			88	5	6	1	321	335	583	211	10	5	48	27	75	Medium	Medium	Medium
3083	369			10	1		1	1	91	13			246	190	99	5	12	10	35	33	68	Low	Medium	Medium
3084	187			1	1									76	6				35	5	40	Low	Low	Low
3085	401			1	16	1			73	5			109	61	30	51	31	51	38	49	87	Low	Medium	Medium
3086	313								25	18	25	7		79	10				42	18	59	Medium	Low	Low
3087	825		1	8	2	2			182	2			375	256	153	98	7		37	17	54	Low	Low	Low
3088	456		8	5	10	1					11	16	85	171	132	20			45	24	69	Medium	Low	Medium
3089	619			10	4	1								435	48				39	10	49	Low	Low	Low
3090	223			2					21					106	41				35	9	44	Low	Low	Low
3091	151			1	2	1			4	2	4		44	14	32	55	2	29	41	69	110	Medium	High	High
3092	139				1				4	18	10	23	82	15	1	5			44	47	91	Medium	Medium	Medium
3093	166			2	5	1				29	14	6	116	55	24	14	15		39	43	82	Low	Medium	Medium
3094	167			2	1								166	19	60	60	19		41	38	79	Medium	Medium	Medium
3095	188			4	1	2							187	18	55	76	31		38	46	84	Low	Medium	Medium
3096	423			3	5	1							295	113	149	40	19	39	36	39	75	Low	Medium	Medium
3097	628				5				69		1	2	231	398	10	13	23	5	38	16	53	Low	Low	Low
3099	299			3	3				111	1	3	1	159	151	22	11	12	5	36	22	58	Low	Low	Low
3100	259			1	9	2			3	34	49	6	164	52	137	25			46	49	95	Medium	Medium	Medium
3101	489			2	6	1							488	250	230				36	16	52	Low	Low	Low
3102	239			1					32	7			198	126	80	16	2	10	38	26	64	Low	Medium	Low
3103	196			1	2	1				5		30	159	34	17	15	22	41	34	94	128	Low	High	High
3104	323									15			207	157	148	4			40	16	56	Medium	Low	Low
3105	545				2	1			258	122	18		144	51	413	22	22	31	48	47	95	Medium	Medium	Medium
3106	351								83	19	15	19	10	258	10				44	26	71	Medium	Medium	Medium
3107	175				2					4			170	57	65	14	8		31	21	52	Low	Low	Low
3108	212			1					108				87	9	4				34	6	40	Low	Low	Low
3109	308				1				106				196	218	80	5			36	17	53	Low	Low	Low
3110	325				2					13	4			257	3				58	11	69	High	Low	Medium
3111	820				8					8			811	514	40				51	8	60	Medium	Low	Low
3112	446			2	6				104	2	3	1		139	56				35	11	46	Low	Low	Low
3113	371			4	4				147	10	5	19	56	303	2	5			37	26	63	Low	Medium	Low
3114	65			3	1									12					35	3	38	Low	Low	Low
3115	877				8	2	1		36	43	19	21	482	355	305	55	9		35	27	62	Low	Medium	Low
3116	724			6	4	8							392	429	124	3	3		49	13	62	Medium	Low	Low
3117	305				2									58	5	23			35	7	42	Low	Low	Low
3118	368				3	5			142	28	5	4	106	113	138	28	13	11	35	36	71	Low	Medium	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3119	832			2	12	1			8	9	54	14	744	212	254	204	67	63	32	56	88	Low	Medium	Medium
3121	289		2	1	4	1			153				58	136	133	15			38	24	62	Low	Low	Low
3122	441				7	2			137	2	5		190	275	109	17	4		36	21	56	Low	Low	Low
3124	391		1	2	3				75				158	148	77	15	28	6	33	23	56	Low	Low	Low
3125	753			1	5	1			82				429	293	122	79	33	59	36	34	70	Low	Medium	Medium
3126	349		1	4	6	2							332	163	2				34	8	42	Low	Low	Low
3127	737			5	14	3			55	6	23		493	178	252	73	58	45	35	41	76	Low	Medium	Medium
3128	358			3	2				90	24			113	118	97	41	2	7	31	23	54	Low	Low	Low
3129	327		1		8					4	3	1	139	119	52	21	6	27	42	33	74	Medium	Medium	Medium
3131	232				2				16				214		163	66			45	30	75	Medium	Medium	Medium
3132	234			1	3				18	3	1		211	5	147	67	5	7	45	38	83	Medium	Medium	Medium
3133	191			1					29				161	55	95	17	10	6	31	30	61	Low	Medium	Low
3134	247				4					5	10		213	151	7				33	13	46	Low	Low	Low
3135	364		1	1	10					20			182	182	13				34	10	44	Low	Low	Low
3136	276			1	4	1			72				155	84	142	44			35	26	61	Low	Medium	Low
3137	165			2					14				148	70	54	24	10		33	25	58	Low	Medium	Low
3138	712				4								707	630	6				51	10	60	Medium	Low	Low
3139	203			4	1			2	30	6	23		142	22	68	104	6		33	70	103	Low	High	High
3140	382				3				15		1		320	236	61	29	4		33	16	49	Low	Low	Low
3141	255			1	4	1			64	12	10		168	76	58	50	44	10	32	52	84	Low	Medium	Medium
3142	690			8		2							485	250	39	7	2	4	44	7	52	Medium	Low	Low
3143	554		3	6	6	2				12			316	149	93	18			35	10	45	Low	Low	Low
3146	770				2	2				21	11			638	3				60	11	71	High	Low	Medium
3147	364			1	5	2			47	13	4		297	10	116	141	57	30	31	64	95	Low	High	Medium
3149	230			1	2	1				4			123	10	122	92			46	33	79	Medium	Medium	Medium
3150	1,349			8		3			149	7			655	697	404	20	16		33	15	48	Low	Low	Low
3151	460				4	2			131		3		190	216	155	12	36		32	26	58	Low	Medium	Low
3152	588			6	9	3		1	51				453	276	110	14			35	16	52	Low	Low	Low
3153	442			1	3				159				152	232	146	13	3		30	18	48	Low	Low	Low
3154	324				4					15			252	105	117	78	3	10	46	32	77	Medium	Medium	Medium
3155	217				2				14	11	8		182	41	39				44	12	55	Medium	Low	Low
3156	493		2	2	2				52	25	21		70	344	71	8			38	17	55	Low	Low	Low
3157	548			7	6	3							515	253	25	2			39	8	46	Low	Low	Low
3158	199			1	4	2				2	6	71	118	123	54				34	90	124	Low	High	High
3159	586			2	2	1			102	9	7		55	413	48	9	1		39	14	53	Low	Low	Low
3160	209				4				90	11	5	1	91	127	10				42	18	59	Medium	Low	Low
3161	184			3	2	2					6	55	122	100	27	1	1	3	34	79	113	Low	High	High
3162	666		3	13	16	7			97				405	401	229	5			30	19	49	Low	Low	Low
3163	778		6	7	7	2		1	165	49	39	6	347	142	13				30	16	46	Low	Low	Low
3164	826				7	2							817	662	117	4			39	12	51	Low	Low	Low
3165	250												244	195	22	2	8		46	13	59	Medium	Low	Low
3166	777			1	3	4		2	262	55	78	93	257	339	189	99	14	5	31	64	95	Low	High	Medium
3167	431				3	1			300				23	254	53	35	2		30	21	51	Low	Low	Low
3168	447				2				307				17	287	27				30	15	45	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3169	276				4								274	137	92	38			42	20	62	Medium	Low	Low
3170	310				6	1				3			303	159	34	3			50	11	60	Medium	Low	Low
3171	568			1	2								260	228	259	65			32	19	51	Low	Low	Low
3172	329				4								143	160	162				32	16	48	Low	Low	Low
3173	660			3	5				142	4	5		220	275	99	26	7	22	33	21	54	Low	Low	Low
3174	692				3				128				9	233	389	20			32	18	50	Low	Low	Low
3175	326				1								116	118	189	17			31	18	49	Low	Low	Low
3176	347			3	1				67					107	3				43	5	48	Medium	Low	Low
3177	647					3		2	90	5	20	11	476	244	21	6			31	20	51	Low	Low	Low
3178	1,094		5	15	17	1			73				626	785	190	2	4		40	14	53	Low	Low	Low
3179	275			3	2	6			50	6			12	44	3				40	9	50	Medium	Low	Low
3180	270			5	3	1			45	13	8	2	154	59	33	4	19	14	31	32	63	Low	Medium	Low
3181	281			1					37	6	10		181	109	56	11	11	38	31	46	77	Low	Medium	Medium
3182	296		1	1	1				32				133	185	7				31	8	39	Low	Low	Low
3183	271				1				35	3	7	14	205	66	79	27	16	25	31	52	83	Low	Medium	Medium
3184	328			2	3	1			51	5	17	1	247	79	155	54	16		31	34	65	Low	Medium	Medium
3185	231			1	3								139	106	18				29	7	36	Low	Low	Low
3186	158								57	3	3			20	2				34	7	41	Low	Low	Low
3187	264									15			3	219	8				58	10	68	High	Low	Medium
3188	429					6						9	418	130	70	3			30	14	44	Low	Low	Low
3189	453				5	1			31	8	5		346	186	74				32	11	43	Low	Low	Low
3190	233			1	1								141	136	33	17			29	13	41	Low	Low	Low
3191	401			3	2	5							396	147	163	15			31	17	47	Low	Low	Low
3192	2,440			6	29	7			15	21	16	12	67	1299	16				36	9	45	Low	Low	Low
3193	467			2						4	25		436	262	117	15	14		32	21	53	Low	Low	Low
3194	781			1	4	3			71	6	7		598	323	228	102	30	23	30	29	59	Low	Medium	Low
3195	289				2					4			262	183	2				45	7	53	Medium	Low	Low
3196	377			1	3				187	4	2	10	34	227	85				31	22	53	Low	Low	Low
3197	227			1	1								227	138					31	7	38	Low	Low	Low
3198	319			1	7				43		13		191	201	18	11	5		35	18	54	Low	Low	Low
3199	1,140		1	4	12	1	1		58	5	6	1	792	233	364	263	94	67	32	44	76	Low	Medium	Medium
3200	374			2	3	1			254	10	6		19	90	86	11	5		31	20	51	Low	Low	Low
3201	214				5								213	31					33	4	37	Low	Low	Low
3202	263			5	2	2	1	1	36				126	124	28				31	24	55	Low	Medium	Low
3203	212			1	2	1		1				1	209	16					31	13	44	Low	Low	Low
3204	207			1									207	36	10	1	1		33	3	36	Low	Low	Low
3205	440				5		1		49	3	6	3	156	314	74				55	19	74	Medium	Low	Medium
3206	252			2									249	153	95				32	14	45	Low	Low	Low
3207	235									0	1	12	221	176	22	5			33	21	54	Low	Low	Low
3208	701		1	12	10	2			19	6			453	206	33	16	6		30	8	38	Low	Low	Low
3209	263				6	2				3	5			85	81	55	12	23	57	48	105	High	Medium	High
3210	221			2	2								221	136	9	1			31	8	40	Low	Low	Low
3211	236			1									221	17					33	1	34	Low	Low	Low
3212	1,576			1	3	2			90	28	6		133	555	123	10			57	7	64	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3213	166		1		1				8	6	2		145	58	4	2	6		33	11	44	Low	Low	Low
3215	700			3	12	5	2		79	5	3	4	360	207	55	74	24		30	24	54	Low	Low	Low
3216	749			6	13	1					9	9	727	360	176	94	17	3	35	24	59	Low	Medium	Low
3217	359				4	1				10	3		152	311	24				58	13	71	High	Low	Medium
3218	362			2	3	1					7		221	230	45				41	12	53	Medium	Low	Low
3219	306			3	2								156	46					39	2	41	Low	Low	Low
3220	478			3	3				97				29	358	24				32	11	43	Low	Low	Low
3221	180			1	3				32				69	152	17	1	1	7	33	22	55	Low	Low	Low
3222	356				4					12	15	12	297	234	62	8			50	24	74	Medium	Low	Medium
3224	76			1		1		2	43	3	5		14	11	8	4			34	74	108	Low	High	High
3226	350												296	148	23				30	6	36	Low	Low	Low
3227	486			1	2	3	1		72	17	17	3	350	219	170	17	10	54	25	49	75	Low	Medium	Medium
3228	160			4	1								159	100	12				32	8	40	Low	Low	Low
3229	192			1	2				66				27	10					32	5	37	Low	Low	Low
3230	631				4	1			107		7		493	209	202	176	10	13	29	33	62	Low	Medium	Low
3231	476		1	3	6		1	1	70					122	19				32	14	46	Low	Low	Low
3232	385			7	6	1			2	6	15		359	88					31	9	40	Low	Low	Low
3233	636			1					34	10	19	11		228	9				32	11	43	Low	Low	Low
3234	366				3	2					0	4	336	142	30				31	10	41	Low	Low	Low
3235	448			2	9	1			38		1		405	238	115	4	4	12	32	21	52	Low	Low	Low
3237	403				3				91				287	287	97	1	14		30	19	49	Low	Low	Low
3238	512				2				56				385	161	16	41	61	4	25	23	48	Low	Low	Low
3239	438		2	6	5				21	0	2	2	407	264	22	20			29	12	41	Low	Low	Low
3240	172			5	2				43				24	16					32	5	37	Low	Low	Low
3241	264			1	2				27				186	69	101	64	15	3	43	32	75	Medium	Medium	Medium
3242	192			2	2								189	140	49				31	13	45	Low	Low	Low
3243	364												305	188	7				30	6	36	Low	Low	Low
3244	281			1					31	3	3		5	182	42				31	12	43	Low	Low	Low
3245	327			1	3	1							77	44					31	3	34	Low	Low	Low
3246	1,832				10	2			127	6	6		872	1278	147	31	9		32	12	44	Low	Low	Low
3248	657			1	6	1			1	32			606	406	69	29	62	24	31	29	60	Low	Medium	Low
3249	283			2	2		1	1					280	134					33	18	51	Low	Low	Low
3250	465			4	1				43	9	5		154	225	156	23	15		31	20	51	Low	Low	Low
3251	853				14								539	690	18				29	10	39	Low	Low	Low
3252	280		2	3	1					3	1	13	260	229	5				33	19	52	Low	Low	Low
3253	919			3	9								522	674	52	0			29	9	38	Low	Low	Low
3254	360			2	2				23	6			65	117	4				29	5	34	Low	Low	Low
3255	453				3					5	5	5		130	34	1	22	3	58	15	72	High	Low	Medium
3256	638		1	2	17				83	40	21	10	430	360	136	16	17	13	28	30	58	Low	Medium	Low
3257	401			1	4	3	1		134	4			262	131	116	15	4	22	29	33	61	Low	Medium	Low
3258	530			6	12	2			60	3	3		439	187	34	14			28	11	39	Low	Low	Low
3259	480			1	8	1			44	5	6	3		186	9				59	10	69	High	Low	Medium
3260	420			1	6	1			48	17	13		321	115	4	26	7	6	29	17	46	Low	Low	Low
3261	244								15					131					32	6	38	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3262	759			2	15	1							688	199	11	6	9		22	7	29	Low	Low	Low
3263	1,386			2	19	1			36	11	8		465	688	391	67	76	42	40	27	67	Low	Medium	Medium
3264	294			6	4				21			2	269	108	8				30	8	38	Low	Low	Low
3265	688			1	13	2			70				603	112					23	5	28	Low	Low	Low
3266	411		1	3	1	2			23				380	203					30	7	37	Low	Low	Low
3267	339				6				32	10	7		114	106	143	56			33	25	58	Low	Medium	Low
3268	173								9				162	69	26				38	8	45	Low	Low	Low
3269	515			6	11				41				281	199	71				30	10	40	Low	Low	Low
3270	937			6	5				36	8	1	12	866	691	59				33	12	45	Low	Low	Low
3271	278		1	1	3	1							263	123	116	27	4		37	21	58	Low	Low	Low
3272	492			3	1	2							327	246	214	23			40	17	57	Low	Low	Low
3273	589			5	2	1		2	2		7	2	575	284					32	14	46	Low	Low	Low
3274	255				4	1			0	2	9		241	103	36	17	9	4	40	23	63	Medium	Low	Low
3275	296			1	4								295	44	189	24	12	24	32	40	72	Low	Medium	Medium
3276	399				3						11		331	302	27				32	12	44	Low	Low	Low
3277	347		2	1	5	1			66	23	7	2	243	80	60	17	27	66	25	62	87	Low	High	Medium
3278	260		2		3	1			84	13	5		114	195	43				32	19	51	Low	Low	Low
3279	179				5								178	84	41	7			37	14	51	Low	Low	Low
3280	294		2	3	2	2			54				217	119	138	31			33	23	56	Low	Low	Low
3281	160				1					0			158	96	8				33	8	40	Low	Low	Low
3282	332								100					96	4				31	6	37	Low	Low	Low
3283	581			5	3				8	3	2		564	283	37	10	3		32	9	40	Low	Low	Low
3284	160				2					2	23	3	129	60	59	10			32	34	66	Low	Medium	Medium
3285	489				4	1			6	10			309	99	12				32	4	36	Low	Low	Low
3286	371			2	6	2	1	1					370	244	49				38	22	60	Low	Low	Low
3287	268			3	4	1			53	3	3	3	8	157	61	29	4		34	25	59	Low	Medium	Low
3288	224				2	1								45					57	4	60	Medium	Low	Low
3289	407			3	4	1			10				394	128	257	16			32	19	51	Low	Low	Low
3291	184												183	138	36				28	11	40	Low	Low	Low
3292	272				3				28					190	10				29	10	38	Low	Low	Low
3293	280		1	5	7	1			40	21	17	10	191	75	25				32	24	56	Low	Low	Low
3294	290				4									204	29				30	10	40	Low	Low	Low
3296	183				1						0		181	73					40	5	45	Medium	Low	Low
3297	410			6	6				193	11	7	1	142	120	17	8			26	14	39	Low	Low	Low
3298	181			4	3				14	16			123	90	57	28			37	23	60	Low	Low	Low
3299	987				3				191	81	65		447	230	71	53	38		32	21	53	Low	Low	Low
3300	202			1	4						2		199	48	49	25			37	16	53	Low	Low	Low
3301	211			2	2				23		4	8	175	122	73	12			29	27	56	Low	Medium	Low
3302	1,030		1	3	4	1			66				923	615	187	48	9		30	14	44	Low	Low	Low
3303	459			3	4				272		1	23	108	217	154	53	30		26	41	66	Low	Medium	Medium
3304	380			1	6	1			53	15	3	1	301	174	99	11	3	19	24	28	52	Low	Medium	Low
3305	431			1	10	1			80	4	2	2	304	199	8	14	71	16	24	37	61	Low	Medium	Low
3306	600				1								572	325	214	32			43	15	58	Medium	Low	Low
3307	278			1	1	1			57				43	89	166	13	4		39	22	61	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3308	251			4						12		1	236	115	19				29	8	37	Low	Low	Low
3309	1,096		2	4	5	1				11	4		925	552	256	32			29	12	42	Low	Low	Low
3310	1,018			13	13				122	26	7	6	848	141	13				25	6	32	Low	Low	Low
3311	329			2	5						2		160	174	6	4	7	35	30	32	62	Low	Medium	Low
3312	635			5	5	1				20	4	8	439	413	93	21			24	16	40	Low	Low	Low
3313	185				2								185	99	81				33	15	48	Low	Low	Low
3314	322			2	3	2			108	8	12	13	146	78	5				33	21	54	Low	Low	Low
3315	1,318			1		2			311	56	66	25	39	357	265	94	18	3	35	24	59	Low	Medium	Low
3316	258			2	5		1	1	6	3			247	117	25				40	23	63	Medium	Low	Low
3317	593			2	2	1	1		131				316	297					32	11	42	Low	Low	Low
3318	241			3	4				83	16			115	83	141	13			33	24	57	Low	Medium	Low
3319	341				2								202	103					32	4	36	Low	Low	Low
3320	374				2				228	17	13		114	309	59	1			30	23	52	Low	Low	Low
3321	318										4		314	232	54				30	12	42	Low	Low	Low
3322	619			2	8	2							274	430	118	1	1	4	36	14	51	Low	Low	Low
3323	363			6	3	2			13	43	3		288	80	200	63	5		37	29	66	Low	Medium	Medium
3324	700			2	5				112		1	4	400	221	2	2	4	14	32	12	43	Low	Low	Low
3325	1,210					1			383	33	16		362	448	170				27	12	39	Low	Low	Low
3326	337			5	1						31	15	287	221	29	11			30	28	58	Low	Medium	Low
3327	713		1	1	7					5	4		312	351	300	18	4	2	28	17	45	Low	Low	Low
3328	345		1			1							287	63	18				41	3	44	Medium	Low	Low
3329	282				3	1				2			74	138	53	7	33	42	27	53	80	Low	Medium	Medium
3330	525			4	7				13	16	12	9	466	334	101	9	3		29	20	49	Low	Low	Low
3331	335				3	1			101	8	5		83	108	108	12	31	65	29	66	95	Low	High	Medium
3332	703			1	6	1			94				245	425	203				28	14	42	Low	Low	Low
3333	288			4	4					7			279	60	151	73			20	27	47	Low	Medium	Low
3334	424			3	1				126		3	8	284	166	2				20	12	32	Low	Low	Low
3335	798			1	4					7	8	3	453	479	227	1	6		27	15	41	Low	Low	Low
3336	474			5	1				84		19	30	295	276	84	58	8		29	36	65	Low	Medium	Medium
3337	425		1	2	2	4			33	27	17	9	327	225	68	33	20		37	30	67	Low	Medium	Medium
3338	597			1	6	1			61	16	10	2		444	65	7			71	15	86	High	Low	Medium
3339	549				8	1			71	22			448	178	28	19			32	10	41	Low	Low	Low
3340	165				1	1			152					80	57	18			35	28	63	Low	Medium	Low
3341	435			3	3	3				11	2	11	278	221	84	13	13	76	22	56	78	Low	Medium	Medium
3342	831			2	5				112	5	12	7	410	453	71	2	5		29	13	42	Low	Low	Low
3343	417			4	4				57		3		250	190	101	3	6	90	24	57	82	Low	High	Medium
3345	192				4								192	95	7	5	12		23	15	38	Low	Low	Low
3347	227				1								224	101	40	3	4	57	23	61	84	Low	High	Medium
3348	675		1	4	5	4			67		3	3	583	321	117	6	3	6	38	15	53	Low	Low	Low
3350	155			1									155	86	48				30	12	42	Low	Low	Low
3351	831			1	5	1				0	4		654	563	111	9			30	11	41	Low	Low	Low
3352	950			5	9	3			133	14	5		549	157	13				24	6	30	Low	Low	Low
3355	189										7	15	165	101	85				30	34	64	Low	Medium	Low
3356	817			3	9	1			203	3	3		379	502	51	2			24	12	36	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3357	912		2	1	7	3	1	2	55	6	3	3	832	344	9	10			31	14	45	Low	Low	Low
3358	193			1	1	1								63	4	18			30	10	40	Low	Low	Low
3359	660			4	7	1			25			2	336	329	44	38			27	12	39	Low	Low	Low
3361	1,062			5	15	1			116	8	15	3	725	478	164	60	3		31	16	47	Low	Low	Low
3364	163			2	3	1			3					36	112	12			39	23	62	Low	Low	Low
3365	254				6	1			40	4	6		118	166	10				21	15	35	Low	Low	Low
3366	161					2			35					107	52				39	18	57	Low	Low	Low
3367	286				1				20				112	143	89	32			31	18	49	Low	Low	Low
3368	881			1	3								308	532	142	23	10	3	29	13	42	Low	Low	Low
3369	955			1	3	1					6	4	195	639	30	2	3		29	10	39	Low	Low	Low
3370	1,087			16	7						2	5	734	590	441	17			31	16	47	Low	Low	Low
3371	517								64	22				135	103	42			40	13	52	Low	Low	Low
3373	256				1	2				4	3			106	3				36	8	43	Low	Low	Low
3374	385				6				18	16	17	6	146	270	14				52	18	70	Medium	Low	Medium
3375	383				2					6	7	4		47	8				30	6	37	Low	Low	Low
3376	484			1	6				45	24			408	140	15	8	57	8	18	23	41	Low	Low	Low
3377	809			1	19	5			71	4	18	9	610	285	134	119	107	52	39	49	88	Low	Medium	Medium
3378	428		2	2	6				155	3	7		203	224	100	9	4		27	19	46	Low	Low	Low
3379	811			1	16	10	1		98		4	4	546	48	98	257	132	228	39	100	139	Low	High	High
3382	308				2				33	3	3		204	47	212	45			30	25	55	Low	Medium	Low
3383	286		2		2								99	166	3	5			29	8	37	Low	Low	Low
3385	167			2	1				0	13	4		146	3	135	1	1	24	28	51	79	Low	Medium	Medium
3386	850			1	15	1				27	26		2	187	30				64	9	73	High	Low	Medium
3387	542			3	10	1	1		21	4	8	2	308	307	206				30	21	51	Low	Low	Low
3388	519			2	10	3	1		69	6	1	5	423	115	127	88	7		32	27	59	Low	Medium	Low
3390	432		1	1	7	2							428	132	58	11			30	10	39	Low	Low	Low
3391	582			3	6	4			26	37	24		493	83	51	91	132	160	33	97	130	Low	High	High
3392	330			1	3				13	14	13	2		112					58	11	69	High	Low	Medium
3393	851			3	17	7		1						157	22	47	50	24	66	23	89	High	Low	Medium
3394	240		1	1	3				20	3	1		204	186	7				55	11	66	Medium	Low	Medium
3395	459			1	4	1						1	456	30	203	105	11	99	28	68	97	Low	High	Medium
3396	915		1	4	15	3	1		435	4	5		438	571	134				39	19	57	Low	Low	Low
3397	100				2									77	6				43	11	53	Medium	Low	Low
3398	435		2	2	5	2			39		12		352	241	124	3	3		41	18	59	Medium	Low	Low
3399	824		1	2	5	1							769	483	220	3	5		39	13	51	Low	Low	Low
3400	332				5	3			1	32			173	130	30				59	11	69	High	Low	Medium
3401	583			2	2				4	1			574	289	62	49	54	58	28	41	69	Low	Medium	Medium
3402	196												196	149					19	8	27	Low	Low	Low
3403	259			2	3	1				4	8	1	244	33	3	40			19	15	35	Low	Low	Low
3404	557				15	4				3	4		287	70					38	6	44	Low	Low	Low
3406	154				1	1				6	2	2	6	109	32				64	18	82	High	Low	Medium
3407	788			4	6	1			86				87	218					23	5	28	Low	Low	Low
3408	630			9	3	1		1	74	12	28	8	434	399	177	9			28	25	53	Low	Medium	Low
3409	282				4	1								21	1	1	4		67	5	72	High	Low	Medium

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3410	708				3	1							318	32	6	25	22		50	6	56	Medium	Low	Low
3411	453			5	6	2	1		48	3	3	2	341	279	135				41	21	62	Medium	Low	Low
3412	565			2	3	1			9				474	253	269	22	6	4	41	19	60	Medium	Low	Low
3413	470			7	3									183	1				58	5	62	High	Low	Low
3414	847			2	16	1			51		7		44	456	231	32			23	16	39	Low	Low	Low
3415	701			4	4	1			4	8			632	103	102	18			32	7	39	Low	Low	Low
3416	1,574				22	14	2			4	3		1555	464	103	85	67	45	29	22	51	Low	Low	Low
3417	378			1					7				368	210	76	21	10		30	15	45	Low	Low	Low
3418	302			2	4					2			297	116	10	11	5	6	30	13	44	Low	Low	Low
3419	311				4				191	19			99	142	24	1	8	25	23	34	57	Low	Medium	Low
3420	296			2	1								189	10	2	5			41	2	43	Medium	Low	Low
3421	904			2	10	2			208	42	9			136	143	66	16		29	16	45	Low	Low	Low
3422	280				2					3	9	3	264	33	118	32	19	56	33	68	101	Low	High	High
3423	358			3									354	90	155	76			29	22	51	Low	Low	Low
3424	366				5	1			85	11	9	11	124	123	172	18	20	17	26	43	69	Low	Medium	Medium
3425	287			3	2								286	113	41	6			27	9	36	Low	Low	Low
3426	209			1	3	1							177		5	68	133		32	83	115	Low	High	High
3427	331			2	7	1							324	24	186	92	18		42	34	76	Medium	Medium	Medium
3428	433			3	4								349	196	219	4			30	16	46	Low	Low	Low
3429	479				4	1			106				197	216	107	45	4		33	18	51	Low	Low	Low
3430	304		1	2	1	1								84	2	5			53	5	57	Medium	Low	Low
3431	278			1	3					10	4	2	61	153	4	7	3		52	13	65	Medium	Low	Medium
3432	246			1	2								185	25					32	2	34	Low	Low	Low
3433	247			1					172	6			10	68	25	2	2	4	40	17	56	Low	Low	Low
3434	440		4		5		1		28	8	12	2	242	145	16	2	3		33	14	47	Low	Low	Low
3435	382			1	5	1			7	17	9	13	331	202	43	3	5	77	28	62	90	Low	High	Medium
3436	360				8	2							357	72	147	58	27	46	42	55	96	Medium	Medium	Medium
3438	1,441			1	15	2							1367	633	605	36	51	53	28	26	54	Low	Medium	Low
3439	329				3				1	4	1	3	317	146	116	6	4	48	28	46	74	Low	Medium	Medium
3440	179	1			1				24				139	105	1	2	4		39	100	139	Low	High	High
3441	338			2	4	1			98	52	18	1	92	99	4	6	18		30	23	54	Low	Low	Low
3442	317			3	1						4		62	188	125				27	15	42	Low	Low	Low
3443	658			3	5	3			117	4	5	11	475	159	152	38	7	3	41	20	61	Medium	Low	Low
3444	622		1	1	7				38				137	236	29	7	1		50	7	58	Medium	Low	Low
3445	313			2		4					3		308	60	157	37	15	32	30	47	77	Low	Medium	Medium
3446	354					3			38	11	9		295	84	119	28	32	7	30	32	62	Low	Medium	Low
3447	1,378			2	15					17			99	715	54				31	7	39	Low	Low	Low
3449	246			1	1	1							11		25	137	64	14	32	68	101	Low	High	High
3450	247			1	2				14					25					32	2	35	Low	Low	Low
3451	357			2	2								266	171					30	5	35	Low	Low	Low
3452	683				7	6							591	109	377	58	20	75	41	45	86	Medium	Medium	Medium
3453	293			3	1								291	172	100	9			29	15	44	Low	Low	Low
3454	375				2								3	13	4				41	1	43	Medium	Low	Low
3455	226			2	4	2			67				143	97	95	21			36	24	60	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3456	411			2	3				123				170	190	172	30	15		30	24	54	Low	Medium	Low
3457	804			3	5				156	8	3			73	13				34	4	38	Low	Low	Low
3458	321			1	1	1			138	16			162	122	130	9	4	10	31	27	58	Low	Medium	Low
3459	313			1	1						1		310	122	141	33			27	19	46	Low	Low	Low
3461	208			1	2	1		1					206	145	11				30	20	50	Low	Low	Low
3462	243			1	2	1			40				179	38	14				37	6	43	Low	Low	Low
3463	609			2	8				81				108	254	7				34	7	41	Low	Low	Low
3464	479		4	6	8	1	1		35	4			90	290	74	19			44	17	62	Medium	Low	Low
3465	261			1	5	1					2		255	114	142				30	19	49	Low	Low	Low
3466	617		1	2	3	1			19		15		580	223	245	41	5		27	19	47	Low	Low	Low
3467	404													99	247	49	6		43	22	66	Medium	Low	Medium
3469	433			3	4				77				93	177	47	6			52	10	61	Medium	Low	Low
3470	339		1	4	4					2	3		189	94	155	78			27	26	53	Low	Medium	Low
3471	713		1	2	7	2			38	11	12		648	421	209	22			27	17	45	Low	Low	Low
3472	306		1	3	2				8		3		168	149	81	7	3		52	14	66	Medium	Low	Medium
3473	156					1								72	81				28	16	45	Low	Low	Low
3474	259			1	5				86	3			98	133	28				41	13	54	Medium	Low	Low
3475	487			3	11	4			133	3	3		346	120	149	36	40	12	39	33	72	Low	Medium	Medium
3476	386				1				57	4	6	2	244	240	93	5	4	8	42	21	63	Medium	Low	Low
3477	289				8								285	71	51	31	36	27	32	45	78	Low	Medium	Medium
3478	323				10	2			2		2	2	237	54	1	1	6	34	39	31	70	Low	Medium	Medium
3479	605				9								547	353	62	8	24	91	29	44	73	Low	Medium	Medium
3480	737				10	1			74	19	5	1	519	377	30	10	41	185	30	66	96	Low	High	Medium
3481	630				3				140	2	5		158	225	42	2	5		48	9	57	Medium	Low	Low
3482	656			2	5	1			85	22	3	3	472	413	101	22	42	56	30	39	69	Low	Medium	Medium
3483	178			4	1				21					152	4				48	11	59	Medium	Low	Low
3484	632			3	11	2			76	1	1	3	544	308	164	28	17	75	19	43	62	Low	Medium	Low
3486	472				8	3					1		272	54	142	90	126	18	41	54	95	Medium	Medium	Medium
3488	432			2	6	6			12	6	7	14	387	187	125	43	24	10	41	38	79	Medium	Medium	Medium
3489	284			1	4	4							284	54	103	45	22	25	41	47	88	Medium	Medium	Medium
3490	461			3	6	1								92	7				25	4	29	Low	Low	Low
3492	358								66	4	9		0	151	180	1	1		41	19	60	Medium	Low	Low
3493	353			1	10	1					5	5	343	63	134	102	44	3	42	46	87	Medium	Medium	Medium
3494	488			6	6	1			15					294					25	8	33	Low	Low	Low
3495	510				5	3			42				98	219	6				38	8	45	Low	Low	Low
3496	335				3				26				114	65	16				37	5	41	Low	Low	Low
3498	268			3	3					3	4	0	260	38	84	72	23	23	40	50	90	Low	Medium	Medium
3499	282				4	2							282	76	146	48	3	3	41	28	69	Medium	Medium	Medium
3500	159				2				24	4			121	73	63	3			35	17	51	Low	Low	Low
3501	496			1	7	2			51	8	5	1	100	360	15	6	1	4	40	15	56	Medium	Low	Low
3503	368			1	7	1							122	57					26	4	30	Low	Low	Low
3504	217			2	3					11			206	31	5				49	4	53	Medium	Low	Low
3505	210				2	1			67					56	13				48	9	57	Medium	Low	Low
3506	214			1									7	31					32	1	34	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3507	193				2				9	7	4		172	17	1	3	6		38	9	47	Low	Low	Low
3508	700				8	2							697	138	293	136	55	44	31	42	73	Low	Medium	Medium
3509	642			3	4				89	15	7		343	211	296	94	16		28	26	54	Low	Medium	Low
3510	1,158			2	9	5			63	0			916	417	576	94	19		34	21	56	Low	Low	Low
3511	603				2	3		3			1	4	593	228	165	34	31	101	31	63	94	Low	High	Medium
3512	1,239		1	4	12	6			111	40	3		997	623	312	52	31	5	35	19	54	Low	Low	Low
3513	236			2	7	1							234	136	23	14	12	10	31	28	59	Low	Medium	Low
3514	217			2	4	3				1	3		211	98	55	15	21		30	29	59	Low	Medium	Low
3515	517				1	3					5	2	208	70	367	74			43	26	69	Medium	Medium	Medium
3516	384				14	3			93	4	4	7	272	94	45	38	25	27	39	43	82	Low	Medium	Medium
3520	1,105			3	4								262	290	20				26	3	29	Low	Low	Low
3521	184		1	1	1								149	92	38	4			49	11	60	Medium	Low	Low
3522	420				4									125	12				47	5	52	Medium	Low	Low
3523	974				2	1							230	71					27	1	28	Low	Low	Low
3524	238			1	3	1					3		234	158	35	3	5	25	29	37	66	Low	Medium	Medium
3526	245			1	2							3	241	151	12	3	39	31	29	52	81	Low	Medium	Medium
3527	421				6									76					47	3	51	Medium	Low	Low
3528	237		1		5				101					32					49	8	57	Medium	Low	Low
3529	160			1	1				68					34	2	4			44	8	52	Medium	Low	Low
3530	375				8	1			110				181	34					28	7	34	Low	Low	Low
3533	369				1	1			82		1	4	281	100	220	38	1	5	32	28	60	Low	Medium	Low
3534	825			11	7				187	15	6		350	524	161				20	14	34	Low	Low	Low
3535	174			3	3	2			9	3	3	3	155	61	37	10	16		33	30	63	Low	Medium	Low
3536	593		1	5	10						8	6	478	200	233	35	10		41	21	62	Medium	Low	Low
3537	269			5	1								268	102	7	9	25		20	16	35	Low	Low	Low
3538	640				6	1							43	165					36	4	40	Low	Low	Low
3539	414			1	4								223	313	28				36	10	46	Low	Low	Low
3540	542				5				43				209	71					27	3	30	Low	Low	Low
3541	328			1	5	2			33	3	1	5	284	141	71	35	18	44	33	54	87	Low	Medium	Medium
3542	256				4				52		5	5	192	40					38	11	49	Low	Low	Low
3543	290			5	3				2	3	7		274	172	74	1	4	15	30	27	56	Low	Medium	Low
3544	675		3	7	10			1	70	11			51	344	54	18			41	14	54	Medium	Low	Low
3545	280			1	1					3	3		259	200	70				38	14	52	Low	Low	Low
3546	349			1	4	1			37				112	269	7	5			38	12	50	Low	Low	Low
3547	505			3	12									17					33	3	36	Low	Low	Low
3548	678		3	14	9	2		1	237					425	131	5			44	19	63	Medium	Low	Low
3549	467			2	4	1			43				56	380	10				24	11	35	Low	Low	Low
3550	472			1	6	1				1			470	169	29	61	10		29	15	44	Low	Low	Low
3551	693		2	4	9	1			27				106	103	41				49	5	54	Medium	Low	Low
3552	432				4	1							430	279	70	7	16	25	29	27	57	Low	Medium	Low
3553	617			10	12	2			98	26	4		193	159	34	14			50	10	61	Medium	Low	Low
3554	293				3					0	1		245	55	225	2			39	19	58	Low	Low	Low
3555	250			2	4				1	18	8		222	66	118	48	12		39	33	71	Low	Medium	Medium
3556	482			1	4	3			45	2	11		418	189	38				30	11	41	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3557	436			1	4									236	21	6	3		46	9	55	Medium	Low	Low
3558	434				1	1								6					28	1	29	Low	Low	Low
3559	315	1			3					16	7			149	6				34	73	107	Low	High	High
3560	151			3	5				19	5	3	1	122	88	9	7	2	16	33	40	73	Low	Medium	Medium
3562	333				1					7				134					36	5	40	Low	Low	Low
3563	1,488				8	1			275	10			484	580	596	109	11		42	19	61	Medium	Low	Low
3564	299		1						89	20	8	11		24					47	15	62	Medium	Low	Low
3565	225			2	3				53	3	11		9	157	29	17	6		37	25	62	Low	Medium	Low
3566	186			2	1				64				111	51	109	11	11		33	27	60	Low	Medium	Low
3567	592			1	6	1			309				92	199	253	19	10	54	33	40	73	Low	Medium	Medium
3568	167												38	8					46	0	47	Medium	Low	Low
3569	367				2					6	0		358	177					19	6	24	Low	Low	Low
3570	494			2	9	1			120			6	306	372	6	3			35	15	50	Low	Low	Low
3571	183				1								183	95	86				32	15	47	Low	Low	Low
3572	648	1		1	3	1			36	66	11		530	216	271	27	1		30	50	80	Low	Medium	Medium
3573	518			3	9	5			155				196	278	156	10	9		33	21	54	Low	Low	Low
3574	554			1	2					34	3		485	24	7				30	3	33	Low	Low	Low
3575	529			3	9	2							427	354	67	6			35	12	47	Low	Low	Low
3576	222				11	2	1				2	3	214	13	2	3	6		42	22	63	Medium	Low	Low
3578	246				2					1			227	11					38	1	39	Low	Low	Low
3579	420			3	3								301	56	2	1	2	3	39	4	43	Low	Low	Low
3580	375			4	6				10	2	3		64	205	47	9	29		42	20	61	Medium	Low	Low
3581	630			9	12	2			76	17	7	12	372	156	250	121	25	35	38	44	82	Low	Medium	Medium
3583	312								36	10	9	2	92	136	5				46	11	57	Medium	Low	Low
3584	255					1			52		3		7	166					47	11	58	Medium	Low	Low
3585	203			1	4	1							200	117	3				42	9	51	Medium	Low	Low
3586	355				5				32	9			217	151	198				37	18	56	Low	Low	Low
3587	372			3	11	4				3	3		167	121	70	2	10		33	16	49	Low	Low	Low
3588	435				5					29	1		403	273	17				43	10	52	Medium	Low	Low
3589	358			4	3	2	3	2	2	9	16	9	318	128	182	22			30	53	83	Low	Medium	Medium
3591	368				5				97	9			106	198	163				47	19	66	Medium	Low	Medium
3592	581				5	4			14	3	2	3	557	251	72	40	42	43	31	36	67	Low	Medium	Medium
3593	369				6								257	190	80				50	11	61	Medium	Low	Low
3594	459				4	2			0	10	12		431	151	66	4	6	10	32	17	49	Low	Low	Low
3595	838		2	4	9	4			194		2	2	45	387	226	41	32	120	49	50	99	Medium	Medium	High
3596	738		2	3	15	4			73		1	1	486	382	175	53	35	11	38	26	64	Low	Medium	Low
3597	247			3	3	2							214	118	43	6	31	26	49	46	95	Medium	Medium	Medium
3598	400				1									168	170	9	7		37	16	53	Low	Low	Low
3599	233			3	2									20					33	2	35	Low	Low	Low
3600	971				16	4							446	213	67	13	24	25	31	14	45	Low	Low	Low
3601	489			2	2		1		189		2	2	129	220	42	6			23	16	39	Low	Low	Low
3602	297			1	2	1							289	173	68				34	12	46	Low	Low	Low
3603	298		1		3				11	8	4		275	161	122				34	17	51	Low	Low	Low
3604	84													10					51	1	52	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3605	1,037			3	12	1			86				269	686	42				31	10	40	Low	Low	Low
3606	609				5				31				574	158	3				19	4	23	Low	Low	Low
3607	1,172			1	19	2			4	3	3	2	1143	764	169	6	16	3	32	14	46	Low	Low	Low
3608	414			1	2				51	29			331	119	229	62			34	25	59	Low	Medium	Low
3609	178			1	2	2			7	4	2		164	47	3	15			42	13	54	Medium	Low	Low
3610	1,184			1	15	1			89	11			232	900	202				30	13	44	Low	Low	Low
3611	693			2	7					16			436	268					28	5	33	Low	Low	Low
3612	437		3	3	4	1			31	3	6		31	155	14	2			22	8	30	Low	Low	Low
3614	223			2	2									1					49	1	49	Medium	Low	Low
3615	220			4	3				131					103	38				49	15	64	Medium	Low	Low
3616	1,652			4	2	1	1		304				192	1490	49				43	13	55	Medium	Low	Low
3617	1,588			2	4	1				2	4	3	192	947	191	3	4		51	10	61	Medium	Low	Low
3619	172			2	3								170	70	100				58	17	75	High	Low	Medium
3620	350	1		3	9	4			149	9			116	109	64	64	41	38	50	100	150	Medium	High	High
3621	440			2	8	1			13	5	9		409	69	34	13	8		40	11	51	Medium	Low	Low
3622	419			8	5								24	275	120				58	13	71	High	Low	Medium
3623	608				2				285	21			299	492	6				24	14	38	Low	Low	Low
3624	290		1	4	4				80				169	75	52	87	45	13	53	50	103	Medium	Medium	High
3625	375	1		1	2	3			139	8	10	4	132	51	145	66	14	78	50	100	150	Medium	High	High
3626	736			2	10	2			398	55	36	4	97	413	32				28	21	49	Low	Low	Low
3627	482			3	5	2			58	24	5		374	259	53	17			40	14	55	Medium	Low	Low
3629	629			2	5	2			71	23	37		3	384	90	3			22	18	41	Low	Low	Low
3630	420								204	14	7		193	164	18	14			33	14	47	Low	Low	Low
3631	408		1	3	8	1			44		8		308	267	53				34	15	49	Low	Low	Low
3632	267			1	1	1								168	87	3			62	15	77	High	Low	Medium
3633	414			3	8	1					7	2	399	139	60	20			38	14	51	Low	Low	Low
3634	597												115	206					23	3	26	Low	Low	Low
3635	159				1				17	6	8	12	115	84	5				30	29	58	Low	Medium	Low
3637	608			2	9	2				4	4	2	87	333					28	9	37	Low	Low	Low
3638	187			4	2	3		1						48	111	24			40	36	75	Low	Medium	Medium
3640	206			2										128	19				50	8	58	Medium	Low	Low
3641	367			5	1	1								181	145	16	5		42	17	60	Medium	Low	Low
3642	227			2	1	1	1							130	64				38	20	57	Low	Low	Low
3643	190				1									61	17				50	6	55	Medium	Low	Low
3644	211			1	3	1							6	80					52	6	58	Medium	Low	Low
3645	292				2	5								128	7				51	9	60	Medium	Low	Low
3646	233				3	1			40	3	2	6		17	177	27	7		51	35	86	Medium	Medium	Medium
3647	273				3									144	100	8			49	15	64	Medium	Low	Low
3648	231			2	3								45	120	85	17			51	18	69	Medium	Low	Medium
3649	491		1	8	3	1								347	98				50	12	62	Medium	Low	Low
3651	289				2									170	12	15			48	10	58	Medium	Low	Low
3652	504		1	3	1				94	8	3		7	254	227	18			50	19	68	Medium	Low	Medium
3653	367			5	18	1					8		312	31					49	8	58	Medium	Low	Low
3654	196		1	1	1									118	51	16			49	16	65	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3655	227			1	1				69	3	2	2	106	105	66	4	7	37	31	53	84	Low	Medium	Medium
3656	279			1	4				33	2	3		5	52	212	11			40	23	63	Medium	Low	Low
3657	294			1	3	2	1		52				227	100	147	18	14		49	31	80	Medium	Medium	Medium
3658	165			3	2								105	116	33				37	12	49	Low	Low	Low
3659	333					2								103	179	22			39	18	57	Low	Low	Low
3660	244					1			39	31	5		80	111	60	19	3	27	30	44	73	Low	Medium	Medium
3662	378	1			4	2			54	10	8	3	144	123	71	37	30	21	50	92	142	Medium	High	High
3663	171			1	1				99				48	108	56				46	19	66	Medium	Low	Medium
3665	536			5	6	1			85	12	13	6	391	315	31	10	9		20	18	37	Low	Low	Low
3666	284		1	3									92	7					50	0	50	Medium	Low	Low
3667	583			1	12	2			60	14	11	1	452	195	25				20	11	30	Low	Low	Low
3668	344		1	2	6	12			22	14	4	2	169	133	16	20	40	70	39	73	111	Low	High	High
3669	378	1	1		8	3			24	4	7	2	169	116	59	28	27	89	50	100	150	Medium	High	High
3671	780		2		12	6			27				406	63	437	59	19	181	37	68	105	Low	High	High
3672	232			2	3								101	170	13				50	10	59	Medium	Low	Low
3673	487		1	1	4	2			51		3		180		95	176	19	185	32	100	132	Low	High	High
3674	307			3	4				118		2	6	120	29	178	93	1	2	41	39	80	Medium	Medium	Medium
3675	737				9	1			202	23	19	4	335	567	58	18	4		24	20	43	Low	Low	Low
3677	443		1	2	8	10						1		272	25	5	35	93	33	64	97	Low	High	Medium
3678	405			1	7				131		3		113	17	246	29	12	91	34	70	104	Low	High	High
3679	843			11	48	11	3	3	5	5	4			311	44	9			50	27	77	Medium	Medium	Medium
3680	1,209			1	1	2			186	34	41	106	131	310	268	108	27		34	37	72	Low	Medium	Medium
3681	353		2	1	3	7	1						75	56	207	3	13	63	32	62	94	Low	High	Medium
3682	974			8	14	6			113	19	13	7	726	323	282	28	61	158	39	56	95	Low	Medium	Medium
3683	921			5	21	7			220	18	10		12	389	207	46	25	4	51	22	73	Medium	Low	Medium
3687	629				5	3				3	4	3	410	323	243	3	15	20	45	25	70	Medium	Medium	Medium
3689	281				1	3								177					52	9	60	Medium	Low	Low
3690	187				4				35		9	4	138	35	47	4	5	87	34	100	134	Low	High	High
3691	201				3				30	7	21	6	135	22	53	23	25	65	34	100	134	Low	High	High
3695	1,154			1	21	4				4	3	3	117	429	53	10	14		51	10	60	Medium	Low	Low
3696	503			1	2	3			163	27	3		155	178	42	4			44	12	56	Medium	Low	Low
3697	1,032			6	21	7				3	9			588	144	7			50	13	64	Medium	Low	Low
3698	479												476	202	39	8			18	7	25	Low	Low	Low
3699	268			3	5	1			28		33	21	181	47	134	16	9	50	34	87	121	Low	High	High
3700	245		1	3	1				12	8				35	4				19	3	22	Low	Low	Low
3701	469			4		1							408	286					30	7	37	Low	Low	Low
3702	292			2	5	2			48	7			18	41					48	7	55	Medium	Low	Low
3703	277		1		12	2			31	15	11		205	10	86	40	29	104	34	100	134	Low	High	High
3704	542			3	3	2			60	23	8	53	367	188	52	74	19	7	30	43	73	Low	Medium	Medium
3705	309				1				10	7			6	241	7				26	9	35	Low	Low	Low
3706	268			3	2				67	6	3			241	24				47	16	63	Medium	Low	Low
3707	380	1		3	13	4			46	7	6	3	132	85	41	33	23	44	50	100	150	Medium	High	High
3708	441		1		7	15								118	109	29	59	22	40	43	83	Medium	Medium	Medium
3709	446				1					4	4	14	417	311	117				26	20	46	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3710	707			6	5	1								224	72				49	6	56	Medium	Low	Low
3711	379				7	7								32	201	20	11	104	39	77	117	Low	High	High
3712	379			1	7	1			139	27	12	3	107	32	138	71	21	102	50	89	139	Medium	High	High
3713	462			4	5	3			40	10	2	4	400	18	209	70	8	141	34	86	119	Low	High	High
3714	736			7	3									572	107				49	11	61	Medium	Low	Low
3715	357			1	3	3			56	33	7	5	178	110	154	35	17	27	29	47	76	Low	Medium	Medium
3717	405				3	1				1	3		385	149	179	11	21	35	34	38	73	Low	Medium	Medium
3718	624			5	5				51				21	43					53	2	55	Medium	Low	Low
3719	209				4	1		1				4	201	136					21	23	44	Low	Low	Low
3720	162			2	2	5	1							61	25	2	4	62	41	100	141	Medium	High	High
3723	185				2					1	6		174	136	14	3	6		21	17	38	Low	Low	Low
3724	312				2	1	1	2			2	8	300	101	10	21	34	26	32	60	91	Low	High	Medium
3725	703		2	8	6								156	239	353	56	15	31	47	29	77	Medium	Medium	Medium
3726	1,333			10	7					2	2		293	1044	270	1	2	5	41	14	55	Medium	Low	Low
3727	162												160	3	7				21	1	22	Low	Low	Low
3728	327				2	3					2	2	316	88	4	6	58	43	31	52	83	Low	Medium	Medium
3729	779			5	2	1								598	142	25			51	13	65	Medium	Low	Medium
3730	165												165	152	5	2	4		29	13	41	Low	Low	Low
3731	735		1	6	14	7			67				135	469	137	6			44	15	59	Medium	Low	Low
3732	271				2	2							165	106	3				21	6	27	Low	Low	Low
3733	635			1	5	1								486	18				53	9	62	Medium	Low	Low
3734	737			5	4				26					253	237	13			52	12	64	Medium	Low	Low
3735	1,334			6					310	35			390	508	267				40	11	51	Low	Low	Low
3737	250					2			50	3	2	3	190	199	18	10	1	4	29	22	51	Low	Low	Low
3738	219								30	17	2		11	18	9	6			21	7	28	Low	Low	Low
3739	235			1	3	1							175	152	66	1	7		29	17	47	Low	Low	Low
3740	211				2	2				6	2	10	192	85	19	14	19	21	34	52	86	Low	Medium	Medium
3741	297				1				19	29	22		2	232	11				21	19	40	Low	Low	Low
3742	379			4					152					309	66				46	16	62	Medium	Low	Low
3743	1,006		1	2	13	12			75	10	19	4	3	317	396	25	75	157	37	58	95	Low	High	Medium
3744	655			3	1				338					466	23				28	13	42	Low	Low	Low
3745	203				3	1		2		3	2	5	191	26	24	15	15		34	43	77	Low	Medium	Medium
3746	546			3	13	8			27				197	162	28	7			51	10	61	Medium	Low	Low
3747	496				7	3		1	1	5			334	261	15				51	13	63	Medium	Low	Low
3748	989				27								955	471	80				22	9	31	Low	Low	Low
3749	760			5	3	8	1				2	3		28	358	91	8	257	36	90	126	Low	High	High
3750	494		1	1	4				175					343	24				46	12	58	Medium	Low	Low
3751	462				2					12	7		47	349	13				26	11	37	Low	Low	Low
3752	1,021				1								991	200	4				22	2	24	Low	Low	Low
3753	600			1	1	1	1						291	448	21	7			20	12	32	Low	Low	Low
3754	444				2				37	14	9	6	38	17	27	4	1	1	25	9	34	Low	Low	Low
3755	273			3	4	2							257	97	61	28	3		50	17	67	Medium	Low	Medium
3756	245								200				11	175	25	2	8		34	21	55	Low	Low	Low
3757	651			1					233	25	5	16	367	543	44	9			19	20	40	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3758	605			6	3	1			99	16	41	5	379	348	12				31	18	48	Low	Low	Low
3759	273			2	4	2			93				153	37	71	44	7		50	24	73	Medium	Low	Medium
3760	798				11	2							562	407	133	7			37	11	48	Low	Low	Low
3761	324			2	4	1								139					50	6	56	Medium	Low	Low
3762	256				5	1			214					19	3	5			33	13	46	Low	Low	Low
3763	266				2	1			161					29	72	51	14	90	34	97	130	Low	High	High
3764	271				9	1			91	5	6	6		72	48	8	11	112	34	100	134	Low	High	High
3765	351			2	4	2								217	44				49	11	60	Medium	Low	Low
3766	211			2	4									21	163	24			40	24	64	Medium	Medium	Low
3767	856				4								605	423					35	5	40	Low	Low	Low
3768	233								66					156					41	10	51	Medium	Low	Low
3770	505			1	7	1			58	24	47	4	354	182	50	24			29	23	52	Low	Low	Low
3772	180			1	5									96	18	9			50	13	62	Medium	Low	Low
3773	169			2	4									90	78				48	17	64	Medium	Low	Low
3774	247		1	1	3									225	14				36	11	47	Low	Low	Low
3775	201				3				71	2	3	4	7	126	51	1	6		30	25	55	Low	Medium	Low
3777	252		1	2	2		1	1	67	10			8	194	33				37	29	66	Low	Medium	Medium
3778	219			3	1								21	155	53				29	12	42	Low	Low	Low
3779	341		3	3	6	2			81	7	8	14	227	5	112	99	11	104	33	100	133	Low	High	High
3780	640				7	1					1	4	625	74					19	4	23	Low	Low	Low
3781	179		1		5	2			22					56	27	9	1		45	15	61	Medium	Low	Low
3782	334			3	10	2		1	106	22	5	5	194	96	98	6	14	108	32	98	130	Low	High	High
3783	203				1	2			70					38	57	30	7	20	50	44	93	Medium	Medium	Medium
3784	404			2	3	2							210	58	195	6	6	128	31	78	110	Low	High	High
3785	173				3	1			9					70	47	12	20	8	47	37	84	Medium	Medium	Medium
3786	511			3	9	2			48				147	124	29	4			46	7	53	Medium	Low	Low
3787	481			1	4				126				111	326	102				47	14	62	Medium	Low	Low
3788	632			1	2		1	1					628	97					19	8	26	Low	Low	Low
3789	707			5	12	9			176	5			18	193	108	37	23	5	46	20	66	Medium	Low	Medium
3791	395									10	3		282	64	17				26	4	30	Low	Low	Low
3793	574			1	5	1			115	7	9	10	369	106	24	71	75	24	31	39	69	Low	Medium	Medium
3795	420		1		5	1							214	11	143	80	18	157	31	97	128	Low	High	High
3796	208				1	1								188	17				48	12	60	Medium	Low	Low
3797	472			3	6				144	21			71	11	329	113	13		47	34	81	Medium	Medium	Medium
3798	595				1				20	13	12	8	455	294	3				22	11	33	Low	Low	Low
3799	214			1	7				7					12	162	10	13	13	30	40	70	Low	Medium	Medium
3800	416				1	3				9	4		285	113					31	6	37	Low	Low	Low
3801	272			1	4				58	21			132	173	53	13	22	6	29	30	59	Low	Medium	Low
3802	420			5	5	3			118	14	6		277	149	13	25	78	33	30	49	79	Low	Medium	Medium
3803	176				2									72					48	5	54	Medium	Low	Low
3804	374			4		2			63				310	317	3				22	11	33	Low	Low	Low
3805	258			1	3	1	1								45	117	2	88	30	100	130	Low	High	High
3806	554			1					96	11	9	2	430	380	124	18			18	17	35	Low	Low	Low
3807	183				2	1							4	69					48	6	54	Medium	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3808	787	1		7	3				109	1	2		405	131					19	29	48	Low	Medium	Low
3809	414			2	2	1							276	214	22				28	7	35	Low	Low	Low
3810	236			4	8	1			69	7			3	69	3				39	11	50	Low	Low	Low
3811	201				1									130	23	1	6		48	12	61	Medium	Low	Low
3812	260			2	4			1	46	4			115	121	39	10	6	37	29	52	80	Low	Medium	Medium
3813	776			5	8	1			30	3	2	3	353	311	64	19	11	9	19	13	32	Low	Low	Low
3814	338			4	2	3							250	115	30	23	41	47	30	51	81	Low	Medium	Medium
3815	205			1	4	2	1							162	28				46	22	69	Medium	Low	Medium
3816	170			3	1						0		167	3	2	13	20	7	30	25	55	Low	Medium	Low
3817	175			2	2	3								16	104	23	12	16	46	49	95	Medium	Medium	Medium
3818	404			3	14									104	10				47	7	53	Medium	Low	Low
3820	454			8	3	1			49				192	47	20				35	4	39	Low	Low	Low
3821	331			1	4	2			35	3	2	2	205	235	69	1	2	19	28	29	57	Low	Medium	Low
3822	394		1	3	9	2				2	5		2	192	150	26			47	20	67	Medium	Low	Medium
3823	152					1				3				69	18	12	13		49	21	70	Medium	Low	Medium
3824	389			3	6	3			40	12			244	19	170	61	18	109	28	82	111	Low	High	High
3825	562		1	1	3	1			27	2	4		197	365	2	2	5		29	10	39	Low	Low	Low
3826	316				7									105	17				49	7	55	Medium	Low	Low
3827	1,310			2	2	2			44	7	3	6		714	64	31	8	4	44	11	55	Medium	Low	Low
3828	642			2	7								191	429	199				29	14	43	Low	Low	Low
3829	586				9	3				9			221	207	11	2			45	7	52	Medium	Low	Low
3830	1,336			2	3									1019	48	3	4	3	51	9	60	Medium	Low	Low
3831	487				6				181	13	14		72	352	100	11			31	21	51	Low	Low	Low
3832	245			4	2	1			39	8	8		129	69					42	10	52	Medium	Low	Low
3833	484			2	2	1			93	17	18		32	28	9				31	8	39	Low	Low	Low
3835	712			2	7	4							220	295	6	3	5		46	7	53	Medium	Low	Low
3836	273				1	1							269	99	23	9	39	56	28	63	91	Low	High	Medium
3837	573				7				102				82	483	73	1	5		28	15	42	Low	Low	Low
3838	258			2	4		1						256	36	2	5	19	7	28	23	51	Low	Low	Low
3839	647				5	3			118	35	13	5	145	547	37	4			19	18	37	Low	Low	Low
3840	275				1	1			25	14	28	8	192	36	9				18	21	38	Low	Low	Low
3843	665			2	8	3			95	6	5	5	465	76	1	1	5		28	8	36	Low	Low	Low
3844	612									18	4	6	196	364	24				15	10	25	Low	Low	Low
3845	713			5	9	1							492	447	219	16	5		27	16	42	Low	Low	Low
3846	258				4	1			34	9	8	2	183	147	24	8	14		18	24	41	Low	Low	Low
3847	40																		48	0	48	Medium	Low	Low
3848	643			3	6					6			438	500	58				28	11	38	Low	Low	Low
3850	275	1			5	3							3	122	75	11	14	14	43	100	143	Medium	High	High
3853	346				2				39	4	2		248	225	40				30	11	42	Low	Low	Low
3854	429				3	2			35	4	4		305	242	10	50	14		30	19	49	Low	Low	Low
3855	423			3	8	1			77				263	162	218	31			27	22	49	Low	Low	Low
3856	242				4	1			9	6	6	1	216	160	3	21			31	18	48	Low	Low	Low
3857	421			3	9				46	10			309	259	36	2	6		27	13	40	Low	Low	Low
3858	334				9								329	246					30	10	40	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
3859	50				2								50	30					46	10	56	Medium	Low	Low
3860	873			2	9	1				2	6	1	628	624	74				22	11	33	Low	Low	Low
3861	854				12	4				19			637	611	44	4	6		21	12	33	Low	Low	Low
3862	564			1	4				28		5		4	138	78	8	8		17	9	27	Low	Low	Low
3863	531	1	1		4	2				12	5			306	22				17	47	64	Low	Medium	Low
3864	346		1	2	7	2			44	9			57	112	216	13			46	23	68	Medium	Low	Medium
3865	255				5	1			16	5			232	186	30	8	2	6	23	20	43	Low	Low	Low
3866	898		2	6	11	1			75	8			628	115	6	5	8	21	28	10	37	Low	Low	Low
3867	438				5	1			88	21	17	6	224	313	66	16	3		24	24	48	Low	Low	Low
3868	417				6	3			54	13	18	15	237	243	8				25	23	48	Low	Low	Low
3869	938		2		7	1			181	16	2		528	589	146	46	4	16	28	19	47	Low	Low	Low
3870	454			3	6	1			76				278	320	28	24	17	39	26	35	61	Low	Medium	Low
3871	385				3	1							364	184	90	19	37	4	26	25	51	Low	Medium	Low
3872	445				3								139	272	79	6			18	11	28	Low	Low	Low
3873	301				5					3	5			151					22	9	30	Low	Low	Low
3874	130												127	80	5	4			25	8	33	Low	Low	Low
3875	1,122				12	1				4	3		838	675	204	11			22	12	33	Low	Low	Low
3876	161		1	5	1				28	3	5		20	83	15	6	14		25	23	48	Low	Low	Low
3877	191			2	2				163	8	6	1	12	157	2	4	3		25	26	51	Low	Medium	Low
3879	1,181				6	2			222	6	4	5	809	426	621	80	11	5	22	23	45	Low	Low	Low
3880	305				2	1			6				217	231	25	11			25	13	38	Low	Low	Low
3881	218				1	2			46	4	4	18	144	140	21				25	32	57	Low	Medium	Low
3882	386				4				4	4			93	350	3				25	11	36	Low	Low	Low
3883	353				2	1				16	45	76	173	179	158				25	72	97	Low	High	Medium
3884	359				1				37	8	0	37	275	246	33				25	31	56	Low	Medium	Low
3885	385				5				18	8	13	10	329	251	53				25	20	45	Low	Low	Low
3886	843				7	1			25	18	2	5	176	558	55	27			25	13	38	Low	Low	Low
3887	1,053			2	10	4			11	18	96	35	812	883	114				25	28	53	Low	Medium	Low
3888	1,129			1			1							540	58				34	7	41	Low	Low	Low
3889	1,045													500	82				29	6	35	Low	Low	Low
3890	1,546					2								464	97	6			32	5	36	Low	Low	Low
3891	1,216				5	13	1		322	113	34	5	114	398	316	172	13		41	29	70	Medium	Medium	Medium
3892	1,206			1		3			22					408	29				31	5	35	Low	Low	Low
3893	966			3	27	12							78	504	15				50	11	61	Medium	Low	Low
3894	930				26	5				44	39		839	461	322				35	21	56	Low	Low	Low
3895	1,405			1	15	8			10	12			1379	498	8				32	6	38	Low	Low	Low
3896	1,395			4	34	7				13	16	22	1327	861	266	5			36	18	54	Low	Low	Low
3897	908				15	4	1				3		493	169	17	10			31	7	38	Low	Low	Low
3898	1,720			1	6	4			286	12	8	12	43	970	45				38	11	49	Low	Low	Low
3899	2,220			4	8	4		2	406	71	73	19		537	196	206	114		24	24	48	Low	Low	Low
4000	1,625			2	1				324				952	1226	11				30	10	40	Low	Low	Low
4001	1,718				8	1			655	20	1		207	1181	196	12			50	14	64	Medium	Low	Low
4002	1,741				21	3			107				1619	230	1021	471			21	29	50	Low	Medium	Low
4003	1,122				30									281	794	38			21	21	42	Low	Low	Low

Sidewalk Data



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
4004	1,277			2	6				98	6	17	7		545	30	9			25	9	34	Low	Low	Low
4005	1,340			3	3	1								632	93	2			40	7	46	Low	Low	Low
4006	1,768			5	14	14	1				1	2		507	201	123	121	66	20	26	47	Low	Medium	Low
4007	1,477			11	25	7								485	363	65	93	172	19	43	62	Low	Medium	Low
4008	440			3	5	3								232	19	34	23	44	22	38	60	Low	Medium	Low
4009	1,214			5	29					4	6		184	790	66	27	5	4	54	13	67	Medium	Low	Medium
4010	547				1				81	52	35	16	102	430	25				23	25	48	Low	Medium	Low
4011	300			3	5	1								213	59	4	4		67	15	83	High	Low	Medium
4012	216			1	4				47	6	2	5	93	61	98	8	13	27	51	55	105	Medium	Medium	High
4013	228			1	2			1	70	4	4	1	87	62	84	39	5	22	53	56	109	Medium	Medium	High
4014	488			8	9	1				4	5	4	268	148	18	1	2	20	27	18	45	Low	Low	Low
4015	424								40	53	82	13	144	370	27				22	39	61	Low	Medium	Low
4016	229		2		7	2			36	4	5		12	65	11				45	13	58	Medium	Low	Low
4017	215				1				60				98	116					60	9	68	High	Low	Medium
4018	204				3								17	96	35	18	0	11	42	25	66	Medium	Medium	Medium
4019	402			1	8	2			62	5	8			200	146	1	3		60	20	80	High	Low	Medium
4020	303				2								64	162	128				34	14	49	Low	Low	Low
4021	296				8	2							294	116	121	3			54	17	70	Medium	Low	Medium
4022	170			4	1	2			35	1	2		112	28	25	9	3		40	15	55	Low	Low	Low
4023	195													96	7	7			39	7	46	Low	Low	Low
4024	190					2								90					48	7	54	Medium	Low	Low
4025	331								109	19	6	8		43					47	12	59	Medium	Low	Low
4026	102				1									29					49	4	52	Medium	Low	Low
4027	101				1									36					49	5	53	Medium	Low	Low
4028	401			4	2				68				152	335	11	4			33	12	44	Low	Low	Low
4029	229			1	4	3			36					35	15	7	7		65	13	78	High	Low	Medium
4030	262				2	1								133	33	8			69	11	80	High	Low	Medium
4031	163													130	3				48	8	56	Medium	Low	Low



Curb Ramp Data Reference Guide:

The following list is reference documentation for the headers (1-26) in the curb ramp data spreadsheet.

1. Curb Ramp ID
2. Ramp Type
3. Alignment with Marked Crosswalks
4. Presence of Clear Space at Bottom of Diagonal Ramp
5. Detectable Warning Surface
6. Fixed Obstruction
7. Gutter-Ramp Transition
8. Panel Size
9. Ramp Width
10. Ramp Panel Running Slope
11. Ramp Panel Cross Slope
12. Flares
13. Returned Curbs
14. Comments
15. Landing Panel Slope
16. Gutter Running Slope
17. Gutter Cross Slope
18. Gutter Cross Slope Measurement
19. Gutter Running Slope Measurement
20. Ramp Within Marked Crossings
21. Activity Score
22. Impedance Score
23. Final Score
24. Activity Ranking
25. Impedance Ranking
26. Final Ranking

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	> 4%	5% or less		47	20	67	Medium	Low	Low
2	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		53	23	76	Medium	Low	Low
3	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		46	46	92	Medium	Medium	Medium
4	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		60	36	96	High	Medium	Medium
5	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		55	31	86	Medium	Low	Medium
6	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		55	41	96	Medium	Medium	Medium
7	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		44	51	95	Medium	Medium	Medium
9	Perpendicular	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		47	36	83	Medium	Medium	Medium
10	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		49	51	100	Medium	Medium	Medium
11	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		61	40	101	High	Medium	Medium
12	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		50	36	86	Medium	Medium	Medium
13	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		51	21	72	Medium	Low	Low
14	Perpendicular	T	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less		61	28	89	High	Low	Medium
15	Perpendicular	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less		60	38	98	High	Medium	Medium
16	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		52	36	88	Medium	Medium	Medium
17	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8		52	62	114	Medium	Medium	Medium
18	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		52	47	99	Medium	Medium	Medium
19	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%		62	52	114	High	Medium	Medium
20	Perpendicular	F	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		62	46	108	High	Medium	Medium
21	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	< 2%	10% or less	None	F	F	F	> 4%	> 8.1%		62	51	113	High	Medium	Medium
22	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		62	36	98	High	Medium	Medium
23	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		63	53	116	High	Medium	Medium
24	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		63	36	99	High	Medium	Medium
25	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		60	31	91	High	Low	Medium
26	Perpendicular	T	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		45	33	78	Medium	Medium	Low
27	Perpendicular	T	T	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		63	43	106	High	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
28	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	Non-Compliant	F	F	T	2% or less	5.1% to 8		65	33	98	High	Medium	Medium
33	Perpendicular	T	T	F	OK	F	None	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		52	22	74	Medium	Low	Low
34	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less		47	25	72	Medium	Low	Low
35	Perpendicular	T	T	T	Light Pole	T	>= 48 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		50	22	72	Medium	Low	Low
36	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		53	22	75	Medium	Low	Low
37	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8		55	31	86	Medium	Low	Medium
38	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		55	43	98	Medium	Medium	Medium
39	Perpendicular	T	T	F	flower bed	F	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		65	43	108	High	Medium	Medium
40	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	T	2% or less	5.1% to 8		48	43	91	Medium	Medium	Medium
41	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		38	20	58	Low	Low	Low
42	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8		48	36	84	Medium	Medium	Medium
43	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		51	21	72	Medium	Low	Low
44	Perpendicular	T	T	F	Grating	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		62	38	100	High	Medium	Medium
45	Perpendicular	T	T	F	Sign Pole	T	36-47 in	>= 48 in	> 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		62	51	113	High	Medium	Medium
46	Perpendicular	T	T	F	Grating	T	None	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		79	33	112	High	Medium	Medium
47	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		79	22	101	High	Low	Medium
48	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		63	5	68	High	Low	Low
49	Perpendicular	T	T	T	Sign Pole	T	36-47 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		58	19	77	Medium	Low	Low
50	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		67	16	83	High	Low	Medium
51	Directional	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		52	41	93	Medium	Medium	Medium
52	Perpendicular	T	T	F	OK	F	< 36 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		59	38	97	Medium	Medium	Medium
53	Directional	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		60	38	98	High	Medium	Medium
54	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		66	36	102	High	Medium	Medium
55	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		66	36	102	High	Medium	Medium
57	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		44	18	62	Medium	Low	Low
58	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		57	33	90	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
59	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%		62	47	109	High	Medium	Medium
60	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		51	33	84	Medium	Medium	Medium
61	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%		60	52	112	High	Medium	Medium
62	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less		60	25	85	High	Low	Medium
63	Perpendicular	F	T	F	OK	F	36-47 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		47	45	92	Medium	Medium	Medium
64	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	F	2% - 4%	5% or less		55	27	82	Medium	Low	Medium
65	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		55	22	77	Medium	Low	Low
66	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		38	35	73	Low	Medium	Low
67	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	F	F	2% - 4%	5.1% to 8		38	35	73	Low	Medium	Low
68	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	Non-Compliant	T	T	F	2% - 4%	5% or less		42	40	82	Low	Medium	Medium
69	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	F	2% - 4%	5.1% to 8		47	40	87	Medium	Medium	Medium
70	Directional	F	F	F	grate on landing pad	T	>= 48 in	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	F	T	2% or less	> 8.1%		45	57	102	Medium	Medium	Medium
71	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		51	15	66	Medium	Low	Low
72	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		62	31	93	High	Low	Medium
73	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		65	0	65	High	Low	Low
74	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		62	11	73	High	Low	Low
75	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	Compliant	T	T	T	2% or less	5% or less		62	10	72	High	Low	Low
76	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		62	0	62	High	Low	Low
77	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		50	19	69	Medium	Low	Low
78	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F				64	36	100	High	Medium	Medium
79	Parallel	F	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F				65	56	121	High	Medium	High
80	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F				65	51	116	High	Medium	Medium
81	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F				65	51	116	High	Medium	Medium
82	Diagonal	T	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	T				67	21	88	High	Low	Medium
83	Diagonal	T	T	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	T				65	21	86	High	Low	Medium
84	Perpendicular	F	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		65	27	92	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
85	Perpendicular	T	T	F	OK	T	None	< 36 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				65	19	84	High	Low	Medium
86	Diagonal	F	F	F	OK	F	< 36 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	T				68	59	127	High	Medium	High
87	Directional	T	F	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F				50	43	93	Medium	Medium	Medium
88	Directional	T	F	F	OK	F	< 36 in	< 36 in	> 10%	< 2%	10% or less	None	T	T	T				65	38	103	High	Medium	Medium
89	Directional	F	F	F	Bollard	F	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F				60	69	129	High	Medium	High
90	Directional	F	F	F	OK	T	None	< 36 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				60	45	105	High	Medium	Medium
91	Directional	F	F	F	OK	T	None	< 36 in	< 8.3%	> 4%	10% or less	None	F	T	F				55	38	93	Medium	Medium	Medium
92	Directional	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	T				55	58	113	Medium	Medium	Medium
93	Directional	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		55	36	91	Medium	Medium	Medium
94	Directional	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		55	43	98	Medium	Medium	Medium
95	Directional	T	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less		56	26	82	Medium	Low	Medium
96	Directional	F	F	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				56	43	99	Medium	Medium	Medium
97	Directional	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	> 12%	None	F	F	T				47	60	107	Medium	Medium	Medium
98	Directional	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	T				42	53	95	Low	Medium	Medium
99	Perpendicular	F	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	T				39	54	93	Low	Medium	Medium
100	Directional	F	F	F	OK	T	< 36 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F				37	37	74	Low	Medium	Low
101	Directional	F	F	F	OK	F	< 36 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	T				35	44	79	Low	Medium	Low
102	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F				38	46	84	Low	Medium	Medium
103	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F				39	46	85	Low	Medium	Medium
104	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	T	T				54	25	79	Medium	Low	Low
105	Directional	F	F	T	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				56	13	69	Medium	Low	Low
106	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				46	20	66	Medium	Low	Low
107	Directional	F	F	F	OK	T	None	< 36 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				44	30	74	Medium	Low	Low
108	Directional	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F				46	32	78	Medium	Medium	Low
109	Directional	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T				46	26	72	Medium	Low	Low
110	Directional	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T				46	32	78	Medium	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
111	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F				47	41	88	Medium	Medium	Medium
112	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	T				53	25	78	Medium	Low	Low
113	Directional	F	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				53	38	91	Medium	Medium	Medium
114	Directional	F	F	F	OK	F	None	< 36 in	< 8.3%	< 2%	> 12%	None	F	F	T				55	40	95	Medium	Medium	Medium
115	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				52	48	100	Medium	Medium	Medium
116	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				53	31	84	Medium	Low	Medium
117	Directional	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	None	None	F	T	T				52	53	105	Medium	Medium	Medium
118	Directional	F	F	F	OK	F	None	< 36 in	< 8.3%	> 4%	None	None	F	T	F				52	48	100	Medium	Medium	Medium
119	Directional	F	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	F	T				52	26	78	Medium	Low	Low
120	Directional	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	None	None	F	F	T				52	41	93	Medium	Medium	Medium
121	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	T				63	33	96	High	Medium	Medium
122	Directional	T	F	F	plants	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				61	33	94	High	Medium	Medium
123	Directional	T	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				45	24	69	Medium	Low	Low
124	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F				45	38	83	Medium	Medium	Medium
125	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	T	T	F				45	47	92	Medium	Medium	Medium
126	Directional	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F				45	43	88	Medium	Medium	Medium
127	Directional	F	F	F	OK	T	< 36 in	36-47 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	T				50	43	93	Medium	Medium	Medium
128	Directional	F	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T				50	41	91	Medium	Medium	Medium
129	Perpendicular	T	T	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		87	28	115	High	Low	Medium
130	Directional	T	F	F	OK	T	None	36-47 in	> 10%	< 2%	10% or less	None	F	T	T				87	21	108	High	Low	Medium
131	Directional	T	F	F	OK	T	None	< 36 in	< 8.3%	2% - 4%	10% or less	None	F	F	T				86	23	109	High	Low	Medium
132	Directional	T	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	T				81	26	107	High	Low	Medium
133	Island \ Median	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T				78	28	106	High	Low	Medium
134	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	10% or less	None	F	F	F				78	41	119	High	Medium	High
135	Island \ Median	T	T	F	Ped Pole	T	< 36 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T				78	39	117	High	Medium	Medium
136	Directional	T	F	F	OK	T	None	< 36 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F				78	34	112	High	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
142	Directional	T	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	Compliant	F	T	T				88	11	99	High	Low	Medium
143	Diagonal	T	T	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	T				74	43	117	High	Medium	Medium
146	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	F	T				74	42	116	High	Medium	Medium
147	Directional	T	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	T				74	32	106	High	Medium	Medium
166	Directional	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T				66	26	92	High	Low	Medium
167	Directional	F	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				76	31	107	High	Low	Medium
168	Directional	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				67	22	89	High	Low	Medium
169	Directional	F	F	F	OK	T	None	< 36 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T				66	33	99	High	Medium	Medium
170	Diagonal	F	T	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				69	36	105	High	Medium	Medium
171	Diagonal	F	T	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				69	27	96	High	Low	Medium
172	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				76	37	113	High	Medium	Medium
173	Diagonal	T	F	F	OK	F	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				69	26	95	High	Low	Medium
174	Diagonal	T	T	F	OK	F	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				69	21	90	High	Low	Medium
175	Diagonal	T	T	F	Light Pole	T	< 36 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	T				78	41	119	High	Medium	High
176	Directional	T	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				80	28	108	High	Low	Medium
177	Directional	T	F	F	Light Pole	T	< 36 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	T	T				80	38	118	High	Medium	High
178	Directional	T	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				69	21	90	High	Low	Medium
179	Island \ Median	T	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	T				74	21	95	High	Low	Medium
180	Directional	T	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T				74	36	110	High	Medium	Medium
181	Directional	T	F	F	OK	F	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				74	36	110	High	Medium	Medium
184	Directional	T	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				64	11	75	High	Low	Low
185	Island \ Median	T	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	T				74	21	95	High	Low	Medium
186	Island \ Median	T	T	F	OK	F	None	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T				72	26	98	High	Low	Medium
187	Island \ Median	T	T	F	OK	F	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	T				74	21	95	High	Low	Medium
188	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		84	22	106	High	Low	Medium
189	Perpendicular	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T				84	32	116	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
190	Directional	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				76	38	114	High	Medium	Medium
191	Directional	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	T				76	47	123	High	Medium	High
192	Directional	F	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				78	31	109	High	Low	Medium
193	Perpendicular	T	T	F	OK	F	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				65	23	88	High	Low	Medium
194	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				64	18	82	High	Low	Medium
195	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	T				66	12	78	High	Low	Low
196	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		69	13	82	High	Low	Medium
197	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T				69	11	80	High	Low	Low
198	Directional	F	F	F	OK	F	< 36 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F				68	49	117	High	Medium	Medium
199	Directional	F	F	F	OK	F	< 36 in	< 36 in	> 10%	> 4%	> 12%	None	F	T	T				68	61	129	High	Medium	High
200	Perpendicular	T	T	F	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	T				68	28	96	High	Low	Medium
201	Perpendicular	T	T	F	OK	F	< 36 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				68	44	112	High	Medium	Medium
202	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				79	4	83	High	Low	Medium
203	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				80	4	84	High	Low	Medium
204	Diagonal	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T				44	13	57	Medium	Low	Low
205	Perpendicular	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				82	11	93	High	Low	Medium
206	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T				82	15	97	High	Low	Medium
207	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				82	26	108	High	Low	Medium
208	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				78	1	79	High	Low	Low
209	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T				78	1	79	High	Low	Low
210	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	T				78	12	90	High	Low	Medium
211	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T				78	11	89	High	Low	Medium
212	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T				78	1	79	High	Low	Low
213	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		78	16	94	High	Low	Medium
214	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T				80	16	96	High	Low	Medium
215	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F				80	11	91	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
216	Directional	T	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				79	11	90	High	Low	Medium
217	Directional	T	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				79	43	122	High	Medium	High
218	Directional	T	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	T				79	28	107	High	Low	Medium
219	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		79	11	90	High	Low	Medium
220	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T				81	22	103	High	Low	Medium
221	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	T	F	T				76	37	113	High	Medium	Medium
222	Directional	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				76	23	99	High	Low	Medium
223	Directional	T	F	T	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	T	T	T				79	12	91	High	Low	Medium
224	Directional	T	F	F	OK	F	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T				69	44	113	High	Medium	Medium
225	Directional	T	F	F	OK	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T				69	34	103	High	Medium	Medium
226	Directional	T	F	F	OK	F	None	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T				74	33	107	High	Medium	Medium
227	Directional	T	F	F	OK	T	>= 48 in	< 36 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				74	25	99	High	Low	Medium
228	Perpendicular	T	F	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T				68	22	90	High	Low	Medium
229	Directional	T	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T				69	23	92	High	Low	Medium
230	Directional	T	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				69	22	91	High	Low	Medium
231	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	T				65	46	111	High	Medium	Medium
232	Directional	F	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T				64	35	99	High	Medium	Medium
233	Parallel	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	T				65	26	91	High	Low	Medium
234	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T				63	15	78	High	Low	Low
235	Directional	F	F	F	OK	F	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T				64	48	112	High	Medium	Medium
236	Directional	F	F	T	OK	F	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				66	42	108	High	Medium	Medium
237	Directional	F	F	T	OK	F	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T				66	37	103	High	Medium	Medium
238	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				64	16	80	High	Low	Low
239	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	10% or less	None	F	T	T				61	27	88	High	Low	Medium
240	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				61	22	83	High	Low	Medium
241	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	T	T	T				61	20	81	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
242	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T				61	14	75	High	Low	Low
243	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T				58	27	85	Medium	Low	Medium
244	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	F	T				58	27	85	Medium	Low	Medium
245	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	T	T	T				57	20	77	Medium	Low	Low
246	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				57	1	58	Medium	Low	Low
247	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T				54	31	85	Medium	Low	Medium
248	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T				54	26	80	Medium	Low	Low
249	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T				51	21	72	Medium	Low	Low
250	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				53	20	73	Medium	Low	Low
251	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				54	20	74	Medium	Low	Low
252	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T				54	26	80	Medium	Low	Low
253	Diagonal	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				50	26	76	Medium	Low	Low
254	Diagonal	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	T				52	35	87	Medium	Medium	Medium
255	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T				47	16	63	Medium	Low	Low
256	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F				45	31	76	Medium	Low	Low
257	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				46	20	66	Medium	Low	Low
258	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	T				46	31	77	Medium	Low	Low
259	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T				48	26	74	Medium	Low	Low
260	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T				48	25	73	Medium	Low	Low
261	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				46	33	79	Medium	Medium	Low
262	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T				46	16	62	Medium	Low	Low
263	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	T				46	16	62	Medium	Low	Low
264	Directional	T	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				48	11	59	Medium	Low	Low
265	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	F	T				73	38	111	High	Medium	Medium
266	Diagonal	F	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	F	T				34	33	67	Low	Medium	Low
267	Diagonal	F	T	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	T	T	T				34	47	81	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
268	Diagonal	T	T	T	planter	T	None	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T				38	22	60	Low	Low	Low
269	Diagonal	F	T	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10% or less	None	F	F	T				33	41	74	Low	Medium	Low
270	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	T	T	T				34	40	74	Low	Medium	Low
271	Diagonal	F	T	F	OK	F	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				39	38	77	Low	Medium	Low
272	Diagonal	F	T	F	OK	F	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T				44	49	93	Medium	Medium	Medium
273	Diagonal	T	T	T	Light Pole	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				59	33	92	Medium	Medium	Medium
274	Diagonal	T	T	T	Access covers	T	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T				60	16	76	High	Low	Low
275	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				42	1	43	Low	Low	Low
276	Diagonal	T	T	T	Ped Pole	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				49	16	65	Medium	Low	Low
277	Directional	T	F	T	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				47	1	48	Medium	Low	Low
278	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				53	8	61	Medium	Low	Low
279	Directional	T	F	T	Light Pole	T	36-47 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	T	T				53	16	69	Medium	Low	Low
280	Directional	T	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	T	T	T				53	6	59	Medium	Low	Low
281	Directional	T	F	T	OK	T	< 36 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F				53	34	87	Medium	Medium	Medium
282	Directional	T	F	T	Light Pole	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	T				53	22	75	Medium	Low	Low
283	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	T	F	T				39	27	66	Low	Low	Low
284	Directional	F	F	F	OK	F	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	T				69	38	107	High	Medium	Medium
285	Directional	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				71	43	114	High	Medium	Medium
286	Perpendicular	T	T	T	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T	2% or less	5% or less		66	22	88	High	Low	Medium
287	Perpendicular	T	T	T	OK	F	36-47 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	T	T	T				78	20	98	High	Low	Medium
288	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	T				82	37	119	High	Medium	High
289	Perpendicular	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	F	T				82	38	120	High	Medium	High
290	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	T	T	T				76	27	103	High	Low	Medium
291	Perpendicular	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	T	T				76	22	98	High	Low	Medium
292	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	T	T	T				82	22	104	High	Low	Medium
293	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	T	T	T				82	37	119	High	Medium	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
294	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	T				82	28	110	High	Low	Medium
295	Directional	T	F	F	OK	F	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T				82	23	105	High	Low	Medium
296	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	T				82	43	125	High	Medium	High
297	Diagonal	T	T	F	OK	F	< 36 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				63	34	97	High	Medium	Medium
298	Directional	T	F	F	OK	F	36-47 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				60	32	92	High	Medium	Medium
299	Directional	T	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T				55	33	88	Medium	Medium	Medium
300	Directional	T	F	F	OK	F	< 36 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				55	34	89	Medium	Medium	Medium
301	Directional	T	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	T	T	T				55	33	88	Medium	Medium	Medium
302	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T				63	22	85	High	Low	Medium
303	Directional	T	F	F	OK	F	36-47 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	F	T				63	35	98	High	Medium	Medium
304	Directional	T	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F				82	38	120	High	Medium	High
305	Directional	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T				82	23	105	High	Low	Medium
306	Directional	T	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T				81	28	109	High	Low	Medium
307	Diagonal	T	T	F	OK	F	< 36 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	T				81	44	125	High	Medium	High
308	Directional	T	F	F	OK	F	< 36 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				54	29	83	Medium	Low	Medium
309	Directional	T	F	F	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	T				51	24	75	Medium	Low	Low
310	Diagonal	T	F	F	OK	F	None	< 36 in	< 8.3%	< 2%	10% or less	None	F	T	T				47	23	70	Medium	Low	Low
311	Diagonal	T	F	F	Grating	F	< 36 in	< 36 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				65	40	105	High	Medium	Medium
312	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		48	25	73	Medium	Low	Low
313	Diagonal	T	T	F	OK	T	< 36 in	< 36 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T				51	29	80	Medium	Low	Low
314	Diagonal	T	T	F	OK	F	None	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				46	22	68	Medium	Low	Low
315	Diagonal	T	T	F	OK	F	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				46	21	67	Medium	Low	Low
316	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	T	T	T				51	30	81	Medium	Low	Medium
317	Diagonal	T	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				48	33	81	Medium	Medium	Medium
318	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	T				48	17	65	Medium	Low	Low
319	Diagonal	T	F	T	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				48	7	55	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
320	Diagonal	T	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	T				48	11	59	Medium	Low	Low
321	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		51	33	84	Medium	Medium	Medium
322	Island \ Median	T	T	T	OK	T	< 36 in	< 36 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		50	36	86	Medium	Medium	Medium
323	Island \ Median	F	T	F	OK	T	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	F	> 4%	5% or less		50	27	77	Medium	Low	Low
324	Island \ Median	F	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		50	26	76	Medium	Low	Low
325	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		50	49	99	Medium	Medium	Medium
326	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				57	33	90	Medium	Medium	Medium
327	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	T	F	T				57	31	88	Medium	Low	Medium
328	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	T				58	41	99	Medium	Medium	Medium
329	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T				58	26	84	Medium	Low	Medium
330	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	T				57	31	88	Medium	Low	Medium
331	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				58	17	75	Medium	Low	Low
332	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				44	12	56	Medium	Low	Low
333	Diagonal	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	10% or less	None	T	F	T				63	29	92	High	Low	Medium
334	Directional	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T				54	48	102	Medium	Medium	Medium
335	Directional	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T				54	33	87	Medium	Medium	Medium
336	Directional	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T				45	26	71	Medium	Low	Low
337	Directional	F	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T				45	27	72	Medium	Low	Low
338	Directional	F	F	F	OK	T	< 36 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T				47	37	84	Medium	Medium	Medium
339	Directional	F	F	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	F	T				47	43	90	Medium	Medium	Medium
340	Directional	F	F	F	plants	T	< 36 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	F	T				49	49	98	Medium	Medium	Medium
341	Directional	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	T				44	43	87	Medium	Medium	Medium
342	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		43	21	64	Medium	Low	Low
343	Perpendicular	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		44	32	76	Medium	Medium	Low
344	Directional	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T				42	22	64	Low	Low	Low
345	Directional	F	F	F	OK	F	None	< 36 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	T				42	44	86	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
346	Directional	F	F	F	OK	T	< 36 in	< 36 in	> 10%	2% - 4%	10% or less	None	F	T	T				43	44	87	Medium	Medium	Medium
347	Diagonal	F	T	F	OK	T	< 36 in	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	T	T	T				43	42	85	Medium	Medium	Medium
348	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		43	35	78	Medium	Medium	Low
349	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	T				48	11	59	Medium	Low	Low
350	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	T	T	T				48	25	73	Medium	Low	Low
351	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				48	26	74	Medium	Low	Low
352	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	Compliant	F	F	F				48	36	84	Medium	Medium	Medium
353	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F				48	43	91	Medium	Medium	Medium
354	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	Compliant	T	T	T				47	30	77	Medium	Low	Low
355	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T				60	27	87	High	Low	Medium
356	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	T	F	T				60	25	85	High	Low	Medium
357	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T				52	13	65	Medium	Low	Low
358	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				55	26	81	Medium	Low	Medium
359	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				63	10	73	High	Low	Low
360	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F				63	26	89	High	Low	Medium
361	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F				60	15	75	High	Low	Low
362	Perpendicular	F	T	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				55	53	108	Medium	Medium	Medium
363	Directional	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F				55	58	113	Medium	Medium	Medium
364	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T				60	30	90	High	Low	Medium
365	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				60	26	86	High	Low	Medium
366	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				59	10	69	Medium	Low	Low
367	Diagonal	T	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	T	T	F				59	41	100	Medium	Medium	Medium
368	Diagonal	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F				62	48	110	High	Medium	Medium
369	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	T	T	F				62	27	89	High	Low	Medium
370	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T				63	21	84	High	Low	Medium
371	Perpendicular	T	T	F	Access covers	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T				67	27	94	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
372	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	T	T	F				57	27	84	Medium	Low	Medium
373	Diagonal	T	T	F	Light Pole	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	T				66	37	103	High	Medium	Medium
374	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T				49	21	70	Medium	Low	Low
375	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	F				68	30	98	High	Low	Medium
376	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		68	26	94	High	Low	Medium
377	Directional	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	F	T				44	33	77	Medium	Medium	Low
378	Directional	T	F	F	OK	F	>= 48 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	F				44	40	84	Medium	Medium	Medium
379	Directional	F	F	F	OK	T	None	< 36 in	> 10%	2% - 4%	> 12%	None	F	T	F				43	45	88	Medium	Medium	Medium
380	Directional	F	F	F	OK	F	None	< 36 in	> 10%	< 2%	10.1% - 12%	None	F	T	T				43	44	87	Medium	Medium	Medium
381	Directional	F	F	F	OK	T	< 36 in	< 36 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				70	51	121	High	Medium	High
382	Directional	F	F	T	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	T				70	28	98	High	Low	Medium
383	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F				60	25	85	High	Low	Medium
384	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F				60	41	101	High	Medium	Medium
385	Directional	F	F	F	OK	T	36-47 in	< 36 in	< 8.3%	> 4%	> 12%	None	F	F	F				64	49	113	High	Medium	Medium
386	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F				64	42	106	High	Medium	Medium
387	Parallel	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				46	16	62	Medium	Low	Low
388	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				36	6	42	Low	Low	Low
389	Directional	T	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F				47	28	75	Medium	Low	Low
390	Island \ Median	F	T	F	OK	F	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F				52	51	103	Medium	Medium	Medium
391	Island \ Median	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F				52	46	98	Medium	Medium	Medium
392	Directional	T	F	F	OK	T	None	< 36 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				49	20	69	Medium	Low	Low
393	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T				41	21	62	Low	Low	Low
394	Directional	T	F	F	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				51	19	70	Medium	Low	Low
395	Directional	T	F	F	OK	F	< 36 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	F				46	46	92	Medium	Medium	Medium
396	Directional	T	F	F	OK	T	< 36 in	< 36 in	> 10%	> 4%	> 12%	None	F	T	T				46	41	87	Medium	Medium	Medium
397	Directional	T	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				44	28	72	Medium	Low	Low
398	Island \ Median	T	T	F	OK	F	None	>= 48 in	> 10%	< 2%	None	None	F	F	T				49	36	85	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
399	Island \ Median	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F				49	36	85	Medium	Medium	Medium
400	Directional	F	F	F	OK	F	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T				39	48	87	Low	Medium	Medium
401	Directional	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	None	Non-Compliant	F	F	T				39	58	97	Low	Medium	Medium
402	Parallel	T	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	F	T				46	28	74	Medium	Low	Low
403	Parallel	T	T	F	OK	F	None	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	F	T				52	37	89	Medium	Medium	Medium
404	Directional	T	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F				54	43	97	Medium	Medium	Medium
405	Directional	T	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F				58	28	86	Medium	Low	Medium
406	Parallel	T	T	F	OK	F	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	T				59	28	87	Medium	Low	Medium
407	Parallel	T	T	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T				59	33	92	Medium	Medium	Medium
408	Diagonal	T	T	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				59	26	85	Medium	Low	Medium
409	Directional	T	F	T	OK	F	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F				59	33	92	Medium	Medium	Medium
410	Diagonal	T	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				59	28	87	Medium	Low	Medium
411	Diagonal	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F				59	28	87	Medium	Low	Medium
412	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				53	10	63	Medium	Low	Low
413	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				53	26	79	Medium	Low	Low
414	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T				53	21	74	Medium	Low	Low
415	Directional	T	F	T	OK	F	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				53	30	83	Medium	Low	Medium
416	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T				57	11	68	Medium	Low	Low
417	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T				52	0	52	Medium	Low	Low
418	Directional	T	F	T	OK	T	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				36	8	44	Low	Low	Low
419	Directional	T	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				36	28	64	Low	Low	Low
420	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T				36	42	78	Low	Medium	Low
421	Directional	F	F	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				36	43	79	Low	Medium	Low
422	Directional	T	F	F	OK	F	36-47 in	< 36 in	> 10%	< 2%	> 12%	None	T	F	T				40	43	83	Low	Medium	Medium
423	Island \ Median	T	T	F	OK	F	None	>= 48 in	> 10%	< 2%	None	None	F	T	T				42	31	73	Low	Low	Low
424	Island \ Median	T	T	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				42	26	68	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
425	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T				51	21	72	Medium	Low	Low
426	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T				41	31	72	Low	Low	Low
427	Island \ Median	F	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	F	T				41	51	92	Low	Medium	Medium
428	Island \ Median	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				51	38	89	Medium	Medium	Medium
429	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	F				44	26	70	Medium	Low	Low
430	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				61	6	67	High	Low	Low
431	Directional	T	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	T				45	18	63	Medium	Low	Low
432	Diagonal	T	F	F	Access covers	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T				51	32	83	Medium	Medium	Medium
433	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				58	26	84	Medium	Low	Medium
434	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	T				58	30	88	Medium	Low	Medium
435	Diagonal	T	T	F	OK	T	36-47 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				63	22	85	High	Low	Medium
436	Diagonal	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				66	17	83	High	Low	Medium
437	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T				68	17	85	High	Low	Medium
438	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				68	28	96	High	Low	Medium
439	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				64	18	82	High	Low	Medium
440	Directional	T	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T				65	17	82	High	Low	Medium
441	Perpendicular	T	T	T	Access covers	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		53	26	79	Medium	Low	Low
442	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				53	23	76	Medium	Low	Low
443	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				53	18	71	Medium	Low	Low
444	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		53	8	61	Medium	Low	Low
445	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		53	17	70	Medium	Low	Low
446	Directional	T	F	F	OK	F	36-47 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T				50	42	92	Medium	Medium	Medium
447	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F				53	43	96	Medium	Medium	Medium
448	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	Compliant	T	T	F	2% - 4%	5% or less		53	15	68	Medium	Low	Low
449	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				53	18	71	Medium	Low	Low
450	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				43	23	66	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
451	Perpendicular	T	T	T	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		53	28	81	Medium	Low	Medium
452	Diagonal	T	T	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	T	T	T				43	27	70	Medium	Low	Low
453	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T				62	23	85	High	Low	Medium
454	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				62	18	80	High	Low	Low
455	Diagonal	T	T	T	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	T	T	T				62	12	74	High	Low	Low
456	Construction	F	F	F	OK	F					None	None	F						62			High		
457	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	T				58	33	91	Medium	Medium	Medium
458	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F				53	36	89	Medium	Medium	Medium
459	Construction	F	F	F	OK	F					None	None	F						58			Medium		
460	Directional	T	F	T	OK	F	< 36 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F				48	44	92	Medium	Medium	Medium
461	Directional	T	F	T	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F				48	37	85	Medium	Medium	Medium
462	Directional	F	F	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	T	T	T				44	30	74	Medium	Low	Low
463	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	T				44	15	59	Medium	Low	Low
464	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T				52	33	85	Medium	Medium	Medium
465	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				52	28	80	Medium	Low	Low
466	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				57	16	73	Medium	Low	Low
467	Diagonal	T	T	F	OK	T	36-47 in	36-47 in	> 10%	2% - 4%	None	None	F	T	T				57	30	87	Medium	Low	Medium
468	Diagonal	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				57	28	85	Medium	Low	Medium
469	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				57	33	90	Medium	Medium	Medium
470	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F				52	33	85	Medium	Medium	Medium
471	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				52	11	63	Medium	Low	Low
472	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	T				44	23	67	Medium	Low	Low
473	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T				44	16	60	Medium	Low	Low
474	Diagonal	T	T	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	T				58	42	100	Medium	Medium	Medium
475	Diagonal	T	T	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				58	18	76	Medium	Low	Low
476	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F				58	36	94	Medium	Medium	Medium
477	Diagonal	T	T	F	OK	T	36-47 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	T				58	37	95	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
478	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T				57	23	80	Medium	Low	Low
479	Perpendicular	T	T	F	OK	T	None	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	T				66	26	92	High	Low	Medium
480	Diagonal	T	T	F	Light Pole	T	< 36 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T				56	43	99	Medium	Medium	Medium
481	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		59	38	97	Medium	Medium	Medium
482	Diagonal	T	T	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F				65	38	103	High	Medium	Medium
483	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	T	T	F				73	15	88	High	Low	Medium
484	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T				73	1	74	High	Low	Low
485	Diagonal	T	T	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T				63	28	91	High	Low	Medium
486	Directional	T	F	F	OK	T	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T				68	24	92	High	Low	Medium
487	Directional	T	F	F	OK	F	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	T	T	T				68	33	101	High	Medium	Medium
488	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T				70	21	91	High	Low	Medium
489	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T				68	16	84	High	Low	Medium
490	Directional	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T				57	36	93	Medium	Medium	Medium
491	Directional	F	F	F	OK	T	< 36 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T				54	34	88	Medium	Medium	Medium
492	Diagonal	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F				40	33	73	Low	Medium	Low
493	Perpendicular	T	T	F	car	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F				40	38	78	Low	Medium	Low
494	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				40	16	56	Low	Low	Low
495	Diagonal	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T				40	11	51	Low	Low	Low
496	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T				40	21	61	Low	Low	Low
497	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T				40	16	56	Low	Low	Low
498	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T				45	26	71	Medium	Low	Low
499	Directional	T	F	F	OK	T	None	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T				45	21	66	Medium	Low	Low
500	Directional	T	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	F	T				45	21	66	Medium	Low	Low
501	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T				45	21	66	Medium	Low	Low
502	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T				45	16	61	Medium	Low	Low
503	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T				45	11	56	Medium	Low	Low
504	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T				45	0	45	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
505	Perpendicular	T	T	T	Light Pole	T	36-47 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		45	19	64	Medium	Low	Low
506	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		45	0	45	Medium	Low	Low
507	Diagonal	T	T	F	OK	T	None	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T				51	23	74	Medium	Low	Low
508	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		45	28	73	Medium	Low	Low
509	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	T				50	22	72	Medium	Low	Low
510	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	T				48	16	64	Medium	Low	Low
511	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	T				50	12	62	Medium	Low	Low
512	Diagonal	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T				51	37	88	Medium	Medium	Medium
513	Parallel	F	F	F	Access covers	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F				45	61	106	Medium	Medium	Medium
514	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T				49	41	90	Medium	Medium	Medium
515	Directional	T	F	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	T				58	29	87	Medium	Low	Medium
516	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10% or less	None	F	T	T				48	26	74	Medium	Low	Low
517	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	T	T	T				48	17	65	Medium	Low	Low
518	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	T	F	F				48	32	80	Medium	Medium	Low
519	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T				58	11	69	Medium	Low	Low
520	Parallel	T	F	T	uneven sidewalk joint	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	T	T	T	2% or less	5% or less		34	21	55	Low	Low	Low
521	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less		37	35	72	Low	Medium	Low
522	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		41	31	72	Low	Low	Low
523	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		41	10	51	Low	Low	Low
524	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	> 4%	5% or less		31	20	51	Low	Low	Low
525	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		31	38	69	Low	Medium	Low
526	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		31	30	61	Low	Low	Low
527	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		31	10	41	Low	Low	Low
528	Perpendicular	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		31	31	62	Low	Low	Low
529	Perpendicular	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		36	41	77	Low	Medium	Low
530	Parallel	T	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		36	10	46	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
531	Parallel	F	F	F	Grating	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		50	75	125	Medium	High	High
532	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		46	46	92	Medium	Medium	Medium
533	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		54	20	74	Medium	Low	Low
534	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		54	16	70	Medium	Low	Low
535	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	T	F	F	> 4%	5.1% to 8		59	27	86	Medium	Low	Medium
536	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	F	F	> 4%	5.1% to 8		60	25	85	High	Low	Medium
537	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less		58	17	75	Medium	Low	Low
538	Diagonal	T	T	T	OK	T	36-47 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		58	22	80	Medium	Low	Low
539	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		59	52	111	Medium	Medium	Medium
540	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	T	2% or less	> 8.1%		59	37	96	Medium	Medium	Medium
541	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		56	32	88	Medium	Medium	Medium
542	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	> 4%	5% or less		56	15	71	Medium	Low	Low
543	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		57	21	78	Medium	Low	Low
544	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	F	F	2% - 4%	5.1% to 8		57	30	87	Medium	Low	Medium
545	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		59	5	64	Medium	Low	Low
546	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		65	6	71	High	Low	Low
547	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		59	21	80	Medium	Low	Low
548	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	2% - 4%	5.1% to 8		59	26	85	Medium	Low	Medium
549	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		58	36	94	Medium	Medium	Medium
550	Parallel	T	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		57	41	98	Medium	Medium	Medium
551	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		57	16	73	Medium	Low	Low
552	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		57	21	78	Medium	Low	Low
553	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		57	21	78	Medium	Low	Low
554	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		58	0	58	Medium	Low	Low
555	Parallel	T	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		62	16	78	High	Low	Low
556	Parallel	F	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		62	31	93	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
557	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		59	26	85	Medium	Low	Medium
558	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		59	16	75	Medium	Low	Low
559	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		63	31	94	High	Low	Medium
560	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		59	36	95	Medium	Medium	Medium
561	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		59	41	100	Medium	Medium	Medium
562	Perpendicular	F	F	F	tree branches	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%		62	66	128	High	Medium	High
563	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	T	2% or less	> 8.1%		62	35	97	High	Medium	Medium
564	None	F			OK														61	100	161	High	High	High
565	None	F			OK														61	100	161	High	High	High
566	None	F			OK														57	100	157	Medium	High	High
567	None	F			OK														57	100	157	Medium	High	High
568	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	2% - 4%	> 8.1%		54	45	99	Medium	Medium	Medium
569	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		54	46	100	Medium	Medium	Medium
570	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		52	35	87	Medium	Medium	Medium
571	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	> 4%	5.1% to 8		52	45	97	Medium	Medium	Medium
572	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		46	40	86	Medium	Medium	Medium
573	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		46	30	76	Medium	Low	Low
574	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%		51	36	87	Medium	Medium	Medium
575	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		50	30	80	Medium	Low	Low
576	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		57	46	103	Medium	Medium	Medium
577	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		57	36	93	Medium	Medium	Medium
578	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		56	15	71	Medium	Low	Low
579	None	F			OK														56	100	156	Medium	High	High
580	Parallel	F	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		58	46	104	Medium	Medium	Medium
581	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	> 4%	5.1% to 8		53	45	98	Medium	Medium	Medium
582	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		51	51	102	Medium	Medium	Medium
583	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		51	36	87	Medium	Medium	Medium
584	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		50	46	96	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
585	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8		46	40	86	Medium	Medium	Medium
586	Diagonal	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		53	36	89	Medium	Medium	Medium
587	Parallel	T	F	F	Light Pole	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		50	36	86	Medium	Medium	Medium
588	Parallel	T	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		46	46	92	Medium	Medium	Medium
589	Perpendicular	T	F	F	Ped Pole	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	F	T	2% or less	5.1% to 8		44	37	81	Medium	Medium	Medium
590	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		61	10	71	High	Low	Low
591	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less		74	15	89	High	Low	Medium
592	Diagonal	T	T	F	Light Pole	T	None	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8		82	42	124	High	Medium	High
593	Diagonal	T	F	F	Ped Pole	T	None	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		78	36	114	High	Medium	Medium
594	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		84	21	105	High	Low	Medium
595	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		80	5	85	High	Low	Medium
596	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		73	10	83	High	Low	Medium
597	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		74	18	92	High	Low	Medium
598	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less		70	7	77	High	Low	Low
599	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	T	T	F	2% - 4%	5% or less		74	17	91	High	Low	Medium
600	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		41	61	102	Low	Medium	Medium
601	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		40	61	101	Low	Medium	Medium
602	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less		34	31	65	Low	Low	Low
603	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		34	31	65	Low	Low	Low
604	Diagonal	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		39	22	61	Low	Low	Low
605	Diagonal	F	F	F	Utility Pole	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	2% - 4%	> 8.1%		36	65	101	Low	Medium	Medium
606	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		32	40	72	Low	Medium	Low
607	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T	2% or less	5% or less		32	17	49	Low	Low	Low
608	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		32	10	42	Low	Low	Low
609	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		27	21	48	Low	Low	Low
610	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		37	26	63	Low	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
611	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		36	16	52	Low	Low	Low
612	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		37	31	68	Low	Low	Low
613	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		36	26	62	Low	Low	Low
614	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		30	36	66	Low	Medium	Low
615	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		29	51	80	Low	Medium	Low
616	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		29	41	70	Low	Medium	Low
617	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	F	> 4%	5.1% to 8		29	30	59	Low	Low	Low
618	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		43	41	84	Medium	Medium	Medium
619	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		44	41	85	Medium	Medium	Medium
620	None	F			OK														49	100	149	Medium	High	High
621	None	F			OK														49	100	149	Medium	High	High
622	None	F			OK														50	100	150	Medium	High	High
623	None	F			OK														47	100	147	Medium	High	High
624	None	F			OK														51	100	151	Medium	High	High
625	None	F			OK														51	100	151	Medium	High	High
626	None	F			OK														44	100	144	Medium	High	High
627	None	F			OK														40	100	140	Low	High	High
628	None	F			OK														40	100	140	Low	High	High
629	None	F			OK														40	100	140	Low	High	High
630	None	F			OK														36	100	136	Low	High	High
631	None	F			OK														36	100	136	Low	High	High
632	None	F			OK														45	100	145	Medium	High	High
633	None	F			OK														44	100	144	Medium	High	High
634	None	F			OK														48	100	148	Medium	High	High
635	None	F			OK														44	100	144	Medium	High	High
636	None	F			OK														45	100	145	Medium	High	High
637	Directional	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		49	38	87	Medium	Medium	Medium
638	None	F			OK														50	100	150	Medium	High	High
639	None	F			OK														50	100	150	Medium	High	High
640	None	F			OK														50	100	150	Medium	High	High
641	None	F			OK														50	100	150	Medium	High	High
642	None	F			OK														50	100	150	Medium	High	High
643	None	F			OK														49	100	149	Medium	High	High
644	None	F			OK														49	100	149	Medium	High	High
645	Directional	F	F	F	OK	F	>= 48 in	< 36 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		52	58	110	Medium	Medium	Medium
646	Directional	F	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	< 2%	None	None	T	F	F	> 4%	> 8.1%		51	42	93	Medium	Medium	Medium
647	Diagonal	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		51	47	98	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
648	Diagonal	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%		48	52	100	Medium	Medium	Medium
649	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		48	31	79	Medium	Low	Low
650	Directional	F	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		48	42	90	Medium	Medium	Medium
651	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8		47	32	79	Medium	Medium	Low
652	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		47	38	85	Medium	Medium	Medium
653	Directional	F	F	F	OK	F	>= 48 in	< 36 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less		48	47	95	Medium	Medium	Medium
654	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		47	36	83	Medium	Medium	Medium
655	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		52	41	93	Medium	Medium	Medium
656	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		46	38	84	Medium	Medium	Medium
657	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	T	2% or less	5.1% to 8		47	21	68	Medium	Low	Low
658	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		47	15	62	Medium	Low	Low
659	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		47	36	83	Medium	Medium	Medium
660	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		46	61	107	Medium	Medium	Medium
661	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		49	51	100	Medium	Medium	Medium
662	Directional	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		44	56	100	Medium	Medium	Medium
663	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less		44	45	89	Medium	Medium	Medium
664	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		44	36	80	Medium	Medium	Low
665	Parallel	F	F	T	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		50	46	96	Medium	Medium	Medium
666	Construction	F	F	F	OK	F					None	None	F						71			High		
667	Perpendicular	T	F	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		85	13	98	High	Low	Medium
668	Perpendicular	T	F	T	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		80	11	91	High	Low	Medium
669	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		62	16	78	High	Low	Low
670	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less		63	8	71	High	Low	Low
671	Perpendicular	T	F	T	Grating	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	T	F	2% - 4%	5% or less		58	17	75	Medium	Low	Low
672	Perpendicular	T	F	T	pot hole	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		60	33	93	High	Medium	Medium
673	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	T	T	F	> 4%	5% or less		63	16	79	High	Low	Low
674	Diagonal	T	F	T	Utility Pole	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		72	53	125	High	Medium	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
675	Perpendicular	T	F	F	bush	T	None	36-47 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		81	41	122	High	Medium	High
676	Construction	F	F	F	OK	F					None	None	F						81			High		
677	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		81	31	112	High	Low	Medium
678	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		81	28	109	High	Low	Medium
679	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less		78	38	116	High	Medium	Medium
680	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		71	33	104	High	Medium	Medium
681	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		68	46	114	High	Medium	Medium
682	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		56	46	102	Medium	Medium	Medium
683	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8		56	36	92	Medium	Medium	Medium
684	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		56	36	92	Medium	Medium	Medium
685	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		56	38	94	Medium	Medium	Medium
686	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		56	32	88	Medium	Medium	Medium
687	Diagonal	T	T	F	no upper landing.	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		78	43	121	High	Medium	High
688	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		79	16	95	High	Low	Medium
689	Construction	F	F	F	OK	F					None	None	F						71			High		
690	Construction	F	F	F	OK	F					None	None	F						71			High		
691	Construction	F	F	F	OK	F					None	None	F						79			High		
692	Construction	F	F	F	OK	F					None	None	F						79			High		
693	Construction	F	F	F	OK	F					None	None	F						71			High		
694	Construction	F	F	F	OK	F					None	None	F						71			High		
695	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		81	20	101	High	Low	Medium
696	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		81	15	96	High	Low	Medium
697	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		70	31	101	High	Low	Medium
698	Parallel	F	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		61	35	96	High	Medium	Medium
699	Parallel	F	F	T	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		70	41	111	High	Medium	Medium
700	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		70	36	106	High	Medium	Medium
701	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		67	50	117	High	Medium	Medium
702	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		69	61	130	High	Medium	High
703	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	F	> 4%	5% or less		65	25	90	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
704	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	> 4%	5% or less		69	15	84	High	Low	Medium
705	Parallel	T	F	F	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		56	42	98	Medium	Medium	Medium
706	Parallel	T	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		56	22	78	Medium	Low	Low
707	Perpendicular	T	F	F	landscaping	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		56	33	89	Medium	Medium	Medium
708	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less		59	5	64	Medium	Low	Low
709	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		59	0	59	Medium	Low	Low
710	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8		65	7	72	High	Low	Low
711	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		62	11	73	High	Low	Low
712	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		74	11	85	High	Low	Medium
713	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		74	18	92	High	Low	Medium
714	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	T	2% or less	5% or less		56	23	79	Medium	Low	Low
715	Diagonal	F	F	T	Grating	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		56	30	86	Medium	Low	Medium
716	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		55	26	81	Medium	Low	Medium
717	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		48	15	63	Medium	Low	Low
718	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		60	38	98	High	Medium	Medium
719	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		69	33	102	High	Medium	Medium
720	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		64	10	74	High	Low	Low
721	Diagonal	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	F	2% - 4%	5.1% to 8		60	20	80	High	Low	Low
722	Parallel	F	F	F	Bollard	F	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		71	61	132	High	Medium	High
723	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		50	16	66	Medium	Low	Low
724	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		50	11	61	Medium	Low	Low
725	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		55	11	66	Medium	Low	Low
726	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		55	11	66	Medium	Low	Low
727	Parallel	T	F	T	Light Pole	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		55	30	85	Medium	Low	Medium
728	Diagonal	F	F	T	Light Pole	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		65	54	119	High	Medium	High
729	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	T	T	F	2% - 4%	5% or less		67	11	78	High	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
730	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		67	6	73	High	Low	Low
731	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		68	6	74	High	Low	Low
732	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8		68	12	80	High	Low	Low
733	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8		65	28	93	High	Low	Medium
734	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8		65	27	92	High	Low	Medium
735	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		59	18	77	Medium	Low	Low
736	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		59	22	81	Medium	Low	Medium
737	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8		58	22	80	Medium	Low	Low
738	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	F	T	2% or less	> 8.1%		58	22	80	Medium	Low	Low
739	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		44	61	105	Medium	Medium	Medium
740	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		45	51	96	Medium	Medium	Medium
741	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		45	51	96	Medium	Medium	Medium
742	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		47	51	98	Medium	Medium	Medium
743	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		47	41	88	Medium	Medium	Medium
744	None	F			OK														47	100	147	Medium	High	High
745	None	F			OK														47	100	147	Medium	High	High
746	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		35	51	86	Low	Medium	Medium
747	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		31	61	92	Low	Medium	Medium
748	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		35	41	76	Low	Medium	Low
749	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		36	61	97	Low	Medium	Medium
750	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		36	41	77	Low	Medium	Low
751	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		34	46	80	Low	Medium	Low
752	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		46	51	97	Medium	Medium	Medium
753	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		46	31	77	Medium	Low	Low
754	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		47	51	98	Medium	Medium	Medium
755	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		47	36	83	Medium	Medium	Medium
756	Parallel	F	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		49	43	92	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
757	Directional	F	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		48	43	91	Medium	Medium	Medium
758	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		48	41	89	Medium	Medium	Medium
759	None	F			OK														48	100	148	Medium	High	High
760	None	F			OK														49	100	149	Medium	High	High
761	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		45	41	86	Medium	Medium	Medium
762	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		49	26	75	Medium	Low	Low
763	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		50	41	91	Medium	Medium	Medium
764	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		50	51	101	Medium	Medium	Medium
765	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	T	F	> 4%	5% or less		48	35	83	Medium	Medium	Medium
766	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		50	41	91	Medium	Medium	Medium
767	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		45	51	96	Medium	Medium	Medium
768	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		46	51	97	Medium	Medium	Medium
769	Parallel	T	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		47	51	98	Medium	Medium	Medium
770	Directional	T	F	F	OK	F	None	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		51	31	82	Medium	Low	Medium
771	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	2% - 4%	5% or less		50	40	90	Medium	Medium	Medium
772	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		51	41	92	Medium	Medium	Medium
773	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%		49	41	90	Medium	Medium	Medium
774	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		50	61	111	Medium	Medium	Medium
775	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		50	36	86	Medium	Medium	Medium
776	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%		46	31	77	Medium	Low	Low
777	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		49	46	95	Medium	Medium	Medium
778	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		52	51	103	Medium	Medium	Medium
779	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		52	46	98	Medium	Medium	Medium
780	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		49	46	95	Medium	Medium	Medium
781	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		49	20	69	Medium	Low	Low
782	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		49	26	75	Medium	Low	Low
783	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		49	37	86	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
784	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		52	36	88	Medium	Medium	Medium
785	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		52	41	93	Medium	Medium	Medium
786	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		52	46	98	Medium	Medium	Medium
787	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		58	35	93	Medium	Medium	Medium
788	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		58	41	99	Medium	Medium	Medium
789	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		59	11	70	Medium	Low	Low
790	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		59	31	90	Medium	Low	Medium
791	None	F			OK														59	100	159	Medium	High	High
792	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		69	41	110	High	Medium	Medium
793	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		69	31	100	High	Low	Medium
794	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		69	36	105	High	Medium	Medium
795	Diagonal	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	> 8.1%		59	25	84	Medium	Low	Medium
796	Parallel	T	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		70	26	96	High	Low	Medium
797	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	T	T	T	2% or less	5% or less		58	26	84	Medium	Low	Medium
798	None	F			OK														70	100	170	High	High	High
799	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		58	26	84	Medium	Low	Medium
800	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		58	31	89	Medium	Low	Medium
801	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		58	11	69	Medium	Low	Low
802	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	2% - 4%	5.1% to 8		58	21	79	Medium	Low	Low
803	None	F			OK														60	100	160	High	High	High
804	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	F	2% - 4%	5% or less		59	22	81	Medium	Low	Medium
805	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	F	T	2% or less	> 8.1%		52	11	63	Medium	Low	Low
806	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	> 8.1%		52	10	62	Medium	Low	Low
807	Perpendicular	F	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		52	20	72	Medium	Low	Low
808	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		47	0	47	Medium	Low	Low
809	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	> 8.1%		52	41	93	Medium	Medium	Medium
810	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		52	31	83	Medium	Low	Medium
811	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%		52	36	88	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
812	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		52	36	88	Medium	Medium	Medium
813	None	T			OK														45	100	145	Medium	High	High
814	None	F			OK														45	100	145	Medium	High	High
815	None	F			OK														45	100	145	Medium	High	High
816	None	F			OK														37	100	137	Low	High	High
817	None	F			OK														37	100	137	Low	High	High
818	None	F			OK														45	100	145	Medium	High	High
819	None	F			OK														45	100	145	Medium	High	High
820	None	F			OK														51	100	151	Medium	High	High
821	None	F			OK														51	100	151	Medium	High	High
822	None	F			OK														51	100	151	Medium	High	High
823	None	F			OK														51	100	151	Medium	High	High
824	None	F			OK														51	100	151	Medium	High	High
825	None	F			OK														51	100	151	Medium	High	High
826	None	F			OK														51	100	151	Medium	High	High
827	None	F			OK														51	100	151	Medium	High	High
828	None	F			OK														51	100	151	Medium	High	High
829	None	F			OK														59	100	159	Medium	High	High
830	None	F			OK														59	100	159	Medium	High	High
831	None	F			OK														51	100	151	Medium	High	High
832	None	F			OK														51	100	151	Medium	High	High
833	None	F			OK														34	100	134	Low	High	High
834	None	F			OK														34	100	134	Low	High	High
835	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		34	6	40	Low	Low	Low
836	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		34	0	34	Low	Low	Low
837	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		34	11	45	Low	Low	Low
838	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		36	46	82	Low	Medium	Medium
839	None	F			OK														36	100	136	Low	High	High
840	Island \ Median	T	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		48	31	79	Medium	Low	Low
841	Island \ Median	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		36	26	62	Low	Low	Low
842	None	F			OK														36	100	136	Low	High	High
843	None	F			OK														59	100	159	Medium	High	High
844	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		49	51	100	Medium	Medium	Medium
845	None	F			OK														49	100	149	Medium	High	High
846	None	F			OK														49	100	149	Medium	High	High
847	None	F			OK														41	100	141	Low	High	High
848	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		40	56	96	Low	Medium	Medium
849	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		40	51	91	Low	Medium	Medium
850	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		40	36	76	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
851	Parallel	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		40	36	76	Low	Medium	Low
852	Parallel	T	F	F	Grating	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		40	61	101	Low	Medium	Medium
853	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		40	31	71	Low	Low	Low
854	Perpendicular	T	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		40	35	75	Low	Medium	Low
855	Island \ Median	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		40	11	51	Low	Low	Low
856	Island \ Median	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		40	11	51	Low	Low	Low
857	Parallel	T	F	F	Grating	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		40	26	66	Low	Low	Low
858	Parallel	T	F	F	Grating	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		40	45	85	Low	Medium	Medium
859	Island \ Median	T	T	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		40	21	61	Low	Low	Low
860	Island \ Median	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		40	16	56	Low	Low	Low
861	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	41	83	Low	Medium	Medium
862	Parallel	F	F	F	Grating	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	66	108	Low	Medium	Medium
863	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	56	98	Low	Medium	Medium
864	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
865	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		42	26	68	Low	Low	Low
866	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	56	98	Low	Medium	Medium
867	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%		43	61	104	Medium	Medium	Medium
868	Parallel	F	F	F	Grating	F	>= 48 in	< 36 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		43	68	111	Medium	Medium	Medium
869	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	55	97	Low	Medium	Medium
870	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		41	16	57	Low	Low	Low
871	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		41	21	62	Low	Low	Low
872	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		52	31	83	Medium	Low	Medium
873	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		44	41	85	Medium	Medium	Medium
874	Perpendicular	F	F	F	OK	F	>= 48 in	< 36 in	> 10%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		50	55	105	Medium	Medium	Medium
875	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		50	43	93	Medium	Medium	Medium
876	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8		48	47	95	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
877	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	> 8.1%		47	47	94	Medium	Medium	Medium
878	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		45	51	96	Medium	Medium	Medium
879	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	> 8.1%		46	48	94	Medium	Medium	Medium
880	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		48	56	104	Medium	Medium	Medium
881	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		39	61	100	Low	Medium	Medium
882	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8		43	45	88	Medium	Medium	Medium
883	Diagonal	F	F	T	OK	T	36-47 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	F	T	2% or less	> 8.1%		38	27	65	Low	Low	Low
884	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		38	36	74	Low	Medium	Low
885	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		38	56	94	Low	Medium	Medium
886	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		38	56	94	Low	Medium	Medium
887	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		41	36	77	Low	Medium	Low
888	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		37	31	68	Low	Low	Low
889	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	F	T	2% or less	> 8.1%		41	55	96	Low	Medium	Medium
890	Parallel	F	F	T	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		38	41	79	Low	Medium	Low
891	None	F			OK														35	100	135	Low	High	High
892	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	> 4%	5.1% to 8		38	26	64	Low	Low	Low
893	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		34	21	55	Low	Low	Low
894	None	F			OK														32	100	132	Low	High	High
895	None	F			OK														32	100	132	Low	High	High
896	None	F			OK														36	100	136	Low	High	High
897	None	F			OK														29	100	129	Low	High	High
898	None	F			OK														31	100	131	Low	High	High
899	None	F			OK														29	100	129	Low	High	High
900	None	F			OK														29	100	129	Low	High	High
901	None	F			OK														29	100	129	Low	High	High
902	None	F			OK														29	100	129	Low	High	High
903	None	F			OK														28	100	128	Low	High	High
904	None	F			OK														28	100	128	Low	High	High
905	None	F			OK														29	100	129	Low	High	High
906	None	F			OK														36	100	136	Low	High	High
907	None	F			OK														36	100	136	Low	High	High
908	None	F			OK														36	100	136	Low	High	High
909	None	F			OK														36	100	136	Low	High	High
910	None	F			OK														33	100	133	Low	High	High
911	None	F			OK														34	100	134	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
912	None	F			OK														43	100	143	Medium	High	High
913	None	F			OK														41	100	141	Low	High	High
914	None	F			OK														33	100	133	Low	High	High
915	None	F			OK														33	100	133	Low	High	High
916	None	F			OK														33	100	133	Low	High	High
917	None	F			OK														29	100	129	Low	High	High
918	None	F			OK														29	100	129	Low	High	High
919	None	F			OK														29	100	129	Low	High	High
920	None	F			OK														29	100	129	Low	High	High
921	None	F			OK														29	100	129	Low	High	High
922	None	F			OK														29	100	129	Low	High	High
923	None	F			OK														29	100	129	Low	High	High
924	None	F			OK														29	100	129	Low	High	High
925	None	F			OK														28	100	128	Low	High	High
926	None	F			OK														28	100	128	Low	High	High
927	None	F			OK														35	100	135	Low	High	High
928	None	F			OK														27	100	127	Low	High	High
929	None	F			OK														27	100	127	Low	High	High
930	None	F			OK														27	100	127	Low	High	High
931	None	F			OK														22	100	122	Low	High	High
932	None	F			OK														38	100	138	Low	High	High
933	None	F			OK														38	100	138	Low	High	High
934	None	F			OK														35	100	135	Low	High	High
935	None	F			OK														42	100	142	Low	High	High
936	None	F			OK														37	100	137	Low	High	High
937	None	F			OK														37	100	137	Low	High	High
938	None	F			OK														28	100	128	Low	High	High
939	None	F			OK														31	100	131	Low	High	High
940	None	F			OK														29	100	129	Low	High	High
941	None	F			OK														31	100	131	Low	High	High
942	None	F			OK														34	100	134	Low	High	High
943	None	F			OK														34	100	134	Low	High	High
944	None	F			OK														34	100	134	Low	High	High
945	None	F			OK														43	100	143	Medium	High	High
946	None	F			OK														43	100	143	Medium	High	High
947	None	F			OK														43	100	143	Medium	High	High
948	None	F			OK														35	100	135	Low	High	High
949	None	F			OK														35	100	135	Low	High	High
950	None	F			OK														36	100	136	Low	High	High
951	Perpendicular	F	F	F	landscaping.	F	None	< 36 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		42	70	112	Low	High	Medium
952	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		42	36	78	Low	Medium	Low
953	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8		42	32	74	Low	Medium	Low
954	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		42	41	83	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
955	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		42	46	88	Low	Medium	Medium
956	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	F	F	2% - 4%	5.1% to 8		42	32	74	Low	Medium	Low
957	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		42	36	78	Low	Medium	Low
958	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	61	103	Low	Medium	Medium
959	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less		50	40	90	Medium	Medium	Medium
960	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		50	46	96	Medium	Medium	Medium
961	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		52	51	103	Medium	Medium	Medium
962	Parallel	F	F	F	Grating	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		52	66	118	Medium	Medium	High
963	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		50	26	76	Medium	Low	Low
964	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		52	35	87	Medium	Medium	Medium
965	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	> 4%	5% or less		52	30	82	Medium	Low	Medium
966	None	F			OK														52	100	152	Medium	High	High
967	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%		42	46	88	Low	Medium	Medium
968	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		41	1	42	Low	Low	Low
969	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		39	51	90	Low	Medium	Medium
970	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		39	46	85	Low	Medium	Medium
971	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		39	61	100	Low	Medium	Medium
972	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%		39	51	90	Low	Medium	Medium
973	Parallel	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		40	41	81	Low	Medium	Medium
974	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	> 8.1%		40	41	81	Low	Medium	Medium
975	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		33	51	84	Low	Medium	Medium
976	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%		33	51	84	Low	Medium	Medium
977	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		33	41	74	Low	Medium	Low
978	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		33	46	79	Low	Medium	Low
979	Diagonal	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less		38	41	79	Low	Medium	Low
980	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		36	21	57	Low	Low	Low
981	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		38	36	74	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
982	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%		35	36	71	Low	Medium	Low
983	Directional	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		35	56	91	Low	Medium	Medium
984	Parallel	F	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		41	53	94	Low	Medium	Medium
985	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	51	93	Low	Medium	Medium
986	None	F			OK														35	100	135	Low	High	High
987	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		32	61	93	Low	Medium	Medium
988	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		32	51	83	Low	Medium	Medium
989	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		34	56	90	Low	Medium	Medium
990	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		34	56	90	Low	Medium	Medium
991	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%		42	31	73	Low	Low	Low
992	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	46	88	Low	Medium	Medium
993	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
994	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		42	36	78	Low	Medium	Low
995	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		42	46	88	Low	Medium	Medium
996	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		42	35	77	Low	Medium	Low
997	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8		44	55	99	Medium	Medium	Medium
998	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		38	51	89	Low	Medium	Medium
999	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		36	36	72	Low	Medium	Low
1000	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		38	46	84	Low	Medium	Medium
1001	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		36	41	77	Low	Medium	Low
1002	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	> 4%	> 8.1%		38	60	98	Low	Medium	Medium
1003	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		45	46	91	Medium	Medium	Medium
1004	None	F			OK														48	100	148	Medium	High	High
1005	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
1006	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		52	46	98	Medium	Medium	Medium
1007	None	F			OK														52	100	152	Medium	High	High
1008	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		43	41	84	Medium	Medium	Medium
1009	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		43	31	74	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1010	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	F	> 4%	> 8.1%		38	33	71	Low	Medium	Low
1011	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8		38	42	80	Low	Medium	Low
1012	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		36	31	67	Low	Low	Low
1013	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	> 8.1%		35	25	60	Low	Low	Low
1014	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		35	31	66	Low	Low	Low
1015	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		35	25	60	Low	Low	Low
1016	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	T	2% or less	5.1% to 8		23	36	59	Low	Medium	Low
1017	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		23	43	66	Low	Medium	Low
1018	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		25	33	58	Low	Medium	Low
1019	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	T	F	F	2% - 4%	5.1% to 8		36	40	76	Low	Medium	Low
1020	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		36	43	79	Low	Medium	Low
1021	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	F	F	2% - 4%	> 8.1%		38	31	69	Low	Low	Low
1022	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	> 8.1%		38	36	74	Low	Medium	Low
1023	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	> 4%	> 8.1%		38	36	74	Low	Medium	Low
1024	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		41	16	57	Low	Low	Low
1025	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		43	26	69	Medium	Low	Low
1026	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		44	16	60	Medium	Low	Low
1027	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8		44	40	84	Medium	Medium	Medium
1028	Directional	T	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		44	14	58	Medium	Low	Low
1029	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		44	31	75	Medium	Low	Low
1030	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less		44	25	69	Medium	Low	Low
1031	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		39	46	85	Low	Medium	Medium
1032	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%		39	46	85	Low	Medium	Medium
1033	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		39	51	90	Low	Medium	Medium
1034	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		41	44	85	Low	Medium	Medium
1035	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		41	55	96	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1036	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		41	55	96	Low	Medium	Medium
1037	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	65	107	Low	Medium	Medium
1038	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	55	97	Low	Medium	Medium
1039	None	F			OK														42	100	142	Low	High	High
1040	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	51	93	Low	Medium	Medium
1041	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	51	93	Low	Medium	Medium
1042	None	F			OK														42	100	142	Low	High	High
1043	None	F			OK														42	100	142	Low	High	High
1044	None	F			OK														42	100	142	Low	High	High
1045	None	F			OK														42	100	142	Low	High	High
1046	None	F			OK														42	100	142	Low	High	High
1047	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Non-Compliant	F	T	F	> 4%	5% or less		34	46	80	Low	Medium	Low
1048	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		34	41	75	Low	Medium	Low
1049	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Non-Compliant	F	T	F	> 4%	5% or less		39	36	75	Low	Medium	Low
1050	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		39	31	70	Low	Low	Low
1051	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		39	41	80	Low	Medium	Low
1052	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		39	26	65	Low	Low	Low
1053	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		40	26	66	Low	Low	Low
1054	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		40	41	81	Low	Medium	Medium
1055	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		40	51	91	Low	Medium	Medium
1056	None	F			OK														41	100	141	Low	High	High
1057	None	F			OK														41	100	141	Low	High	High
1058	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	46	88	Low	Medium	Medium
1059	None	F			OK														42	100	142	Low	High	High
1060	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
1061	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		42	46	88	Low	Medium	Medium
1062	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	51	93	Low	Medium	Medium
1063	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		42	53	95	Low	Medium	Medium
1064	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		42	51	93	Low	Medium	Medium
1065	None	F			OK														41	100	141	Low	High	High
1066	None	F			OK														41	100	141	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1067	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
1068	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		41	51	92	Low	Medium	Medium
1069	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		44	11	55	Medium	Low	Low
1070	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		44	10	54	Medium	Low	Low
1071	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	> 4%	5% or less		43	20	63	Medium	Low	Low
1072	Perpendicular	F	F	F	Bollard	T	< 36 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		39	69	108	Low	Medium	Medium
1073	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		39	51	90	Low	Medium	Medium
1074	Construction	F	F	F	OK	F					None	None	F						39			Low		
1075	Diagonal	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T	2% or less	> 8.1%		32	37	69	Low	Medium	Low
1076	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		33	46	79	Low	Medium	Low
1077	Diagonal	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		33	46	79	Low	Medium	Low
1078	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	Compliant	F	T	F	> 4%	5% or less		33	36	69	Low	Medium	Low
1079	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		33	46	79	Low	Medium	Low
1080	Perpendicular	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		33	35	68	Low	Medium	Low
1081	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		33	48	81	Low	Medium	Medium
1082	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		33	43	76	Low	Medium	Low
1083	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	F	T	2% or less	5.1% to 8		33	36	69	Low	Medium	Low
1084	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		33	43	76	Low	Medium	Low
1085	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		32	48	80	Low	Medium	Low
1086	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		33	41	74	Low	Medium	Low
1087	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		33	48	81	Low	Medium	Medium
1088	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		42	53	95	Low	Medium	Medium
1089	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		42	53	95	Low	Medium	Medium
1090	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less		42	38	80	Low	Medium	Low
1091	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		42	48	90	Low	Medium	Medium
1092	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
1093	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		42	46	88	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1094	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	51	93	Low	Medium	Medium
1095	None	F			OK														32	100	132	Low	High	High
1096	Perpendicular	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8		32	54	86	Low	Medium	Medium
1097	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		37	46	83	Low	Medium	Medium
1098	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		37	63	100	Low	Medium	Medium
1099	Parallel	T	F	T	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	None	Non-Compliant	F	T	F	2% - 4%	5% or less		37	25	62	Low	Low	Low
1100	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	> 8.1%		46	16	62	Medium	Low	Low
1101	Parallel	T	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		45	20	65	Medium	Low	Low
1102	Parallel	T	F	F	OK	T	36-47 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		45	25	70	Medium	Low	Low
1103	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		46	33	79	Medium	Medium	Low
1104	Parallel	T	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		43	31	74	Medium	Low	Low
1105	Diagonal	T	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		33	30	63	Low	Low	Low
1106	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8		33	38	71	Low	Medium	Low
1107	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	T	2% or less	5% or less		35	27	62	Low	Low	Low
1108	Diagonal	T	T	F	Grating	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		35	36	71	Low	Medium	Low
1109	None	F			OK														46	100	146	Medium	High	High
1110	None	F			OK														46	100	146	Medium	High	High
1111	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		31	61	92	Low	Medium	Medium
1112	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%		43	31	74	Medium	Low	Low
1113	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8		45	6	51	Medium	Low	Low
1114	Diagonal	T	F	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		46	21	67	Medium	Low	Low
1115	Diagonal	T	T	F	OK	F	< 36 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%		46	53	99	Medium	Medium	Medium
1116	Diagonal	T	T	F	OK	F	< 36 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		46	54	100	Medium	Medium	Medium
1117	Perpendicular	T	F	T	Sign Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		46	10	56	Medium	Low	Low
1118	Diagonal	T	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		46	36	82	Medium	Medium	Medium
1119	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		46	43	89	Medium	Medium	Medium
1120	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8		45	20	65	Medium	Low	Low
1121	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		45	0	45	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1122	Diagonal	T	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		45	53	98	Medium	Medium	Medium
1123	Diagonal	T	T	F	OK	F	< 36 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	> 8.1%		45	42	87	Medium	Medium	Medium
1124	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		48	40	88	Medium	Medium	Medium
1125	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		48	30	78	Medium	Low	Low
1126	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		48	25	73	Medium	Low	Low
1127	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		46	30	76	Medium	Low	Low
1128	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		46	36	82	Medium	Medium	Medium
1129	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		47	0	47	Medium	Low	Low
1130	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		47	5	52	Medium	Low	Low
1131	Parallel	T	F	T	Grating	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		47	20	67	Medium	Low	Low
1132	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8		45	20	65	Medium	Low	Low
1133	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less		49	26	75	Medium	Low	Low
1134	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		48	28	76	Medium	Low	Low
1135	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less		57	26	83	Medium	Low	Medium
1136	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		49	26	75	Medium	Low	Low
1137	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	T	2% or less	5% or less		47	17	64	Medium	Low	Low
1138	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		55	36	91	Medium	Medium	Medium
1139	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		57	25	82	Medium	Low	Medium
1140	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%		55	31	86	Medium	Low	Medium
1141	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		57	21	78	Medium	Low	Low
1142	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		56	43	99	Medium	Medium	Medium
1143	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		54	51	105	Medium	Medium	Medium
1144	Parallel	T	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	> 8.1%		56	19	75	Medium	Low	Low
1145	None	F			OK														56	100	156	Medium	High	High
1146	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	T	T	F	2% - 4%	5% or less		59	42	101	Medium	Medium	Medium
1147	Directional	F	F	F	OK	F	>= 48 in	< 36 in	> 10%	> 4%	None	None	T	F	F	> 4%	> 8.1%		60	62	122	High	Medium	High
1148	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		61	41	102	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1149	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		57	41	98	Medium	Medium	Medium
1150	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		57	36	93	Medium	Medium	Medium
1151	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		60	36	96	High	Medium	Medium
1152	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8		56	45	101	Medium	Medium	Medium
1153	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		57	41	98	Medium	Medium	Medium
1154	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		57	56	113	Medium	Medium	Medium
1155	Perpendicular	F	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		55	42	97	Medium	Medium	Medium
1156	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		57	36	93	Medium	Medium	Medium
1157	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less		45	50	95	Medium	Medium	Medium
1158	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		45	46	91	Medium	Medium	Medium
1159	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		55	36	91	Medium	Medium	Medium
1160	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		58	0	58	Medium	Low	Low
1161	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	T	T	F	> 4%	5% or less		58	15	73	Medium	Low	Low
1162	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		56	26	82	Medium	Low	Medium
1163	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		58	15	73	Medium	Low	Low
1164	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		58	5	63	Medium	Low	Low
1165	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		57	16	73	Medium	Low	Low
1166	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		57	20	77	Medium	Low	Low
1167	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		57	31	88	Medium	Low	Medium
1168	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	F	> 4%	5% or less		57	35	92	Medium	Medium	Medium
1169	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low
1170	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	T	2% or less	5.1% to 8		45	11	56	Medium	Low	Low
1171	Parallel	T	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		47	31	78	Medium	Low	Low
1172	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		47	6	53	Medium	Low	Low
1173	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		49	11	60	Medium	Low	Low
1174	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		49	6	55	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1175	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		50	16	66	Medium	Low	Low
1176	Parallel	F	F	F	OK	T	36-47 in	< 36 in	8.3% - 10%	> 4%	None	None	T	T	F	2% - 4%	5% or less		38	46	84	Low	Medium	Medium
1177	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		38	45	83	Low	Medium	Medium
1178	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		38	65	103	Low	Medium	Medium
1179	Parallel	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%		38	50	88	Low	Medium	Medium
1180	Parallel	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		42	35	77	Low	Medium	Low
1181	Parallel	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		43	25	68	Medium	Low	Low
1182	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%		43	45	88	Medium	Medium	Medium
1183	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		43	40	83	Medium	Medium	Medium
1184	Directional	F	F	F	Grating	F	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		41	55	96	Low	Medium	Medium
1185	Directional	F	F	F	Grating	F	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		43	60	103	Medium	Medium	Medium
1186	Perpendicular	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	None	Non-Compliant	T	T	T	2% or less	5% or less		42	32	74	Low	Medium	Low
1187	None	F			OK														39	100	139	Low	High	High
1188	None	F			OK														49	100	149	Medium	High	High
1189	None	F			OK														49	100	149	Medium	High	High
1190	None	F			OK														40	100	140	Low	High	High
1191	None	F			OK														40	100	140	Low	High	High
1192	None	F			OK														40	100	140	Low	High	High
1193	None	F			OK														39	100	139	Low	High	High
1194	None	F			OK														39	100	139	Low	High	High
1195	None	F			OK														39	100	139	Low	High	High
1196	None	F			OK														39	100	139	Low	High	High
1197	None	F			OK														37	100	137	Low	High	High
1198	None	F			OK														36	100	136	Low	High	High
1199	None	F			OK														37	100	137	Low	High	High
1200	Parallel	T	F	T	Access covers	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		33	10	43	Low	Low	Low
1201	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	F	> 4%	5.1% to 8		45	40	85	Medium	Medium	Medium
1202	None	F			OK														49	100	149	Medium	High	High
1203	None	F			OK														48	100	148	Medium	High	High
1204	None	F			OK														47	100	147	Medium	High	High
1205	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		45	46	91	Medium	Medium	Medium
1206	Parallel	T	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		47	40	87	Medium	Medium	Medium
1207	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		40	36	76	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1208	Parallel	T	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		49	46	95	Medium	Medium	Medium
1209	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		51	36	87	Medium	Medium	Medium
1210	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8		51	25	76	Medium	Low	Low
1211	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		48	36	84	Medium	Medium	Medium
1212	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		47	36	83	Medium	Medium	Medium
1213	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		49	36	85	Medium	Medium	Medium
1214	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		49	26	75	Medium	Low	Low
1215	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		55	36	91	Medium	Medium	Medium
1216	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		51	30	81	Medium	Low	Medium
1217	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		49	30	79	Medium	Low	Low
1220	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		46	20	66	Medium	Low	Low
1221	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		47	42	89	Medium	Medium	Medium
1222	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		54	34	88	Medium	Medium	Medium
1223	Diagonal	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	T	F	F	> 4%	5.1% to 8		48	40	88	Medium	Medium	Medium
1224	Perpendicular	F	F	F	OK	T	36-47 in	< 36 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		48	37	85	Medium	Medium	Medium
1225	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		48	21	69	Medium	Low	Low
1226	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	T	2% or less	5% or less		48	41	89	Medium	Medium	Medium
1227	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		48	26	74	Medium	Low	Low
1228	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8		49	22	71	Medium	Low	Low
1229	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		51	0	51	Medium	Low	Low
1230	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		49	10	59	Medium	Low	Low
1231	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		49	5	54	Medium	Low	Low
1232	Perpendicular	T	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	T	T	F	> 4%	5% or less		51	25	76	Medium	Low	Low
1233	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		51	23	74	Medium	Low	Low
1234	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less		49	6	55	Medium	Low	Low
1235	None	F			OK														50	100	150	Medium	High	High
1236	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1237	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	T	T	F	2% - 4%	5% or less		48	21	69	Medium	Low	Low
1238	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	> 4%	5% or less		47	40	87	Medium	Medium	Medium
1239	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		49	36	85	Medium	Medium	Medium
1240	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		40	30	70	Low	Low	Low
1241	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		40	25	65	Low	Low	Low
1242	Parallel	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less		21	25	46	Low	Low	Low
1243	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		47	25	72	Medium	Low	Low
1244	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		47	25	72	Medium	Low	Low
1245	Parallel	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		48	36	84	Medium	Medium	Medium
1246	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		47	36	83	Medium	Medium	Medium
1247	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		47	25	72	Medium	Low	Low
1248	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		47	35	82	Medium	Medium	Medium
1249	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		49	35	84	Medium	Medium	Medium
1250	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less		57	15	72	Medium	Low	Low
1251	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		57	15	72	Medium	Low	Low
1252	None	F			OK														57	100	157	Medium	High	High
1253	Parallel	T	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		55	4	59	Medium	Low	Low
1254	Parallel	T	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		55	4	59	Medium	Low	Low
1255	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8		58	35	93	Medium	Medium	Medium
1256	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		58	20	78	Medium	Low	Low
1257	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		58	35	93	Medium	Medium	Medium
1258	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	F	2% - 4%	5% or less		58	30	88	Medium	Low	Medium
1259	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		58	35	93	Medium	Medium	Medium
1260	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		58	15	73	Medium	Low	Low
1261	None	F			OK														55	100	155	Medium	High	High
1262	None	F			OK														45	100	145	Medium	High	High
1263	None	F			OK														51	100	151	Medium	High	High
1264	None	F			OK														51	100	151	Medium	High	High
1265	None	F			OK														51	100	151	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1266	None	F			OK														50	100	150	Medium	High	High
1267	None	F			OK														50	100	150	Medium	High	High
1268	None	F			OK														50	100	150	Medium	High	High
1269	None	F			OK														48	100	148	Medium	High	High
1270	None	F			OK														48	100	148	Medium	High	High
1271	None	F			OK														48	100	148	Medium	High	High
1272	None	F			OK														47	100	147	Medium	High	High
1273	None	F			OK														47	100	147	Medium	High	High
1274	None	F			OK														47	100	147	Medium	High	High
1275	None	F			OK														46	100	146	Medium	High	High
1276	None	F			OK														48	100	148	Medium	High	High
1277	None	F			OK														46	100	146	Medium	High	High
1278	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	2% - 4%	> 8.1%		52	50	102	Medium	Medium	Medium
1279	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		49	46	95	Medium	Medium	Medium
1280	None	F			OK														48	100	148	Medium	High	High
1281	None	F			OK														48	100	148	Medium	High	High
1282	None	F			OK														48	100	148	Medium	High	High
1283	None	F			OK														48	100	148	Medium	High	High
1284	None	F			OK														48	100	148	Medium	High	High
1285	None	F			OK														48	100	148	Medium	High	High
1286	None	F			OK														49	100	149	Medium	High	High
1287	None	F			OK														49	100	149	Medium	High	High
1288	None	F			OK														49	100	149	Medium	High	High
1289	None	F			OK														50	100	150	Medium	High	High
1290	None	F			OK														50	100	150	Medium	High	High
1291	None	F			OK														48	100	148	Medium	High	High
1292	None	F			OK														48	100	148	Medium	High	High
1293	None	F			OK														48	100	148	Medium	High	High
1294	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		63	44	107	High	Medium	Medium
1295	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		63	44	107	High	Medium	Medium
1296	None	F			OK														61	100	161	High	High	High
1297	Diagonal	T	F	F	Ped Pole	T	36-47 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		70	42	112	High	Medium	Medium
1298	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		72	36	108	High	Medium	Medium
1299	None	F			OK														35	100	135	Low	High	High
1300	None	F			OK														35	100	135	Low	High	High
1301	None	F			OK														36	100	136	Low	High	High
1302	None	F			OK														36	100	136	Low	High	High
1303	None	F			OK														36	100	136	Low	High	High
1304	None	F			OK														36	100	136	Low	High	High
1305	None	F			OK														34	100	134	Low	High	High
1306	Diagonal	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		42	51	93	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1307	None	F			OK														34	100	134	Low	High	High
1308	None	F			OK														30	100	130	Low	High	High
1309	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		42	67	109	Low	Medium	Medium
1310	None	F			OK														38	100	138	Low	High	High
1311	None	F			OK														42	100	142	Low	High	High
1312	None	F			OK														35	100	135	Low	High	High
1313	None	F			OK														35	100	135	Low	High	High
1314	None	F			OK														35	100	135	Low	High	High
1315	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		36	55	91	Low	Medium	Medium
1316	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%		36	50	86	Low	Medium	Medium
1317	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		36	50	86	Low	Medium	Medium
1318	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		36	35	71	Low	Medium	Low
1319	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		46	40	86	Medium	Medium	Medium
1320	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		46	45	91	Medium	Medium	Medium
1321	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		47	46	93	Medium	Medium	Medium
1322	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		46	51	97	Medium	Medium	Medium
1323	Parallel	F	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		38	50	88	Low	Medium	Medium
1324	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		37	41	78	Low	Medium	Low
1325	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		37	30	67	Low	Low	Low
1326	Diagonal	T	F	F	OK	T	< 36 in	>= 48 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		37	36	73	Low	Medium	Low
1327	Directional	F	F	F	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		37	46	83	Low	Medium	Medium
1328	None	F			OK														35	100	135	Low	High	High
1329	None	F			OK														35	100	135	Low	High	High
1330	None	F			OK														35	100	135	Low	High	High
1331	None	F			OK														35	100	135	Low	High	High
1332	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		59	41	100	Medium	Medium	Medium
1333	Diagonal	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		57	31	88	Medium	Low	Medium
1334	None	F			OK														56	100	156	Medium	High	High
1335	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		48	46	94	Medium	Medium	Medium
1336	None	F			OK														52	100	152	Medium	High	High
1337	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		42	56	98	Low	Medium	Medium
1338	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		46	46	92	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1339	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		46	41	87	Medium	Medium	Medium
1340	Diagonal	F	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		43	51	94	Medium	Medium	Medium
1341	None	F			OK														42	100	142	Low	High	High
1342	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		48	36	84	Medium	Medium	Medium
1343	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		50	36	86	Medium	Medium	Medium
1344	Parallel	F	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		50	38	88	Medium	Medium	Medium
1345	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		50	46	96	Medium	Medium	Medium
1346	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		49	36	85	Medium	Medium	Medium
1347	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		49	41	90	Medium	Medium	Medium
1348	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		49	20	69	Medium	Low	Low
1349	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		49	21	70	Medium	Low	Low
1350	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	F	> 4%	5% or less		50	31	81	Medium	Low	Medium
1351	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		50	46	96	Medium	Medium	Medium
1352	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		50	31	81	Medium	Low	Medium
1353	Parallel	F	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		50	32	82	Medium	Medium	Medium
1354	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		41	26	67	Low	Low	Low
1355	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		41	31	72	Low	Low	Low
1356	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		41	56	97	Low	Medium	Medium
1357	Parallel	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		41	48	89	Low	Medium	Medium
1358	Parallel	F	F	F	OK	F	>= 48 in	< 36 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		36	53	89	Low	Medium	Medium
1359	Directional	F	F	F	Grating	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8		36	65	101	Low	Medium	Medium
1360	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		40	6	46	Low	Low	Low
1361	Diagonal	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		40	21	61	Low	Low	Low
1362	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		40	46	86	Low	Medium	Medium
1363	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		40	56	96	Low	Medium	Medium
1364	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		40	16	56	Low	Low	Low
1365	Directional	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	F	> 4%	> 8.1%		40	40	80	Low	Medium	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1366	None	F			OK														40	100	140	Low	High	High
1367	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		37	46	83	Low	Medium	Medium
1368	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		39	36	75	Low	Medium	Low
1369	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	F	> 4%	5.1% to 8		39	45	84	Low	Medium	Medium
1370	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		39	26	65	Low	Low	Low
1371	None	F			OK														47	100	147	Medium	High	High
1372	None	F			OK														47	100	147	Medium	High	High
1373	Directional	F	F	F	Access covers	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		48	61	109	Medium	Medium	Medium
1374	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less		49	30	79	Medium	Low	Low
1375	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		51	40	91	Medium	Medium	Medium
1376	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		51	15	66	Medium	Low	Low
1377	Perpendicular	T	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		51	30	81	Medium	Low	Medium
1378	Diagonal	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	T	F	F	> 4%	5.1% to 8		59	50	109	Medium	Medium	Medium
1379	Diagonal	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	T	F	T	2% or less	5.1% to 8		54	41	95	Medium	Medium	Medium
1380	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		53	41	94	Medium	Medium	Medium
1381	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less		53	25	78	Medium	Low	Low
1382	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	T	2% or less	> 8.1%		58	30	88	Medium	Low	Medium
1383	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		59	15	74	Medium	Low	Low
1384	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8		44	20	64	Medium	Low	Low
1385	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		43	41	84	Medium	Medium	Medium
1386	Diagonal	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		45	43	88	Medium	Medium	Medium
1387	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		47	30	77	Medium	Low	Low
1388	Parallel	F	F	F	Access covers	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		47	61	108	Medium	Medium	Medium
1389	Parallel	T	F	T	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		45	26	71	Medium	Low	Low
1390	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		45	21	66	Medium	Low	Low
1391	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	T	F	T	2% or less	> 8.1%		44	16	60	Medium	Low	Low
1392	Diagonal	T	T	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		43	25	68	Medium	Low	Low
1393	Perpendicular	T	F	F	OK	F	< 36 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	2% - 4%	5% or less		53	41	94	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1394	Perpendicular	T	F	F	OK	F	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		41	41	82	Low	Medium	Medium
1395	Parallel	T	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	F	F	2% - 4%	5.1% to 8		61	50	111	High	Medium	Medium
1396	Diagonal	T	F	F	OK	F	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8		51	46	97	Medium	Medium	Medium
1397	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less		57	30	87	Medium	Low	Medium
1398	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		57	41	98	Medium	Medium	Medium
1399	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less		54	35	89	Medium	Medium	Medium
1400	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		54	46	100	Medium	Medium	Medium
1401	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		51	36	87	Medium	Medium	Medium
1402	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		51	46	97	Medium	Medium	Medium
1403	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less		51	38	89	Medium	Medium	Medium
1404	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	F	F	2% - 4%	5.1% to 8		45	45	90	Medium	Medium	Medium
1405	Diagonal	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		33	57	90	Low	Medium	Medium
1406	None	F			OK														33	100	133	Low	High	High
1407	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		34	36	70	Low	Medium	Low
1408	None	F			OK														31	100	131	Low	High	High
1409	Diagonal	T	F	F	Light Pole	F	None	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		55	48	103	Medium	Medium	Medium
1410	Parallel	T	F	F	debris and bushes	T	< 36 in	< 36 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%		54	44	98	Medium	Medium	Medium
1411	Perpendicular	T	F	F	Utility Pole	T	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		48	34	82	Medium	Medium	Medium
1412	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		47	21	68	Medium	Low	Low
1413	Perpendicular	T	F	F	OK	T	>= 48 in	< 36 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		47	20	67	Medium	Low	Low
1414	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		47	31	78	Medium	Low	Low
1415	Perpendicular	T	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		37	1	38	Low	Low	Low
1416	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		46	6	52	Medium	Low	Low
1417	Perpendicular	T	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T	2% or less	5.1% to 8		45	23	68	Medium	Low	Low
1418	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		46	10	56	Medium	Low	Low
1419	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		30	20	50	Low	Low	Low
1420	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		40	0	40	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1421	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		58	5	63	Medium	Low	Low
1422	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		63	36	99	High	Medium	Medium
1423	Perpendicular	T	F	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		63	17	80	High	Low	Low
1424	Perpendicular	T	F	T	Ped Pole	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		63	17	80	High	Low	Low
1425	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		63	31	94	High	Low	Medium
1426	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		49	11	60	Medium	Low	Low
1427	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		49	0	49	Medium	Low	Low
1428	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	Compliant	F	T	F	> 4%	5% or less		45	16	61	Medium	Low	Low
1429	Perpendicular	T	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		45	28	73	Medium	Low	Low
1430	Island \ Median	T	F	F	Access covers	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		43	21	64	Medium	Low	Low
1431	Island \ Median	T	F	T	Ped Pole	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		43	17	60	Medium	Low	Low
1432	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		52	15	67	Medium	Low	Low
1433	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		52	1	53	Medium	Low	Low
1434	None	F			OK														62	100	162	High	High	High
1435	Parallel	T	F	F	landscaping	T	36-47 in	< 36 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		60	37	97	High	Medium	Medium
1436	Directional	T	F	F	Grating	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		53	50	103	Medium	Medium	Medium
1437	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8		51	64	115	Medium	Medium	Medium
1438	None	F			OK														51	100	151	Medium	High	High
1439	Directional	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less		54	39	93	Medium	Medium	Medium
1440	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		52	10	62	Medium	Low	Low
1441	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		59	21	80	Medium	Low	Low
1442	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		55	1	56	Medium	Low	Low
1443	Construction	F	F	F	OK	F					None	None	F						59			Medium		
1444	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		59	0	59	Medium	Low	Low
1445	Construction	F	F	F	OK	F					None	None	F						71			High		
1446	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less		59	15	74	Medium	Low	Low
1447	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		75	20	95	High	Low	Medium
1448	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		58	10	68	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1449	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		48	10	58	Medium	Low	Low
1450	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less		68	15	83	High	Low	Medium
1451	Construction	F	F	F	OK	F					None	None	F						67			High		
1452	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	F	F	> 4%	5.1% to 8		67	25	92	High	Low	Medium
1453	Perpendicular	F	F	T	OK	T	36-47 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		67	40	107	High	Medium	Medium
1454	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	T	F	F	> 4%	5.1% to 8		66	35	101	High	Medium	Medium
1455	Directional	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%		71	61	132	High	Medium	High
1456	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		63	31	94	High	Low	Medium
1457	None	F			OK														61	100	161	High	High	High
1458	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	F	T	2% or less	5.1% to 8		71	5	76	High	Low	Low
1459	Directional	T	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		71	5	76	High	Low	Low
1460	Directional	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		61	22	83	High	Low	Medium
1461	Directional	F	F	F	Grating	T	< 36 in	< 36 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		59	54	113	Medium	Medium	Medium
1462	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		56	36	92	Medium	Medium	Medium
1463	None	F			OK														53	100	153	Medium	High	High
1464	None	F			OK														45	100	145	Medium	High	High
1465	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		53	21	74	Medium	Low	Low
1466	Directional	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		52	50	102	Medium	Medium	Medium
1467	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		56	24	80	Medium	Low	Low
1468	None	F			OK														56	100	156	Medium	High	High
1469	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		55	16	71	Medium	Low	Low
1470	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		55	21	76	Medium	Low	Low
1471	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		55	16	71	Medium	Low	Low
1472	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	> 8.1%		54	5	59	Medium	Low	Low
1473	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		39	11	50	Low	Low	Low
1474	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	T	T	F	2% - 4%	5% or less		39	25	64	Low	Low	Low
1475	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		48	5	53	Medium	Low	Low
1476	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		40	16	56	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1477	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		45	10	55	Medium	Low	Low
1478	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		45	11	56	Medium	Low	Low
1479	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		45	0	45	Medium	Low	Low
1480	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		46	0	46	Medium	Low	Low
1481	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		46	20	66	Medium	Low	Low
1482	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		46	11	57	Medium	Low	Low
1483	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
1484	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		46	21	67	Medium	Low	Low
1485	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		46	16	62	Medium	Low	Low
1486	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		46	21	67	Medium	Low	Low
1487	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
1488	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	F	2% - 4%	5% or less		37	16	53	Low	Low	Low
1489	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		43	5	48	Medium	Low	Low
1490	None	F			OK														45	100	145	Medium	High	High
1491	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		46	1	47	Medium	Low	Low
1492	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		45	16	61	Medium	Low	Low
1493	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
1494	None	F			OK														45	100	145	Medium	High	High
1495	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		45	46	91	Medium	Medium	Medium
1496	None	F			OK														45	100	145	Medium	High	High
1497	None	F			OK														44	100	144	Medium	High	High
1498	None	F			OK														35	100	135	Low	High	High
1499	None	F			OK														48	100	148	Medium	High	High
1500	None	F			OK														45	100	145	Medium	High	High
1501	None	F			OK														42	100	142	Low	High	High
1502	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		42	46	88	Low	Medium	Medium
1503	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		44	56	100	Medium	Medium	Medium
1504	None	F			OK														44	100	144	Medium	High	High
1505	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		44	46	90	Medium	Medium	Medium
1506	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		44	56	100	Medium	Medium	Medium
1507	None	F			OK														43	100	143	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1508	None	F			OK														43	100	143	Medium	High	High
1509	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		42	26	68	Low	Low	Low
1510	None	F			OK														42	100	142	Low	High	High
1511	None	F			OK														32	100	132	Low	High	High
1512	None	F			OK														34	100	134	Low	High	High
1513	None	F			OK														34	100	134	Low	High	High
1514	None	F			OK														27	100	127	Low	High	High
1515	None	F			OK														27	100	127	Low	High	High
1517	None	F			OK														28	100	128	Low	High	High
1518	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		29	46	75	Low	Medium	Low
1519	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		29	46	75	Low	Medium	Low
1520	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		56	58	114	Medium	Medium	Medium
1521	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		49	46	95	Medium	Medium	Medium
1522	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		57	56	113	Medium	Medium	Medium
1523	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		51	31	82	Medium	Low	Medium
1524	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less		51	31	82	Medium	Low	Medium
1525	None	F			OK														51	100	151	Medium	High	High
1526	Directional	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less		51	46	97	Medium	Medium	Medium
1527	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	49	23	72	Medium	Low	Low
1528	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	49	17	66	Medium	Low	Low
1529	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	49	18	67	Medium	Low	Low
1530	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	1	49	10	59	Medium	Low	Low
1531	Diagonal	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	F	F	2% - 4%	5.1% to 8	2	49	25	74	Medium	Low	Low
1532	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	F	2% - 4%	> 8.1%	2	49	10	59	Medium	Low	Low
1533	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	39	41	80	Low	Medium	Low
1534	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	2	49	26	75	Medium	Low	Low
1535	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	2	49	31	80	Medium	Low	Low
1536	Diagonal	T	T	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	2	44	29	73	Medium	Low	Low
1537	Diagonal	T	T	F	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	2	77	37	114	High	Medium	Medium
1538	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less	2	76	30	106	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1539	Diagonal	T	T	F	Ped Pole	T	None	>= 48 in	> 10%	< 2%	10% or less	Compliant	F	T	F	2% - 4%	5% or less	2	78	36	114	High	Medium	Medium
1540	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	86	23	109	High	Low	Medium
1541	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	86	18	104	High	Low	Medium
1542	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	86	48	134	High	Medium	High
1543	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	80	31	111	High	Low	Medium
1544	Perpendicular	T	T	F	OK	T	< 36 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	80	39	119	High	Medium	High
1545	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	80	33	113	High	Medium	Medium
1546	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	77	36	113	High	Medium	Medium
1547	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	1	76	41	117	High	Medium	Medium
1548	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	79	17	96	High	Low	Medium
1549	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	1	79	16	95	High	Low	Medium
1550	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	1	78	21	99	High	Low	Medium
1551	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	1	72	33	105	High	Medium	Medium
1552	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	76	41	117	High	Medium	Medium
1553	None	F			OK														76	100	176	High	High	High
1554	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	48	25	73	Medium	Low	Low
1555	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	0	53	35	88	Medium	Medium	Medium
1556	Directional	F	F	F	Access covers	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	53	45	98	Medium	Medium	Medium
1557	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	T	2% or less	5% or less	0	53	40	93	Medium	Medium	Medium
1558	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	53	30	83	Medium	Low	Medium
1559	Perpendicular	T	T	T	Access covers	T	None	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	51	23	74	Medium	Low	Low
1560	Perpendicular	T	T	F	OK	T	None	>= 48 in	> 10%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8	1	51	27	78	Medium	Low	Low
1561	Island \ Median	T	T	F	Access covers	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less	1	51	37	88	Medium	Medium	Medium
1562	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	1	51	20	71	Medium	Low	Low
1563	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	1	46	23	69	Medium	Low	Low
1564	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	51	10	61	Medium	Low	Low
1565	Perpendicular	T	T	T	Light Pole	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	50	13	63	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1566	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	F	T	2% or less	> 8.1%	1	50	24	74	Medium	Low	Low
1567	Parallel	T	T	F	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	2	53	30	83	Medium	Low	Medium
1568	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	41	90	Medium	Medium	Medium
1569	Parallel	T	T	F	OK	F	36-47 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	53	30	83	Medium	Low	Medium
1570	Parallel	T	T	F	OK	T	< 36 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	1	53	21	74	Medium	Low	Low
1571	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less	1	53	33	86	Medium	Medium	Medium
1572	Perpendicular	T	T	F	Light Pole	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	1	53	33	86	Medium	Medium	Medium
1573	None	F			OK														51	100	151	Medium	High	High
1574	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	51	36	87	Medium	Medium	Medium
1575	Parallel	F	F	F	OK	F	36-47 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	51	60	111	Medium	Medium	Medium
1576	Island \ Median	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	61	45	106	High	Medium	Medium
1577	Island \ Median	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	61	20	81	High	Low	Medium
1578	Directional	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	T	T	F	> 4%	5% or less	1	63	35	98	High	Medium	Medium
1579	Directional	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	63	42	105	High	Medium	Medium
1580	Directional	T	T	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	49	41	90	Medium	Medium	Medium
1581	Directional	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	49	26	75	Medium	Low	Low
1582	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	61	46	107	High	Medium	Medium
1583	Directional	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	50	31	81	Medium	Low	Medium
1584	Directional	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less	1	50	30	80	Medium	Low	Low
1585	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	F	> 4%	5% or less	0	39	46	85	Low	Medium	Medium
1586	Perpendicular	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less	0	39	30	69	Low	Low	Low
1587	Perpendicular	T	T	F	OK	F	None	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	1	53	32	85	Medium	Medium	Medium
1588	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	1	48	31	79	Medium	Low	Low
1589	Directional	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	48	31	79	Medium	Low	Low
1590	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	1	52	31	83	Medium	Low	Medium
1591	Perpendicular	T	T	F	Utility Pole	T	36-47 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	53	47	100	Medium	Medium	Medium
1592	Perpendicular	T	F	F	Utility Pole	T	< 36 in	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	53	48	101	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1593	Parallel	T	T	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	51	26	77	Medium	Low	Low
1594	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	51	36	87	Medium	Medium	Medium
1595	Parallel	T	T	T	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	2	59	21	80	Medium	Low	Low
1596	Parallel	T	T	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	2	54	21	75	Medium	Low	Low
1597	None	F			OK														44	100	144	Medium	High	High
1598	None	F			OK														46	100	146	Medium	High	High
1599	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	2	47	7	54	Medium	Low	Low
1600	Parallel	T	F	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	2	48	31	79	Medium	Low	Low
1601	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	0	48	37	85	Medium	Medium	Medium
1602	Directional	T	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8	2	50	25	75	Medium	Low	Low
1603	Directional	F	F	F	OK	T	None	< 36 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	51	43	94	Medium	Medium	Medium
1604	Directional	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%	0	50	35	85	Medium	Medium	Medium
1605	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	F	> 4%	5% or less	1	50	26	76	Medium	Low	Low
1606	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%	1	49	31	80	Medium	Low	Low
1607	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less	0	49	46	95	Medium	Medium	Medium
1608	Directional	F	F	F	OK	T	36-47 in	< 36 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	49	37	86	Medium	Medium	Medium
1609	Directional	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less	0	49	50	99	Medium	Medium	Medium
1610	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	51	41	92	Medium	Medium	Medium
1611	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	51	46	97	Medium	Medium	Medium
1612	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	50	43	93	Medium	Medium	Medium
1613	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	49	48	97	Medium	Medium	Medium
1614	Directional	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	41	87	Medium	Medium	Medium
1615	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	46	54	100	Medium	Medium	Medium
1616	Directional	F	F	F	OK	T	36-47 in	< 36 in	< 8.3%	> 4%	None	Compliant	F	T	F	> 4%	5% or less	0	46	42	88	Medium	Medium	Medium
1617	Directional	F	F	F	OK	F	36-47 in	< 36 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	46	57	103	Medium	Medium	Medium
1618	Directional	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%	0	46	55	101	Medium	Medium	Medium
1619	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	46	53	99	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1620	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	48	46	94	Medium	Medium	Medium
1621	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	48	51	99	Medium	Medium	Medium
1622	None	F			OK														53	100	153	Medium	High	High
1623	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	> 8.1%	0	53	25	78	Medium	Low	Low
1624	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	57	41	98	Medium	Medium	Medium
1625	None	F			OK														44	100	144	Medium	High	High
1626	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	1	47	16	63	Medium	Low	Low
1627	None	F			OK														47	100	147	Medium	High	High
1628	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	44	51	95	Medium	Medium	Medium
1629	None	F			OK														46	100	146	Medium	High	High
1630	None	F			OK														45	100	145	Medium	High	High
1631	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	49	51	100	Medium	Medium	Medium
1632	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	49	41	90	Medium	Medium	Medium
1633	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	46	95	Medium	Medium	Medium
1634	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	50	51	101	Medium	Medium	Medium
1635	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	50	46	96	Medium	Medium	Medium
1636	Directional	F	F	T	Grating	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less	0	50	30	80	Medium	Low	Low
1637	None	F			OK														50	100	150	Medium	High	High
1638	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	2	50	31	81	Medium	Low	Medium
1639	Parallel	T	T	T	Ped Pole	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8	2	50	20	70	Medium	Low	Low
1640	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	2	50	1	51	Medium	Low	Low
1641	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	2	50	30	80	Medium	Low	Low
1642	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	52	20	72	Medium	Low	Low
1643	None	F			OK														52	100	152	Medium	High	High
1644	Directional	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	54	31	85	Medium	Low	Medium
1645	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	53	41	94	Medium	Medium	Medium
1646	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	2	58	0	58	Medium	Low	Low
1647	Directional	T	F	T	Grating	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	2	54	31	85	Medium	Low	Medium
1648	None	F			OK														58	100	158	Medium	High	High
1649	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	Compliant	T	T	T	2% or less	5% or less	0	66	10	76	High	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1650	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	Compliant	T	T	T	2% or less	5% or less	0	66	10	76	High	Low	Low
1651	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	66	21	87	High	Low	Medium
1652	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	66	27	93	High	Low	Medium
1653	None	F			OK														66	100	166	High	High	High
1654	Parallel	T	F	T	Grating	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	1	50	25	75	Medium	Low	Low
1655	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	2	51	11	62	Medium	Low	Low
1656	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	51	21	72	Medium	Low	Low
1657	Perpendicular	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	25	56	81	Low	Medium	Medium
1658	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	27	31	58	Low	Low	Low
1659	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	25	32	57	Low	Medium	Low
1660	Perpendicular	F	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	25	41	66	Low	Medium	Low
1661	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	0	27	47	74	Low	Medium	Low
1662	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	27	43	70	Low	Medium	Low
1663	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	26	41	67	Low	Medium	Low
1664	Diagonal	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	10% or less	None	F	F	F	> 4%	> 8.1%	2	25	41	66	Low	Medium	Low
1665	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	> 8.1%	0	28	41	69	Low	Medium	Low
1666	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	39	37	76	Low	Medium	Low
1667	Perpendicular	NA	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		39	48	87	Low	Medium	Medium
1668	None	F			OK														39	100	139	Low	High	High
1669	None	F			OK														39	100	139	Low	High	High
1670	None	F			OK														39	100	139	Low	High	High
1671	None	F			OK														29	100	129	Low	High	High
1672	None	F			OK														29	100	129	Low	High	High
1673	None	F			OK														29	100	129	Low	High	High
1674	None	F			OK														30	100	130	Low	High	High
1675	None	F			OK														30	100	130	Low	High	High
1676	None	F			OK														32	100	132	Low	High	High
1677	None	F			OK														33	100	133	Low	High	High
1678	None	F			OK														33	100	133	Low	High	High
1679	None	F			OK														33	100	133	Low	High	High
1680	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	F	F	2% - 4%	5.1% to 8	1	45	10	55	Medium	Low	Low
1681	Directional	T	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	1	36	46	82	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1682	None	F			OK														38	100	138	Low	High	High
1683	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	44	28	72	Medium	Low	Low
1684	Perpendicular	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	44	37	81	Medium	Medium	Medium
1685	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	44	28	72	Medium	Low	Low
1686	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	> 8.1%	1	44	28	72	Medium	Low	Low
1687	None	F			OK														42	100	142	Low	High	High
1688	None	F			OK														42	100	142	Low	High	High
1689	None	F			OK														42	100	142	Low	High	High
1690	None	F			OK														34	100	134	Low	High	High
1691	None	F			OK														34	100	134	Low	High	High
1692	None	F			OK														34	100	134	Low	High	High
1693	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%	0	45	21	66	Medium	Low	Low
1694	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	0	44	36	80	Medium	Medium	Low
1695	None	F			OK														44	100	144	Medium	High	High
1696	None	F			OK														37	100	137	Low	High	High
1697	None	F			OK														37	100	137	Low	High	High
1698	Parallel	F	F	T	Sign Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	F	2% - 4%	5.1% to 8	0	37	30	67	Low	Low	Low
1699	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	45	10	55	Medium	Low	Low
1700	None	F			OK														45	100	145	Medium	High	High
1701	None	F			OK														45	100	145	Medium	High	High
1702	None	F			OK														45	100	145	Medium	High	High
1703	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	36	82	Medium	Medium	Medium
1704	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	46	46	92	Medium	Medium	Medium
1705	None	F			OK														36	100	136	Low	High	High
1706	None	F			OK														36	100	136	Low	High	High
1707	None	F			OK														36	100	136	Low	High	High
1708	None	F			OK														35	100	135	Low	High	High
1709	None	F			OK														35	100	135	Low	High	High
1710	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	33	26	59	Low	Low	Low
1711	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	0	32	15	47	Low	Low	Low
1712	Construction	T	F	F	OK	F					None	None	F					2	33			Low		
1713	None	F			OK														33	100	133	Low	High	High
1714	None	F			OK														32	100	132	Low	High	High
1715	None	F			OK														33	100	133	Low	High	High
1716	None	F			OK														33	100	133	Low	High	High
1717	None	F			OK														33	100	133	Low	High	High
1718	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	> 8.1%	0	32	31	63	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1719	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	32	26	58	Low	Low	Low
1720	None	F			OK														32	100	132	Low	High	High
1721	None	F			OK														32	100	132	Low	High	High
1722	None	F			OK														32	100	132	Low	High	High
1723	None	F			OK														32	100	132	Low	High	High
1724	None	F			OK														32	100	132	Low	High	High
1725	None	F			OK														32	100	132	Low	High	High
1726	None	F			OK														32	100	132	Low	High	High
1727	None	F			OK														29	100	129	Low	High	High
1728	None	F			OK														29	100	129	Low	High	High
1729	None	F			OK														29	100	129	Low	High	High
1730	None	F			OK														29	100	129	Low	High	High
1731	None	F			OK														30	100	130	Low	High	High
1732	None	F			OK														38	100	138	Low	High	High
1733	None	F			OK														38	100	138	Low	High	High
1734	None	F			OK														39	100	139	Low	High	High
1735	None	F			OK														39	100	139	Low	High	High
1736	None	F			OK														38	100	138	Low	High	High
1737	None	F			OK														40	100	140	Low	High	High
1738	None	F			OK														40	100	140	Low	High	High
1739	None	F			OK														40	100	140	Low	High	High
1740	None	F			OK														32	100	132	Low	High	High
1741	None	F			OK														32	100	132	Low	High	High
1742	None	F			OK														32	100	132	Low	High	High
1743	None	F			OK														32	100	132	Low	High	High
1744	None	F			OK														31	100	131	Low	High	High
1745	None	F			OK														42	100	142	Low	High	High
1746	None	F			OK														42	100	142	Low	High	High
1747	None	F			OK														42	100	142	Low	High	High
1753	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	47	21	68	Medium	Low	Low
1754	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	47	31	78	Medium	Low	Low
1755	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	47	21	68	Medium	Low	Low
1756	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	0	47	26	73	Medium	Low	Low
1757	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	0	47	26	73	Medium	Low	Low
1758	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	47	31	78	Medium	Low	Low
1759	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	49	21	70	Medium	Low	Low
1760	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	> 8.1%	0	40	35	75	Low	Medium	Low
1761	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	F	F	2% - 4%	> 8.1%	0	40	30	70	Low	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1762	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	> 8.1%	0	40	51	91	Low	Medium	Medium
1763	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	0	39	30	69	Low	Low	Low
1764	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	0	39	35	74	Low	Medium	Low
1765	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	> 8.1%	0	39	51	90	Low	Medium	Medium
1766	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	> 8.1%	0	46	46	92	Medium	Medium	Medium
1767	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	48	43	91	Medium	Medium	Medium
1768	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	T	F	T	2% or less	> 8.1%	0	40	40	80	Low	Medium	Low
1769	Perpendicular	F	F	F	OK	F	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	51	64	115	Medium	Medium	Medium
1770	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8	0	50	37	87	Medium	Medium	Medium
1771	None	F			OK														39	100	139	Low	High	High
1772	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	0	49	42	91	Medium	Medium	Medium
1773	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	49	43	92	Medium	Medium	Medium
1774	Perpendicular	F	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	49	41	90	Medium	Medium	Medium
1775	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	49	32	81	Medium	Medium	Medium
1776	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	43	33	76	Medium	Medium	Low
1777	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	43	23	66	Medium	Low	Low
1778	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	43	46	89	Medium	Medium	Medium
1779	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	46	89	Medium	Medium	Medium
1780	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	38	21	59	Low	Low	Low
1781	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	38	26	64	Low	Low	Low
1782	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	36	43	79	Low	Medium	Low
1783	Perpendicular	T	F	F	OK	F	< 36 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	42	49	91	Low	Medium	Medium
1784	Perpendicular	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	1	43	12	55	Medium	Low	Low
1785	Perpendicular	F	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	0	46	34	80	Medium	Medium	Low
1786	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	43	36	79	Medium	Medium	Low
1787	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	43	46	89	Medium	Medium	Medium
1788	Perpendicular	F	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	0	43	31	74	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1789	Perpendicular	F	F	F	OK	F	None	>= 48 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	42	48	90	Low	Medium	Medium
1790	Perpendicular	F	F	F	OK	T	None	>= 48 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	> 8.1%	0	41	38	79	Low	Medium	Low
1794	None	F			OK														18	100	118	Low	High	High
1795	None	F			OK														7	100	107	Low	High	Medium
1796	None	F			OK														22	100	122	Low	High	High
1797	None	F			OK														21	100	121	Low	High	High
1798	None	F			OK														21	100	121	Low	High	High
1799	None	F			OK														21	100	121	Low	High	High
1800	None	F			OK														21	100	121	Low	High	High
1801	None	F			OK														22	100	122	Low	High	High
1802	None	F			OK														22	100	122	Low	High	High
1803	None	F			OK														24	100	124	Low	High	High
1804	None	F			OK														24	100	124	Low	High	High
1805	None	F			OK														25	100	125	Low	High	High
1806	None	F			OK														25	100	125	Low	High	High
1807	None	F			OK														29	100	129	Low	High	High
1808	None	F			OK														19	100	119	Low	High	High
1809	None	F			OK														17	100	117	Low	High	Medium
1810	None	F			OK														17	100	117	Low	High	Medium
1811	None	F			OK														17	100	117	Low	High	Medium
1812	None	F			OK														17	100	117	Low	High	Medium
1813	None	F			OK														33	100	133	Low	High	High
1814	Construction	T	F	F	OK	F					None	None	F					2	34			Low		
1815	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	50	61	111	Medium	Medium	Medium
1816	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	51	41	92	Medium	Medium	Medium
1817	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	61	43	104	High	Medium	Medium
1818	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	61	33	94	High	Medium	Medium
1819	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	57	35	92	Medium	Medium	Medium
1820	None	F			OK														52	100	152	Medium	High	High
1821	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	50	41	91	Medium	Medium	Medium
1822	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less	0	50	30	80	Medium	Low	Low
1823	Perpendicular	T	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	47	13	60	Medium	Low	Low
1824	None	F			OK														40	100	140	Low	High	High
1825	None	F			OK														39	100	139	Low	High	High
1826	None	F			OK														39	100	139	Low	High	High
1827	None	F			OK														39	100	139	Low	High	High
1828	None	F			OK														37	100	137	Low	High	High
1829	None	F			OK														37	100	137	Low	High	High
1830	None	F			OK														37	100	137	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1831	None	F			OK														37	100	137	Low	High	High
1832	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	38	15	53	Low	Low	Low
1833	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8	0	38	25	63	Low	Low	Low
1834	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	F	2% - 4%	5.1% to 8	1	38	20	58	Low	Low	Low
1835	None	F			OK														38	100	138	Low	High	High
1836	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	37	15	52	Low	Low	Low
1837	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	35	34	69	Low	Medium	Low
1838	Perpendicular	F	F	F	landscaping.	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	0	33	50	83	Low	Medium	Medium
1839	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	36	10	46	Low	Low	Low
1840	None	F			OK														37	100	137	Low	High	High
1841	None	F			OK														44	100	144	Medium	High	High
1842	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	1	44	16	60	Medium	Low	Low
1843	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	1	36	11	47	Low	Low	Low
1844	None	F			OK														39	100	139	Low	High	High
1845	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	35	36	71	Low	Medium	Low
1846	Perpendicular	F	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	34	33	67	Low	Medium	Low
1847	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less	1	45	5	50	Medium	Low	Low
1848	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	49	33	82	Medium	Medium	Medium
1849	Perpendicular	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	49	48	97	Medium	Medium	Medium
1850	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	1	57	20	77	Medium	Low	Low
1851	None	F			OK														46	100	146	Medium	High	High
1852	None	F			OK														57	100	157	Medium	High	High
1853	Diagonal	T	T	T	OK	T	None	>= 48 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	2	60	32	92	High	Medium	Medium
1854	Diagonal	T	T	F	Utility Pole	F	36-47 in	>= 48 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8	2	60	51	111	High	Medium	Medium
1855	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	2	70	28	98	High	Low	Medium
1856	Parallel	T	T	F	Utility Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	2	60	20	80	High	Low	Low
1857	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	T	T	F	2% - 4%	5% or less	1	64	17	81	High	Low	Medium
1858	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	1	64	12	76	High	Low	Low
1859	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less	1	63	17	80	High	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1860	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	F	> 4%	5% or less	1	63	22	85	High	Low	Medium
1861	Construction	T	F	F	OK	F					None	None	F					2	63			High		
1862	Perpendicular	T	T	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	64	33	97	High	Medium	Medium
1863	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	64	28	92	High	Low	Medium
1864	Perpendicular	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	F	F	2% - 4%	5.1% to 8	1	65	22	87	High	Low	Medium
1865	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	1	52	1	53	Medium	Low	Low
1866	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	73	31	104	High	Low	Medium
1867	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	73	0	73	High	Low	Low
1868	Parallel	T	T	T	Utility Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	2	78	15	93	High	Low	Medium
1869	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	T	T	F	2% - 4%	5% or less	1	78	12	90	High	Low	Medium
1870	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	78	16	94	High	Low	Medium
1871	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	T	T	F	> 4%	5% or less	2	87	15	102	High	Low	Medium
1872	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	88	21	109	High	Low	Medium
1873	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	88	23	111	High	Low	Medium
1874	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	78	33	111	High	Medium	Medium
1875	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	T	2% or less	5% or less	2	78	11	89	High	Low	Medium
1876	Diagonal	T	T	T	OK	T	< 36 in	>= 48 in	> 10%	< 2%	10% or less	Compliant	T	T	T	2% or less	5% or less	2	88	16	104	High	Low	Medium
1877	Parallel	T	T	T	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less	2	88	16	104	High	Low	Medium
1878	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	2	78	25	103	High	Low	Medium
1879	Diagonal	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	2	73	28	101	High	Low	Medium
1880	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	83	36	119	High	Medium	High
1881	None	F			OK														81	100	181	High	High	High
1882	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	81	26	107	High	Low	Medium
1883	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	1	81	26	107	High	Low	Medium
1884	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	83	38	121	High	Medium	High
1885	None	F			OK														81	100	181	High	High	High
1886	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	80	26	106	High	Low	Medium
1887	None	F			OK														81	100	181	High	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1888	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	67	28	95	High	Low	Medium
1889	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	70	33	103	High	Medium	Medium
1890	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	60	38	98	High	Medium	Medium
1891	Parallel	T	T	T	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	1	65	21	86	High	Low	Medium
1892	Parallel	F	F	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	64	36	100	High	Medium	Medium
1893	Island \ Median	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10% or less	None	T	T	F	> 4%	5% or less	0	64	30	94	High	Low	Medium
1894	Island \ Median	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	64	38	102	High	Medium	Medium
1895	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	64	11	75	High	Low	Low
1896	Construction	T	F	F	OK	F					None	None	F					2	75			High		
1897	Perpendicular	T	T	T	Fire Hydrant	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	79	33	112	High	Medium	Medium
1898	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	79	13	92	High	Low	Medium
1899	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	66	23	89	High	Low	Medium
1900	Perpendicular	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	66	22	88	High	Low	Medium
1901	Island \ Median	T	F	T	Utility Pole	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	66	16	82	High	Low	Medium
1902	Island \ Median	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	65	10	75	High	Low	Low
1903	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less	0	65	15	80	High	Low	Low
1904	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	42	21	63	Low	Low	Low
1905	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	0	42	16	58	Low	Low	Low
1906	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	40	31	71	Low	Low	Low
1907	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	40	25	65	Low	Low	Low
1908	Perpendicular	T	F	F	OK	T	< 36 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	40	31	71	Low	Low	Low
1909	Diagonal	T	T	T	Utility Pole	T	< 36 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	2	56	34	90	Medium	Medium	Medium
1910	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	59	26	85	Medium	Low	Medium
1911	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	2	67	16	83	High	Low	Medium
1912	Diagonal	T	T	T	Ped Pole	T	None	>= 48 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	2	54	23	77	Medium	Low	Low
1913	None	F			OK														51	100	151	Medium	High	High
1914	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	T	F	> 4%	5% or less	1	64	35	99	High	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1915	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	64	18	82	High	Low	Medium
1916	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8	1	64	31	95	High	Low	Medium
1917	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	F	F	> 4%	5.1% to 8	1	64	25	89	High	Low	Medium
1918	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	1	64	31	95	High	Low	Medium
1919	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	54	36	90	Medium	Medium	Medium
1920	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	2	54	26	80	Medium	Low	Low
1921	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less	1	49	25	74	Medium	Low	Low
1922	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	1	44	16	60	Medium	Low	Low
1923	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	44	31	75	Medium	Low	Low
1924	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	44	27	71	Medium	Low	Low
1925	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	44	21	65	Medium	Low	Low
1926	Perpendicular	T	T	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	49	25	74	Medium	Low	Low
1927	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	2	49	12	61	Medium	Low	Low
1928	Perpendicular	T	T	F	OK	T	>= 48 in	< 36 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	49	17	66	Medium	Low	Low
1929	None	F			OK														50	100	150	Medium	High	High
1930	None	F			OK														50	100	150	Medium	High	High
1931	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	51	28	79	Medium	Low	Low
1932	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	2	51	23	74	Medium	Low	Low
1933	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	51	8	59	Medium	Low	Low
1934	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	T	F	2% - 4%	5% or less	1	51	7	58	Medium	Low	Low
1935	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	T	F	F	> 4%	5.1% to 8	1	62	27	89	High	Low	Medium
1936	Perpendicular	T	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	1	62	23	85	High	Low	Medium
1937	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	48	0	48	Medium	Low	Low
1938	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	2	52	0	52	Medium	Low	Low
1939	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	52	0	52	Medium	Low	Low
1940	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	2	50	15	65	Medium	Low	Low
1941	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	2	51	11	62	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1942	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	51	10	61	Medium	Low	Low
1943	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	F	2% - 4%	5% or less	1	50	6	56	Medium	Low	Low
1944	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	1	50	8	58	Medium	Low	Low
1945	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	50	6	56	Medium	Low	Low
1946	None	F			OK														39	100	139	Low	High	High
1947	None	F			OK														39	100	139	Low	High	High
1948	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	38	35	73	Low	Medium	Low
1949	Parallel	F	F	T	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	38	41	79	Low	Medium	Low
1950	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	38	0	38	Low	Low	Low
1951	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	38	0	38	Low	Low	Low
1952	Perpendicular	F	F	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	0	38	27	65	Low	Low	Low
1953	Perpendicular	F	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	38	20	58	Low	Low	Low
1954	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less	0	39	35	74	Low	Medium	Low
1955	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	39	35	74	Low	Medium	Low
1956	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	0	38	40	78	Low	Medium	Low
1957	Parallel	F	F	F	OK	T	None	< 36 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	37	33	70	Low	Medium	Low
1958	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	41	78	Low	Medium	Low
1959	Parallel	F	F	F	OK	T	None	< 36 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	0	37	33	70	Low	Medium	Low
1960	None	F			OK														38	100	138	Low	High	High
1961	None	F			OK														37	100	137	Low	High	High
1962	None	F			OK														38	100	138	Low	High	High
1963	None	F			OK														38	100	138	Low	High	High
1964	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	38	41	79	Low	Medium	Low
1965	None	F			OK														38	100	138	Low	High	High
1966	None	F			OK														38	100	138	Low	High	High
1967	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	38	41	79	Low	Medium	Low
1968	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less	0	39	35	74	Low	Medium	Low
1969	Directional	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less	0	39	50	89	Low	Medium	Medium
1970	None	F			OK														39	100	139	Low	High	High
1971	None	F			OK														39	100	139	Low	High	High
1972	None	F			OK														39	100	139	Low	High	High
1973	None	F			OK														39	100	139	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
1974	None	F			OK														39	100	139	Low	High	High
1975	None	F			OK														39	100	139	Low	High	High
1976	None	F			OK														38	100	138	Low	High	High
1977	None	F			OK														38	100	138	Low	High	High
1978	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	38	52	90	Low	Medium	Medium
1979	Perpendicular	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	38	36	74	Low	Medium	Low
1980	Perpendicular	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	47	79	Low	Medium	Low
1981	Perpendicular	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	32	64	Low	Medium	Low
1982	Perpendicular	F	F	T	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	32	16	48	Low	Low	Low
1983	Perpendicular	F	F	T	OK	T	>= 48 in	< 36 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	40	72	Low	Medium	Low
1984	Parallel	F	F	T	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	41	36	77	Low	Medium	Low
1985	Perpendicular	F	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	41	32	73	Low	Medium	Low
1986	Perpendicular	F	F	T	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	41	42	83	Low	Medium	Medium
1987	Construction	T	F	F	OK	F					None	None	F					2	72			High		
1988	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	1	69	16	85	High	Low	Medium
1989	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	75	17	92	High	Low	Medium
1990	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	1	71	26	97	High	Low	Medium
1991	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	T	T	F	> 4%	5% or less	1	81	37	118	High	Medium	High
1992	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	1	81	26	107	High	Low	Medium
1993	None	F			OK														76	100	176	High	High	High
1994	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	76	20	96	High	Low	Medium
1995	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	81	25	106	High	Low	Medium
1996	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	81	30	111	High	Low	Medium
1997	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	1	68	20	88	High	Low	Medium
1998	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	1	81	20	101	High	Low	Medium
1999	Perpendicular	T	T	F	utility box	T	< 36 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	81	38	119	High	Medium	High
2000	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	81	33	114	High	Medium	Medium
2001	Perpendicular	F	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	71	31	102	High	Low	Medium
2002	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	71	26	97	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2003	Perpendicular	T	T	F	flower pot	T	< 36 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	1	71	32	103	High	Medium	Medium
2004	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	71	20	91	High	Low	Medium
2005	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	1	71	21	92	High	Low	Medium
2006	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	F	T	2% or less	> 8.1%	1	71	27	98	High	Low	Medium
2007	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	71	32	103	High	Medium	Medium
2008	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	81	27	108	High	Low	Medium
2009	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	1	86	23	109	High	Low	Medium
2010	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	84	38	122	High	Medium	High
2011	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	> 8.1%	1	71	33	104	High	Medium	Medium
2012	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	1	76	27	103	High	Low	Medium
2013	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	Compliant	T	F	F	2% - 4%	5.1% to 8	1	78	34	112	High	Medium	Medium
2014	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	78	33	111	High	Medium	Medium
2015	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	78	43	121	High	Medium	High
2016	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	Compliant	T	F	T	2% or less	5.1% to 8	1	78	29	107	High	Low	Medium
2017	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	1	68	13	81	High	Low	Medium
2018	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	1	64	22	86	High	Low	Medium
2019	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	2	70	23	93	High	Low	Medium
2020	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	1	70	22	92	High	Low	Medium
2021	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	F	F	2% - 4%	> 8.1%	2	70	22	92	High	Low	Medium
2022	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	2	74	16	90	High	Low	Medium
2023	None	F			OK														64	100	164	High	High	High
2024	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	70	28	98	High	Low	Medium
2025	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	1	64	32	96	High	Medium	Medium
2026	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	1	63	27	90	High	Low	Medium
2027	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	1	63	27	90	High	Low	Medium
2028	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	2	63	27	90	High	Low	Medium
2029	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	1	63	16	79	High	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2030	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	2	55	26	81	Medium	Low	Medium
2031	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	58	27	85	Medium	Low	Medium
2032	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	1	64	37	101	High	Medium	Medium
2033	Diagonal	T	T	T	Utility Pole	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	2	64	31	95	High	Low	Medium
2034	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	2	64	21	85	High	Low	Medium
2035	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	64	21	85	High	Low	Medium
2036	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	2	67	33	100	High	Medium	Medium
2037	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	2	72	33	105	High	Medium	Medium
2038	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	0	72	42	114	High	Medium	Medium
2039	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	72	49	121	High	Medium	High
2040	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	1	55	10	65	Medium	Low	Low
2041	Diagonal	T	T	T	trash can and flower pot	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	2	55	31	86	Medium	Low	Medium
2042	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	2	55	31	86	Medium	Low	Medium
2043	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	2	55	21	76	Medium	Low	Low
2044	Perpendicular	T	T	T	OK	T	< 36 in	>= 48 in	> 10%	> 4%	> 12%	None	T	T	T	2% or less	5% or less	1	55	28	83	Medium	Low	Medium
2045	Perpendicular	T	T	T	OK	T	< 36 in	>= 48 in	> 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	1	54	24	78	Medium	Low	Low
2046	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	2	55	17	72	Medium	Low	Low
2047	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	55	12	67	Medium	Low	Low
2048	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less	1	63	17	80	High	Low	Low
2049	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	1	63	11	74	High	Low	Low
2050	Perpendicular	T	T	F	Grating	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	1	64	30	94	High	Low	Medium
2051	Directional	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	64	25	89	High	Low	Medium
2052	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	62	23	85	High	Low	Medium
2053	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	62	0	62	High	Low	Low
2054	Diagonal	T	T	T	hedge and utility box	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	2	70	38	108	High	Medium	Medium
2055	Parallel	T	T	T	Grating	T	< 36 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	63	42	105	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2056	Parallel	T	T	T	Grating	T	< 36 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	63	32	95	High	Medium	Medium
2057	Diagonal	T	T	T	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	2	72	23	95	High	Low	Medium
2058	Diagonal	T	T	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	2	57	22	79	Medium	Low	Low
2059	Diagonal	T	F	F	Grating	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	2	57	36	93	Medium	Medium	Medium
2060	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	68	31	99	High	Low	Medium
2061	Diagonal	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	F	> 4%	> 8.1%	2	68	37	105	High	Medium	Medium
2062	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	1	68	27	95	High	Low	Medium
2063	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8	1	68	27	95	High	Low	Medium
2064	Perpendicular	T	T	F	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	1	69	36	105	High	Medium	Medium
2065	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	1	69	24	93	High	Low	Medium
2066	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	59	24	83	Medium	Low	Medium
2067	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	52	23	75	Medium	Low	Low
2068	Diagonal	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	2	52	12	64	Medium	Low	Low
2069	Perpendicular	T	T	T	OK	T	36-47 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	52	21	73	Medium	Low	Low
2070	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	52	20	72	Medium	Low	Low
2071	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	F	F	2% - 4%	5.1% to 8	0	42	20	62	Low	Low	Low
2072	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less	0	43	20	63	Medium	Low	Low
2073	Directional	F	F	F	Grating	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	43	46	89	Medium	Medium	Medium
2074	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	> 4%	5% or less	0	41	20	61	Low	Low	Low
2075	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	50	46	96	Medium	Medium	Medium
2076	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	51	46	97	Medium	Medium	Medium
2077	Directional	F	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	46	36	82	Medium	Medium	Medium
2078	None	F			OK														37	100	137	Low	High	High
2081	Perpendicular	NA	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		38	51	89	Low	Medium	Medium
2083	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		41	26	67	Low	Low	Low
2084	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		40	51	91	Low	Medium	Medium
2085	None	F			OK														41	100	141	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2086	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		41	21	62	Low	Low	Low
2087	None	F			OK														41	100	141	Low	High	High
2088	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	40	26	66	Low	Low	Low
2089	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	F	T	2% or less	> 8.1%	0	40	15	55	Low	Low	Low
2090	None	F			OK														40	100	140	Low	High	High
2091	Directional	F	F	T	Grating	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	40	36	76	Low	Medium	Low
2092	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	F	F	> 4%	> 8.1%	0	49	21	70	Medium	Low	Low
2093	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8	0	49	26	75	Medium	Low	Low
2094	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	49	21	70	Medium	Low	Low
2095	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	49	21	70	Medium	Low	Low
2096	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	40	10	50	Low	Low	Low
2097	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less	0	38	15	53	Low	Low	Low
2098	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	38	31	69	Low	Low	Low
2099	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	38	26	64	Low	Low	Low
2100	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	49	41	90	Medium	Medium	Medium
2101	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	45	45	90	Medium	Medium	Medium
2102	Construction	T	F	F	OK	F					None	None	F					2	48			Medium		
2103	None	F			OK														47	100	147	Medium	High	High
2104	None	F			OK														44	100	144	Medium	High	High
2105	None	F			OK														44	100	144	Medium	High	High
2106	None	F			OK														43	100	143	Medium	High	High
2107	None	F			OK														43	100	143	Medium	High	High
2108	None	F			OK														43	100	143	Medium	High	High
2109	None	F			OK														43	100	143	Medium	High	High
2110	None	F			OK														49	100	149	Medium	High	High
2111	None	F			OK														49	100	149	Medium	High	High
2112	None	F			OK														47	100	147	Medium	High	High
2113	None	F			OK														48	100	148	Medium	High	High
2114	None	F			OK														50	100	150	Medium	High	High
2115	None	F			OK														50	100	150	Medium	High	High
2116	None	F			OK														49	100	149	Medium	High	High
2117	None	F			OK														49	100	149	Medium	High	High
2118	None	F			OK														46	100	146	Medium	High	High
2119	None	F			OK														50	100	150	Medium	High	High
2120	None	F			OK														50	100	150	Medium	High	High
2121	None	F			OK														55	100	155	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2122	None	F			OK														50	100	150	Medium	High	High
2123	None	F			OK														50	100	150	Medium	High	High
2124	None	F			OK														50	100	150	Medium	High	High
2125	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	0	61	52	113	High	Medium	Medium
2126	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	61	10	71	High	Low	Low
2127	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	Non-Compliant	T	T	T	2% or less	5% or less	0	61	16	77	High	Low	Low
2128	Directional	F	F	T	Grating	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	0	61	41	102	High	Medium	Medium
2129	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	61	21	82	High	Low	Medium
2130	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	53	36	89	Medium	Medium	Medium
2131	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	55	41	96	Medium	Medium	Medium
2132	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	T	T	T	2% or less	5% or less	0	52	25	77	Medium	Low	Low
2133	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		52	31	83	Medium	Low	Medium
2134	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	2% - 4%	5.1% to 8		50	26	76	Medium	Low	Low
2135	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less		49	16	65	Medium	Low	Low
2136	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		46	30	76	Medium	Low	Low
2137	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		44	21	65	Medium	Low	Low
2138	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		46	15	61	Medium	Low	Low
2139	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	46	30	76	Medium	Low	Low
2140	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8	0	19	27	46	Low	Low	Low
2141	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	19	47	66	Low	Medium	Low
2142	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	27	43	70	Low	Medium	Low
2143	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	27	20	47	Low	Low	Low
2144	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	18	48	66	Low	Medium	Low
2145	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	T	F	F	> 4%	5.1% to 8	0	21	42	63	Low	Medium	Low
2146	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	20	31	51	Low	Low	Low
2147	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%	0	18	46	64	Low	Medium	Low
2148	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	18	51	69	Low	Medium	Low
2149	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	18	41	59	Low	Medium	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2150	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	18	51	69	Low	Medium	Low
2151	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	20	41	61	Low	Medium	Low
2152	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	20	41	61	Low	Medium	Low
2153	Perpendicular	F	F	F	OK	F	None	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	25	41	66	Low	Medium	Low
2154	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	25	41	66	Low	Medium	Low
2155	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	26	36	62	Low	Medium	Low
2156	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	26	36	62	Low	Medium	Low
2157	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	28	31	59	Low	Low	Low
2158	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	33	36	69	Low	Medium	Low
2159	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	28	41	69	Low	Medium	Low
2160	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	38	36	74	Low	Medium	Low
2161	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	1	37	21	58	Low	Low	Low
2162	Perpendicular	T	T	F	OK	T	None	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	48	27	75	Medium	Low	Low
2163	Parallel	T	T	T	debris	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Non-Compliant	F	T	T	2% or less	5% or less	1	37	11	48	Low	Low	Low
2164	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	38	11	49	Low	Low	Low
2165	Perpendicular	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	34	27	61	Low	Low	Low
2166	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	0	31	26	57	Low	Low	Low
2167	Parallel	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	32	20	52	Low	Low	Low
2168	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	30	26	56	Low	Low	Low
2169	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		32	11	43	Low	Low	Low
2170	Perpendicular	NA	T	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		31	57	88	Low	Medium	Medium
2175	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	0	30	26	56	Low	Low	Low
2181	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	30	46	76	Low	Medium	Low
2182	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	48	78	Low	Medium	Low
2183	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	T	T	F	> 4%	5% or less	0	30	35	65	Low	Medium	Low
2184	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	30	36	66	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2185	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	30	37	67	Low	Medium	Low
2186	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	30	37	67	Low	Medium	Low
2187	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	28	21	49	Low	Low	Low
2188	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	31	26	57	Low	Low	Low
2189	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	32	18	50	Low	Low	Low
2190	Perpendicular	T	T	T	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	1	31	35	66	Low	Medium	Low
2191	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	35	25	60	Low	Low	Low
2192	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	18	31	49	Low	Low	Low
2193	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	18	46	64	Low	Medium	Low
2194	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	18	36	54	Low	Medium	Low
2195	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	1	27	26	53	Low	Low	Low
2196	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	1	27	21	48	Low	Low	Low
2197	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	21	31	52	Low	Low	Low
2198	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	1	24	16	40	Low	Low	Low
2199	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	1	25	21	46	Low	Low	Low
2200	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	1	26	16	42	Low	Low	Low
2201	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	Compliant	F	T	F	2% - 4%	5% or less	1	21	11	32	Low	Low	Low
2202	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	21	38	59	Low	Medium	Low
2203	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	21	42	63	Low	Medium	Low
2204	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	21	37	58	Low	Medium	Low
2205	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	22	37	59	Low	Medium	Low
2206	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	48	41	89	Medium	Medium	Medium
2207	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	48	26	74	Medium	Low	Low
2208	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	48	41	89	Medium	Medium	Medium
2209	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	48	31	79	Medium	Low	Low
2210	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	48	21	69	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2211	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	48	46	94	Medium	Medium	Medium
2212	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	48	36	84	Medium	Medium	Medium
2213	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	48	31	79	Medium	Low	Low
2214	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	47	10	57	Medium	Low	Low
2215	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	47	5	52	Medium	Low	Low
2216	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	0	49	47	96	Medium	Medium	Medium
2217	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	0	47	47	94	Medium	Medium	Medium
2218	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	1	47	15	62	Medium	Low	Low
2219	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	1	57	26	83	Medium	Low	Medium
2220	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	0	57	31	88	Medium	Low	Medium
2221	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	0	56	36	92	Medium	Medium	Medium
2222	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	0	54	34	88	Medium	Medium	Medium
2223	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	0	56	35	91	Medium	Medium	Medium
2224	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	49	26	75	Medium	Low	Low
2225	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	49	38	87	Medium	Medium	Medium
2226	Parallel	F	F	F	Grating	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	54	51	105	Medium	Medium	Medium
2227	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8	0	53	35	88	Medium	Medium	Medium
2228	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	F	F	2% - 4%	> 8.1%	0	62	40	102	High	Medium	Medium
2229	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	64	41	105	High	Medium	Medium
2230	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	66	41	107	High	Medium	Medium
2231	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	65	31	96	High	Low	Medium
2232	None	F			OK														53	100	153	Medium	High	High
2233	None	F			OK														55	100	155	Medium	High	High
2234	None	F			OK														54	100	154	Medium	High	High
2235	None	F			OK														52	100	152	Medium	High	High
2236	None	T			OK													1	53	100	153	Medium	High	High
2237	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	48	36	84	Medium	Medium	Medium
2238	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	46	36	82	Medium	Medium	Medium
2239	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less	0	52	15	67	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2240	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	54	10	64	Medium	Low	Low
2241	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	0	54	21	75	Medium	Low	Low
2242	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	58	31	89	Medium	Low	Medium
2243	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	58	26	84	Medium	Low	Medium
2244	Directional	F	F	T	Grating	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	57	51	108	Medium	Medium	Medium
2245	Directional	F	F	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	T	F	T	2% or less	5.1% to 8	0	57	35	92	Medium	Medium	Medium
2246	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	0	55	20	75	Medium	Low	Low
2247	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	1	55	6	61	Medium	Low	Low
2248	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	1	53	0	53	Medium	Low	Low
2249	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	53	31	84	Medium	Low	Medium
2250	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	53	41	94	Medium	Medium	Medium
2251	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	48	40	88	Medium	Medium	Medium
2252	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	48	46	94	Medium	Medium	Medium
2253	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	49	36	85	Medium	Medium	Medium
2254	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	48	41	89	Medium	Medium	Medium
2255	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	48	41	89	Medium	Medium	Medium
2256	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less	0	48	35	83	Medium	Medium	Medium
2257	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	46	26	72	Medium	Low	Low
2258	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	46	92	Medium	Medium	Medium
2259	Parallel	F	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	48	46	94	Medium	Medium	Medium
2260	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	0	49	36	85	Medium	Medium	Medium
2261	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	48	26	74	Medium	Low	Low
2262	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	48	41	89	Medium	Medium	Medium
2263	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	45	41	86	Medium	Medium	Medium
2264	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	> 8.1%	0	45	31	76	Medium	Low	Low
2265	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	45	41	86	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2266	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%	0	37	41	78	Low	Medium	Low
2267	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	0	30	16	46	Low	Low	Low
2268	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	0	30	36	66	Low	Medium	Low
2269	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	30	31	61	Low	Low	Low
2270	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	30	26	56	Low	Low	Low
2271	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	0	34	36	70	Low	Medium	Low
2272	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	36	41	77	Low	Medium	Low
2273	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	36	56	92	Low	Medium	Medium
2274	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	36	56	92	Low	Medium	Medium
2275	Parallel	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	36	46	82	Low	Medium	Medium
2276	Parallel	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	36	51	87	Low	Medium	Medium
2277	None	F			OK														57	100	157	Medium	High	High
2278	None	F			OK														56	100	156	Medium	High	High
2279	None	F			OK														56	100	156	Medium	High	High
2280	None	F			OK														54	100	154	Medium	High	High
2281	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	54	25	79	Medium	Low	Low
2282	None	F			OK														54	100	154	Medium	High	High
2283	None	F			OK														56	100	156	Medium	High	High
2284	None	F			OK														56	100	156	Medium	High	High
2285	None	F			OK														57	100	157	Medium	High	High
2286	None	F			OK														57	100	157	Medium	High	High
2287	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8	2	56	40	96	Medium	Medium	Medium
2288	Perpendicular	F	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	> 12%	None	T	F	F	2% - 4%	> 8.1%	0	56	26	82	Medium	Low	Medium
2289	None	F			OK														55	100	155	Medium	High	High
2290	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	55	46	101	Medium	Medium	Medium
2291	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	63	40	103	High	Medium	Medium
2292	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	63	30	93	High	Low	Medium
2293	Perpendicular	F	F	F	OK	F	None	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	63	41	104	High	Medium	Medium
2294	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	63	21	84	High	Low	Medium
2295	Perpendicular	F	F	F	Utility Pole	T	None	< 36 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	54	54	108	Medium	Medium	Medium
2296	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	57	46	103	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2297	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	61	41	102	High	Medium	Medium
2298	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	62	26	88	High	Low	Medium
2299	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	62	36	98	High	Medium	Medium
2300	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	62	36	98	High	Medium	Medium
2301	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	58	20	78	Medium	Low	Low
2302	Directional	F	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	52	51	103	Medium	Medium	Medium
2303	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	54	31	85	Medium	Low	Medium
2304	None	F			OK														54	100	154	Medium	High	High
2305	Perpendicular	F	F	F	Sign Pole	T	< 36 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	54	69	123	Medium	Medium	High
2306	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	54	51	105	Medium	Medium	Medium
2307	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	54	36	90	Medium	Medium	Medium
2308	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	0	42	31	73	Low	Low	Low
2309	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	F	F	> 4%	5.1% to 8	0	44	25	69	Medium	Low	Low
2310	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	54	26	80	Medium	Low	Low
2311	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	54	15	69	Medium	Low	Low
2312	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	56	10	66	Medium	Low	Low
2313	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	2	37	0	37	Low	Low	Low
2314	Parallel	T	F	T	OK	T	None	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	2	45	1	46	Medium	Low	Low
2315	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	1	45	0	45	Medium	Low	Low
2316	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	Compliant	T	T	T	2% or less	5% or less	1	43	5	48	Medium	Low	Low
2317	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	37	33	70	Low	Medium	Low
2318	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	45	36	81	Medium	Medium	Medium
2319	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	46	53	99	Medium	Medium	Medium
2320	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	46	38	84	Medium	Medium	Medium
2321	Construction	T	F	F	OK	F					None	None	F					2	48			Medium		
2322	Construction	T	F	F	OK	F					None	None	F					2	51			Medium		
2323	None	F			OK														57	100	157	Medium	High	High
2324	Construction	T	F	F	OK	F					None	None	F					2	51			Medium		
2325	None	F			OK														50	100	150	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2326	None	F			OK														50	100	150	Medium	High	High
2327	None	F			OK														47	100	147	Medium	High	High
2328	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	50	50	100	Medium	Medium	Medium
2329	Parallel	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	47	40	87	Medium	Medium	Medium
2330	None	F			OK														51	100	151	Medium	High	High
2331	None	F			OK														51	100	151	Medium	High	High
2332	None	F			OK														61	100	161	High	High	High
2333	None	F			OK														61	100	161	High	High	High
2334	None	F			OK														50	100	150	Medium	High	High
2335	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	56	41	97	Medium	Medium	Medium
2336	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	56	41	97	Medium	Medium	Medium
2337	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	T	F	F	> 4%	5.1% to 8	0	53	44	97	Medium	Medium	Medium
2338	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	53	41	94	Medium	Medium	Medium
2339	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	53	36	89	Medium	Medium	Medium
2340	None	F			OK														51	100	151	Medium	High	High
2341	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	51	48	99	Medium	Medium	Medium
2342	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	51	48	99	Medium	Medium	Medium
2343	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	45	33	78	Medium	Medium	Low
2344	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	47	41	88	Medium	Medium	Medium
2345	Parallel	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	32	36	68	Low	Medium	Low
2346	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	32	41	73	Low	Medium	Low
2347	Parallel	F	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	F	T	2% or less	5.1% to 8	0	37	26	63	Low	Low	Low
2348	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	37	20	57	Low	Low	Low
2349	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	46	92	Medium	Medium	Medium
2350	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	56	102	Medium	Medium	Medium
2351	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	46	46	92	Medium	Medium	Medium
2352	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	43	85	Low	Medium	Medium
2353	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	34	41	75	Low	Medium	Low
2354	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	34	41	75	Low	Medium	Low
2355	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	46	78	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2356	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	56	88	Low	Medium	Medium
2357	None	F			OK														30	100	130	Low	High	High
2358	None	F			OK														34	100	134	Low	High	High
2359	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	30	41	71	Low	Medium	Low
2360	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	30	56	86	Low	Medium	Medium
2361	None	F			OK														30	100	130	Low	High	High
2362	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	0	37	32	69	Low	Medium	Low
2363	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	37	41	78	Low	Medium	Low
2364	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	39	51	90	Low	Medium	Medium
2365	Parallel	F	F	F	Grating	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	37	61	98	Low	Medium	Medium
2366	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	34	31	65	Low	Low	Low
2367	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	46	80	Low	Medium	Low
2368	None	F			OK														32	100	132	Low	High	High
2369	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	46	80	Low	Medium	Low
2370	None	F			OK														32	100	132	Low	High	High
2371	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	46	80	Low	Medium	Low
2372	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	46	80	Low	Medium	Low
2373	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	43	46	89	Medium	Medium	Medium
2374	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	41	51	92	Low	Medium	Medium
2375	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	26	36	62	Low	Medium	Low
2376	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	27	51	78	Low	Medium	Low
2377	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	27	61	88	Low	Medium	Medium
2378	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	25	36	61	Low	Medium	Low
2379	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	29	51	80	Low	Medium	Low
2380	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	29	56	85	Low	Medium	Medium
2381	None	F			OK														29	100	129	Low	High	High
2382	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	46	80	Low	Medium	Low
2383	None	F			OK														34	100	134	Low	High	High
2384	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	34	31	65	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2385	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	34	46	80	Low	Medium	Low
2386	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	39	31	70	Low	Low	Low
2387	None	F			OK														39	100	139	Low	High	High
2388	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	38	53	91	Low	Medium	Medium
2389	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	37	53	90	Low	Medium	Medium
2390	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	30	51	81	Low	Medium	Medium
2391	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	61	91	Low	Medium	Medium
2392	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	51	81	Low	Medium	Medium
2393	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	51	81	Low	Medium	Medium
2394	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	30	46	76	Low	Medium	Low
2395	None	F			OK														32	100	132	Low	High	High
2396	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8	0	32	45	77	Low	Medium	Low
2397	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	51	83	Low	Medium	Medium
2398	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	0	32	35	67	Low	Medium	Low
2399	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	51	83	Low	Medium	Medium
2400	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	32	46	78	Low	Medium	Low
2401	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	34	46	80	Low	Medium	Low
2402	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	33	51	84	Low	Medium	Medium
2403	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	31	51	82	Low	Medium	Medium
2404	None	F			OK														31	100	131	Low	High	High
2405	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	31	56	87	Low	Medium	Medium
2406	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	31	46	77	Low	Medium	Low
2407	None	F			OK														33	100	133	Low	High	High
2408	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	29	51	80	Low	Medium	Low
2409	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	30	56	86	Low	Medium	Medium
2410	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	61	93	Low	Medium	Medium
2411	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	28	41	69	Low	Medium	Low
2412	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	28	51	79	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2413	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	28	51	79	Low	Medium	Low
2414	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	30	46	76	Low	Medium	Low
2415	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less	0	28	50	78	Low	Medium	Low
2416	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	29	56	85	Low	Medium	Medium
2417	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	27	61	88	Low	Medium	Medium
2418	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	27	36	63	Low	Medium	Low
2419	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	28	46	74	Low	Medium	Low
2420	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	30	51	81	Low	Medium	Medium
2421	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	61	91	Low	Medium	Medium
2422	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	30	61	91	Low	Medium	Medium
2423	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	61	91	Low	Medium	Medium
2424	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	30	46	76	Low	Medium	Low
2425	Directional	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	30	56	86	Low	Medium	Medium
2426	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	30	56	86	Low	Medium	Medium
2427	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	30	46	76	Low	Medium	Low
2428	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	46	84	Low	Medium	Medium
2429	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	46	84	Low	Medium	Medium
2430	Perpendicular	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	38	43	81	Low	Medium	Medium
2431	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	30	51	81	Low	Medium	Medium
2432	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	33	63	Low	Medium	Low
2433	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	43	73	Low	Medium	Low
2434	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	43	75	Low	Medium	Low
2435	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	33	26	59	Low	Low	Low
2436	Perpendicular	F	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	33	36	69	Low	Medium	Low
2437	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	41	75	Low	Medium	Low
2438	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	33	45	78	Low	Medium	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2439	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	61	93	Low	Medium	Medium
2440	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	51	81	Low	Medium	Medium
2441	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	32	51	83	Low	Medium	Medium
2442	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	32	51	83	Low	Medium	Medium
2443	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	56	88	Low	Medium	Medium
2444	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	51	81	Low	Medium	Medium
2445	None	F			OK														32	100	132	Low	High	High
2446	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%	0	32	36	68	Low	Medium	Low
2447	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	32	55	87	Low	Medium	Medium
2448	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	32	60	92	Low	Medium	Medium
2449	Directional	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	50	82	Low	Medium	Medium
2450	Directional	F	F	F	OK	F	< 36 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	32	52	84	Low	Medium	Medium
2451	None	F			OK														27	100	127	Low	High	High
2452	None	F			OK														27	100	127	Low	High	High
2453	None	F			OK														32	100	132	Low	High	High
2454	None	F			OK														32	100	132	Low	High	High
2455	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	29	40	69	Low	Medium	Low
2456	None	F			OK														27	100	127	Low	High	High
2457	Parallel	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	27	37	64	Low	Medium	Low
2458	None	F			OK														30	100	130	Low	High	High
2459	None	F			OK														30	100	130	Low	High	High
2460	None	F			OK														30	100	130	Low	High	High
2461	None	F			OK														30	100	130	Low	High	High
2462	None	F			OK														30	100	130	Low	High	High
2463	None	F			OK														32	100	132	Low	High	High
2464	None	F			OK														31	100	131	Low	High	High
2465	None	F			OK														32	100	132	Low	High	High
2466	None	F			OK														32	100	132	Low	High	High
2467	None	F			OK														31	100	131	Low	High	High
2468	None	F			OK														29	100	129	Low	High	High
2469	None	F			OK														29	100	129	Low	High	High
2470	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	29	53	82	Low	Medium	Medium
2471	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	27	48	75	Low	Medium	Low
2472	None	F			OK														29	100	129	Low	High	High
2473	None	F			OK														29	100	129	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2474	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	27	31	58	Low	Low	Low
2475	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	31	26	57	Low	Low	Low
2476	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	43	73	Low	Medium	Low
2477	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	53	83	Low	Medium	Medium
2478	None	F			OK														30	100	130	Low	High	High
2479	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	63	93	Low	Medium	Medium
2480	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	32	53	85	Low	Medium	Medium
2481	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	53	85	Low	Medium	Medium
2482	None	F			OK														32	100	132	Low	High	High
2483	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	31	48	79	Low	Medium	Low
2484	None	F			OK														31	100	131	Low	High	High
2485	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	31	38	69	Low	Medium	Low
2486	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	31	51	82	Low	Medium	Medium
2487	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	53	83	Low	Medium	Medium
2488	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	53	83	Low	Medium	Medium
2489	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	53	83	Low	Medium	Medium
2490	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	30	30	60	Low	Low	Low
2491	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	32	46	78	Low	Medium	Low
2492	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	33	52	85	Low	Medium	Medium
2493	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	52	84	Low	Medium	Medium
2494	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	62	94	Low	Medium	Medium
2495	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	32	55	87	Low	Medium	Medium
2496	None	F			OK														32	100	132	Low	High	High
2497	None	F			OK														32	100	132	Low	High	High
2498	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	32	40	72	Low	Medium	Low
2499	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	50	82	Low	Medium	Medium
2500	None	F			OK														32	100	132	Low	High	High
2501	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	40	72	Low	Medium	Low
2502	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	32	41	73	Low	Medium	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2503	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	31	55	86	Low	Medium	Medium
2504	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	57	89	Low	Medium	Medium
2505	None	F			OK														31	100	131	Low	High	High
2506	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	50	81	Low	Medium	Medium
2507	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	50	81	Low	Medium	Medium
2508	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	50	81	Low	Medium	Medium
2509	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	50	81	Low	Medium	Medium
2510	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	50	81	Low	Medium	Medium
2511	None	F			OK														48	100	148	Medium	High	High
2512	None	F			OK														48	100	148	Medium	High	High
2513	None	F			OK														46	100	146	Medium	High	High
2514	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	36	20	56	Low	Low	Low
2515	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	36	30	66	Low	Low	Low
2516	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	36	21	57	Low	Low	Low
2517	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	38	26	64	Low	Low	Low
2518	None	F			OK														39	100	139	Low	High	High
2519	None	F			OK														39	100	139	Low	High	High
2520	None	F			OK														37	100	137	Low	High	High
2521	None	F			OK														39	100	139	Low	High	High
2522	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	38	51	89	Low	Medium	Medium
2523	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	38	51	89	Low	Medium	Medium
2524	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	38	41	79	Low	Medium	Low
2525	Island \ Median	F	F	F	OK	F	36-47 in	< 36 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	0	38	47	85	Low	Medium	Medium
2526	Island \ Median	F	F	F	OK	F	< 36 in	< 36 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	38	49	87	Low	Medium	Medium
2527	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	38	43	81	Low	Medium	Medium
2528	None	F			OK														38	100	138	Low	High	High
2529	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	38	31	69	Low	Low	Low
2530	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	38	36	74	Low	Medium	Low
2531	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8	0	75	51	126	High	Medium	High
2532	Perpendicular	F	F	F	OK	F	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	0	74	48	122	High	Medium	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2533	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	> 4%	5% or less	0	56	45	101	Medium	Medium	Medium
2534	Directional	F	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	56	43	99	Medium	Medium	Medium
2535	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	41	26	67	Low	Low	Low
2536	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	30	47	77	Low	Medium	Low
2537	None	F			OK														40	100	140	Low	High	High
2538	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	> 4%	5% or less	2	54	11	65	Medium	Low	Low
2539	Parallel	T	T	T	Access covers	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	2	64	16	80	High	Low	Low
2540	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	51	46	97	Medium	Medium	Medium
2541	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	2	38	26	64	Low	Low	Low
2542	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	65	36	101	High	Medium	Medium
2543	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	65	41	106	High	Medium	Medium
2544	Diagonal	T	T	T	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	2	55	17	72	Medium	Low	Low
2545	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	1	55	1	56	Medium	Low	Low
2546	Perpendicular	T	F	F	OK	F	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	1	55	38	93	Medium	Medium	Medium
2547	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8	1	44	31	75	Medium	Low	Low
2548	None	F			OK														53	100	153	Medium	High	High
2549	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	44	25	69	Medium	Low	Low
2550	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%	0	42	36	78	Low	Medium	Low
2551	Perpendicular	T	T	F	OK	T	>= 48 in	< 36 in	> 10%	2% - 4%	> 12%	None	T	F	F	2% - 4%	5.1% to 8	1	44	39	83	Medium	Medium	Medium
2552	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	F	T	2% or less	5.1% to 8	1	49	20	69	Medium	Low	Low
2553	None	F			OK														31	100	131	Low	High	High
2554	Parallel	T	T	T	Light Pole	T	None	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	2	44	21	65	Medium	Low	Low
2555	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	44	16	60	Medium	Low	Low
2556	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	44	21	65	Medium	Low	Low
2557	Directional	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	32	31	63	Low	Low	Low
2558	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	40	36	76	Low	Medium	Low
2559	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less	0	40	35	75	Low	Medium	Low
2560	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	39	31	70	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2561	Directional	T	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	42	26	68	Low	Low	Low
2562	Construction	T	F	F	OK	F					None	None	F					2	42			Low		
2563	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less	1	42	5	47	Low	Low	Low
2564	Perpendicular	T	F	T	Access covers	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	42	21	63	Low	Low	Low
2565	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	50	43	93	Medium	Medium	Medium
2566	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	55	33	88	Medium	Medium	Medium
2567	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	50	20	70	Medium	Low	Low
2568	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less	0	40	25	65	Low	Low	Low
2569	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	62	27	89	High	Low	Medium
2570	Island \ Median	T	T	F	OK	F	< 36 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	1	52	32	84	Medium	Medium	Medium
2571	Island \ Median	T	T	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	1	51	28	79	Medium	Low	Low
2572	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10% or less	None	T	F	F	2% - 4%	5.1% to 8	1	51	35	86	Medium	Medium	Medium
2573	Perpendicular	T	T	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	50	53	103	Medium	Medium	Medium
2574	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	40	25	65	Low	Low	Low
2575	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	44	30	74	Medium	Low	Low
2576	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	53	28	81	Medium	Low	Medium
2577	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	57	33	90	Medium	Medium	Medium
2578	Perpendicular	T	T	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	57	38	95	Medium	Medium	Medium
2579	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	63	23	86	High	Low	Medium
2580	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	1	63	28	91	High	Low	Medium
2581	Perpendicular	T	T	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	62	53	115	High	Medium	Medium
2582	Perpendicular	T	T	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	62	33	95	High	Medium	Medium
2583	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	60	21	81	High	Low	Medium
2584	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	60	18	78	High	Low	Low
2585	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	1	79	21	100	High	Low	Medium
2586	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8	1	81	21	102	High	Low	Medium
2587	Perpendicular	T	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	72	38	110	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2588	Perpendicular	T	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	1	72	18	90	High	Low	Medium
2589	Parallel	T	T	F	Access covers	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	75	46	121	High	Medium	High
2590	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	2	83	21	104	High	Low	Medium
2591	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	2	71	21	92	High	Low	Medium
2592	Parallel	T	T	T	Access covers	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	2	81	26	107	High	Low	Medium
2593	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	1	77	11	88	High	Low	Medium
2594	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less	1	71	10	81	High	Low	Medium
2595	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	79	17	96	High	Low	Medium
2596	Parallel	T	T	T	Access covers	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	69	26	95	High	Low	Medium
2597	Perpendicular	T	T	F	OK	T	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	1	71	28	99	High	Low	Medium
2598	Diagonal	T	T	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	2	73	23	96	High	Low	Medium
2599	Parallel	T	T	F	Light Pole	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	2	75	36	111	High	Medium	Medium
2600	Parallel	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	75	36	111	High	Medium	Medium
2601	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	55	41	96	Medium	Medium	Medium
2602	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	49	31	80	Medium	Low	Low
2603	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	2	46	21	67	Medium	Low	Low
2604	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	1	57	21	78	Medium	Low	Low
2605	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	1	57	11	68	Medium	Low	Low
2606	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	45	36	81	Medium	Medium	Medium
2607	None	F			OK														53	100	153	Medium	High	High
2608	Directional	F	F	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	None	None	T	T	F	> 4%	5% or less	0	48	39	87	Medium	Medium	Medium
2609	Perpendicular	T	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	39	31	70	Low	Low	Low
2610	Perpendicular	T	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	39	42	81	Low	Medium	Medium
2611	Perpendicular	T	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	T	2% or less	> 8.1%	1	39	28	67	Low	Low	Low
2612	None	F			OK														39	100	139	Low	High	High
2613	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	39	31	70	Low	Low	Low
2614	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	39	26	65	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2615	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	39	31	70	Low	Low	Low
2616	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	38	80	Low	Medium	Low
2617	None	F			OK														42	100	142	Low	High	High
2618	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	38	80	Low	Medium	Low
2619	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	41	41	82	Low	Medium	Medium
2620	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	41	26	67	Low	Low	Low
2621	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	41	26	67	Low	Low	Low
2622	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	0	34	26	60	Low	Low	Low
2623	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	34	26	60	Low	Low	Low
2624	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	34	21	55	Low	Low	Low
2625	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	34	26	60	Low	Low	Low
2626	Parallel	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	33	39	72	Low	Medium	Low
2627	Parallel	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	33	25	58	Low	Low	Low
2628	Parallel	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	33	40	73	Low	Medium	Low
2629	Perpendicular	T	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	42	11	53	Low	Low	Low
2630	Perpendicular	T	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	42	11	53	Low	Low	Low
2631	Parallel	T	T	T	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8	2	40	29	69	Low	Low	Low
2632	Parallel	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	2	42	5	47	Low	Low	Low
2633	Perpendicular	F	F	F	Grating	T	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	T	2% or less	5.1% to 8	0	33	37	70	Low	Medium	Low
2634	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	0	33	37	70	Low	Medium	Low
2635	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8	0	33	42	75	Low	Medium	Low
2636	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	34	36	70	Low	Medium	Low
2637	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	> 4%	5% or less	0	34	30	64	Low	Low	Low
2638	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	34	43	77	Low	Medium	Low
2639	Perpendicular	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	40	13	53	Low	Low	Low
2640	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	40	38	78	Low	Medium	Low
2641	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	F	> 4%	5% or less	0	41	28	69	Low	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2642	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	33	33	66	Low	Medium	Low
2643	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	41	38	79	Low	Medium	Low
2644	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	41	28	69	Low	Low	Low
2645	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	F	T	2% or less	> 8.1%	0	35	28	63	Low	Low	Low
2646	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	T	2% or less	5.1% to 8	0	40	33	73	Low	Medium	Low
2647	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	35	43	78	Low	Medium	Low
2648	None	F			OK														43	100	143	Medium	High	High
2649	None	F			OK														35	100	135	Low	High	High
2650	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8	0	43	41	84	Medium	Medium	Medium
2651	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	35	36	71	Low	Medium	Low
2652	None	F			OK														42	100	142	Low	High	High
2653	Parallel	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	42	35	77	Low	Medium	Low
2654	Parallel	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	40	30	70	Low	Low	Low
2655	Parallel	F	F	T	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	42	16	58	Low	Low	Low
2656	Parallel	T	F	T	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	1	44	12	56	Medium	Low	Low
2657	Parallel	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	1	44	15	59	Medium	Low	Low
2658	Parallel	F	F	T	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	42	22	64	Low	Low	Low
2659	Parallel	F	F	T	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less	0	43	29	72	Medium	Low	Low
2660	Parallel	F	F	T	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	34	17	51	Low	Low	Low
2661	None	F			OK														36	100	136	Low	High	High
2662	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	37	36	73	Low	Medium	Low
2663	None	F			OK														36	100	136	Low	High	High
2664	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	0	37	37	74	Low	Medium	Low
2665	Parallel	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	37	14	51	Low	Low	Low
2666	None	F			OK														37	100	137	Low	High	High
2667	Parallel	F	F	T	OK	T	36-47 in	36-47 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	40	30	70	Low	Low	Low
2668	None	F			OK														40	100	140	Low	High	High
2669	Parallel	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	39	15	54	Low	Low	Low
2670	None	F			OK														39	100	139	Low	High	High
2671	None	F			OK														39	100	139	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2672	Parallel	F	F	T	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	39	35	74	Low	Medium	Low
2673	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	2	52	23	75	Medium	Low	Low
2674	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	0	49	33	82	Medium	Medium	Medium
2675	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	49	33	82	Medium	Medium	Medium
2676	Parallel	T	T	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	2	51	31	82	Medium	Low	Medium
2677	Diagonal	T	T	F	Access covers	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	2	72	42	114	High	Medium	Medium
2678	Parallel	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	74	46	120	High	Medium	High
2679	Perpendicular	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	74	36	110	High	Medium	Medium
2680	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	67	36	103	High	Medium	Medium
2681	None	F			OK														67	100	167	High	High	High
2682	Perpendicular	T	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	65	25	90	High	Low	Medium
2683	Perpendicular	T	F	F	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	1	65	30	95	High	Low	Medium
2684	None	F			OK														55	100	155	Medium	High	High
2685	None	F			OK														55	100	155	Medium	High	High
2686	None	F			OK														55	100	155	Medium	High	High
2687	None	F			OK														57	100	157	Medium	High	High
2688	None	F			OK														56	100	156	Medium	High	High
2689	None	F			OK														56	100	156	Medium	High	High
2690	None	F			OK														57	100	157	Medium	High	High
2691	None	F			OK														58	100	158	Medium	High	High
2692	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	55	24	79	Medium	Low	Low
2693	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	0	55	33	88	Medium	Medium	Medium
2694	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	55	38	93	Medium	Medium	Medium
2695	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	1	55	21	76	Medium	Low	Low
2696	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	55	31	86	Medium	Low	Medium
2697	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	55	10	65	Medium	Low	Low
2698	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	58	25	83	Medium	Low	Medium
2699	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	64	20	84	High	Low	Medium
2700	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	2	65	11	76	High	Low	Low
2701	None	T			OK													2	65	100	165	High	High	High
2702	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	67	40	107	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2703	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	57	1	58	Medium	Low	Low
2704	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	53	6	59	Medium	Low	Low
2705	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	64	11	75	High	Low	Low
2706	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	58	21	79	Medium	Low	Low
2707	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	64	16	80	High	Low	Low
2708	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	56	15	71	Medium	Low	Low
2709	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	48	23	71	Medium	Low	Low
2710	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	48	13	61	Medium	Low	Low
2711	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	> 8.1%	1	58	21	79	Medium	Low	Low
2712	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	57	0	57	Medium	Low	Low
2713	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	44	11	55	Medium	Low	Low
2714	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	34	0	34	Low	Low	Low
2715	None	F			OK														34	100	134	Low	High	High
2716	None	F			OK														34	100	134	Low	High	High
2717	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	32	56	88	Low	Medium	Medium
2718	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	44	26	70	Medium	Low	Low
2719	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	1	46	16	62	Medium	Low	Low
2720	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	44	20	64	Medium	Low	Low
2721	Parallel	T	T	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	44	30	74	Medium	Low	Low
2722	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	2	53	28	81	Medium	Low	Medium
2723	Diagonal	T	T	F	Light Pole	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	> 8.1%	2	58	38	96	Medium	Medium	Medium
2724	Diagonal	T	T	F	Light Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	52	20	72	Medium	Low	Low
2725	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	42	22	64	Low	Low	Low
2726	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	50	41	91	Medium	Medium	Medium
2727	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	50	36	86	Medium	Medium	Medium
2728	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	1	47	31	78	Medium	Low	Low
2729	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	50	36	86	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2730	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	1	50	16	66	Medium	Low	Low
2731	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	40	26	66	Low	Low	Low
2732	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	5.1% to 8	1	55	16	71	Medium	Low	Low
2733	Diagonal	T	T	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	> 8.1%	2	50	37	87	Medium	Medium	Medium
2734	Island \ Median	T	T	F	Access covers	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	50	46	96	Medium	Medium	Medium
2735	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	1	55	26	81	Medium	Low	Medium
2736	Island \ Median	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	48	31	79	Medium	Low	Low
2737	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	45	36	81	Medium	Medium	Medium
2738	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	2	43	31	74	Medium	Low	Low
2739	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%	1	44	26	70	Medium	Low	Low
2740	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	44	36	80	Medium	Medium	Low
2741	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	56	21	77	Medium	Low	Low
2742	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	1	55	21	76	Medium	Low	Low
2743	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	59	17	76	Medium	Low	Low
2744	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less	1	59	6	65	Medium	Low	Low
2745	Island \ Median	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	F	> 4%	5% or less	2	61	22	83	High	Low	Medium
2746	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	1	61	11	72	High	Low	Low
2747	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	61	16	77	High	Low	Low
2748	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	T	F	T	2% or less	5.1% to 8	1	46	26	72	Medium	Low	Low
2749	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	46	32	78	Medium	Medium	Low
2750	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	46	26	72	Medium	Low	Low
2751	Directional	T	T	F	Light Pole	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	2	39	31	70	Low	Low	Low
2752	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	39	10	49	Low	Low	Low
2753	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	39	10	49	Low	Low	Low
2754	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	30	41	71	Low	Medium	Low
2755	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	30	36	66	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2756	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	20	40	60	Low	Medium	Low
2757	None	F			OK														20	100	120	Low	High	High
2758	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	F	> 4%	5% or less	0	20	44	64	Low	Medium	Low
2759	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	21	35	56	Low	Medium	Low
2760	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	21	45	66	Low	Medium	Low
2761	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	21	36	57	Low	Medium	Low
2762	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	21	45	66	Low	Medium	Low
2763	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	20	45	65	Low	Medium	Low
2764	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	20	45	65	Low	Medium	Low
2765	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	20	40	60	Low	Medium	Low
2766	Directional	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	39	55	94	Low	Medium	Medium
2767	Parallel	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	39	40	79	Low	Medium	Low
2768	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	2	48	11	59	Medium	Low	Low
2769	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	50	6	56	Medium	Low	Low
2770	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	1	45	1	46	Medium	Low	Low
2771	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	40	83	Medium	Medium	Medium
2772	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	43	40	83	Medium	Medium	Medium
2773	None	F			OK														43	100	143	Medium	High	High
2774	None	F			OK														43	100	143	Medium	High	High
2775	None	F			OK														43	100	143	Medium	High	High
2776	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	45	88	Medium	Medium	Medium
2777	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	44	45	89	Medium	Medium	Medium
2778	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	1	46	15	61	Medium	Low	Low
2779	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	46	25	71	Medium	Low	Low
2780	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	50	96	Medium	Medium	Medium
2781	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	42	35	77	Low	Medium	Low
2782	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	40	86	Medium	Medium	Medium
2783	None	F			OK														48	100	148	Medium	High	High
2784	None	F			OK														46	100	146	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2785	None	F			OK														48	100	148	Medium	High	High
2786	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	2	55	10	65	Medium	Low	Low
2787	Diagonal	T	T	T	Utility Pole	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	2	47	15	62	Medium	Low	Low
2788	Diagonal	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	47	4	51	Medium	Low	Low
2789	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	2	47	5	52	Medium	Low	Low
2790	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	40	86	Medium	Medium	Medium
2791	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	45	91	Medium	Medium	Medium
2792	None	F			OK														38	100	138	Low	High	High
2793	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	38	29	67	Low	Low	Low
2794	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	46	10	56	Medium	Low	Low
2795	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	43	35	78	Medium	Medium	Low
2796	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	45	30	75	Medium	Low	Low
2797	None	F			OK														45	100	145	Medium	High	High
2798	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	45	30	75	Medium	Low	Low
2799	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	44	35	79	Medium	Medium	Low
2800	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	44	35	79	Medium	Medium	Low
2801	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	40	83	Medium	Medium	Medium
2802	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	40	83	Medium	Medium	Medium
2803	Perpendicular	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	40	83	Medium	Medium	Medium
2804	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	33	36	69	Low	Medium	Low
2805	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	33	31	64	Low	Low	Low
2806	None	F			OK														49	100	149	Medium	High	High
2807	None	F			OK														49	100	149	Medium	High	High
2808	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	43	85	Low	Medium	Medium
2809	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	> 8.1%	0	40	26	66	Low	Low	Low
2810	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	42	48	90	Low	Medium	Medium
2811	None	F			OK														40	100	140	Low	High	High
2812	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	42	36	78	Low	Medium	Low
2813	None	F			OK														42	100	142	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2814	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	40	31	71	Low	Low	Low
2815	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	42	36	78	Low	Medium	Low
2816	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	50	37	87	Medium	Medium	Medium
2817	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	50	31	81	Medium	Low	Medium
2818	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	35	38	73	Low	Medium	Low
2819	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	35	41	76	Low	Medium	Low
2820	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	35	43	78	Low	Medium	Low
2821	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	56	46	102	Medium	Medium	Medium
2822	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	56	36	92	Medium	Medium	Medium
2823	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	56	36	92	Medium	Medium	Medium
2824	Construction	T	F	F	OK	F					None	None	F					2	43			Medium		
2825	Directional	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	47	50	97	Medium	Medium	Medium
2826	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	47	41	88	Medium	Medium	Medium
2827	None	F			OK														46	100	146	Medium	High	High
2828	None	F			OK														47	100	147	Medium	High	High
2829	None	F			OK														45	100	145	Medium	High	High
2830	None	F			OK														46	100	146	Medium	High	High
2831	Parallel	F	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	44	45	89	Medium	Medium	Medium
2832	None	F			OK														44	100	144	Medium	High	High
2833	None	F			OK														44	100	144	Medium	High	High
2834	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	44	52	96	Medium	Medium	Medium
2835	None	F			OK														44	100	144	Medium	High	High
2836	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	0	44	43	87	Medium	Medium	Medium
2837	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	44	43	87	Medium	Medium	Medium
2838	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	44	53	97	Medium	Medium	Medium
2839	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	44	53	97	Medium	Medium	Medium
2840	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	40	53	93	Low	Medium	Medium
2841	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	53	95	Low	Medium	Medium
2842	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	30	37	67	Low	Medium	Low
2843	None	F			OK														45	100	145	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2844	Parallel	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	45	21	66	Medium	Low	Low
2845	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	37	38	75	Low	Medium	Low
2846	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	37	46	83	Low	Medium	Medium
2847	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	37	38	75	Low	Medium	Low
2848	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	37	43	80	Low	Medium	Low
2849	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	37	38	75	Low	Medium	Low
2850	Parallel	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	36	73	Low	Medium	Low
2851	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	37	38	75	Low	Medium	Low
2852	None	F			OK														42	100	142	Low	High	High
2853	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	F	F	T	2% or less	5.1% to 8	0	42	41	83	Low	Medium	Medium
2854	None	F			OK														37	100	137	Low	High	High
2855	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	38	68	Low	Medium	Low
2856	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	38	68	Low	Medium	Low
2857	None	F			OK														38	100	138	Low	High	High
2858	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	26	64	Low	Low	Low
2859	None	F			OK														45	100	145	Medium	High	High
2860	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	2	45	27	72	Medium	Low	Low
2861	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	45	11	56	Medium	Low	Low
2862	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	38	38	76	Low	Medium	Low
2863	None	F			OK														40	100	140	Low	High	High
2864	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	40	38	78	Low	Medium	Low
2865	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	38	71	Low	Medium	Low
2866	None	F			OK														31	100	131	Low	High	High
2867	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	45	41	86	Medium	Medium	Medium
2868	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	41	87	Medium	Medium	Medium
2869	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	46	56	102	Medium	Medium	Medium
2870	Parallel	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	1	46	41	87	Medium	Medium	Medium
2871	None	F			OK														44	100	144	Medium	High	High
2872	None	F			OK														44	100	144	Medium	High	High
2873	None	F			OK														46	100	146	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2874	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	45	36	81	Medium	Medium	Medium
2875	None	T			OK													2	45	100	145	Medium	High	High
2876	None	T			OK													1	46	100	146	Medium	High	High
2877	None	F			OK														38	100	138	Low	High	High
2878	Parallel	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	33	46	79	Low	Medium	Low
2879	Parallel	T	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	33	46	79	Low	Medium	Low
2880	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	56	26	82	Medium	Low	Medium
2881	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	56	21	77	Medium	Low	Low
2882	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	56	26	82	Medium	Low	Medium
2883	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	52	31	83	Medium	Low	Medium
2884	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	51	26	77	Medium	Low	Low
2885	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	52	21	73	Medium	Low	Low
2886	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	51	36	87	Medium	Medium	Medium
2887	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	36	85	Medium	Medium	Medium
2888	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	48	41	89	Medium	Medium	Medium
2889	None	F			OK														41	100	141	Low	High	High
2890	None	F			OK														48	100	148	Medium	High	High
2891	Directional	F	F	F	Grating	F	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	37	46	83	Low	Medium	Medium
2892	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	0	44	16	60	Medium	Low	Low
2893	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	F	T	2% or less	5.1% to 8	0	44	31	75	Medium	Low	Low
2894	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	1	45	11	56	Medium	Low	Low
2895	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	T	2% or less	5.1% to 8	1	44	11	55	Medium	Low	Low
2896	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	0	44	16	60	Medium	Low	Low
2897	None	F			OK														45	100	145	Medium	High	High
2898	None	F			OK														45	100	145	Medium	High	High
2899	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%	1	43	21	64	Medium	Low	Low
2900	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less	0	41	16	57	Low	Low	Low
2901	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	0	43	11	54	Medium	Low	Low
2902	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	49	36	85	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2903	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	49	21	70	Medium	Low	Low
2904	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	64	33	97	High	Medium	Medium
2905	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	78	18	96	High	Low	Medium
2906	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	76	11	87	High	Low	Medium
2907	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	2	79	18	97	High	Low	Medium
2908	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	T	F	F	2% - 4%	> 8.1%	2	79	22	101	High	Low	Medium
2909	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	69	28	97	High	Low	Medium
2910	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	1	69	43	112	High	Medium	Medium
2911	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	77	28	105	High	Low	Medium
2912	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	T	T	F	2% - 4%	5% or less	1	77	26	103	High	Low	Medium
2913	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	2	82	16	98	High	Low	Medium
2914	Perpendicular	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	80	11	91	High	Low	Medium
2915	Parallel	T	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	Compliant	F	F	T	2% or less	> 8.1%	2	82	6	88	High	Low	Medium
2916	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	68	11	79	High	Low	Low
2917	Diagonal	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	2	68	21	89	High	Low	Medium
2918	Parallel	T	F	T	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	> 12%	Compliant	F	T	T	2% or less	5% or less	1	80	12	92	High	Low	Medium
2919	Perpendicular	T	T	T	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	F	> 4%	5% or less	1	80	18	98	High	Low	Medium
2920	Perpendicular	T	T	T	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	F	> 4%	5% or less	1	81	8	89	High	Low	Medium
2921	Perpendicular	T	T	T	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	83	23	106	High	Low	Medium
2922	Perpendicular	T	F	T	Access covers	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	72	38	110	High	Medium	Medium
2923	Perpendicular	T	T	T	Access covers	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	72	27	99	High	Low	Medium
2924	Perpendicular	T	T	T	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	79	21	100	High	Low	Medium
2925	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	79	33	112	High	Medium	Medium
2926	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	79	28	107	High	Low	Medium
2927	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	77	23	100	High	Low	Medium
2928	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8	2	77	17	94	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2929	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	2	69	8	77	High	Low	Low
2930	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	69	13	82	High	Low	Medium
2931	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	69	18	87	High	Low	Medium
2932	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	69	28	97	High	Low	Medium
2933	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	68	41	109	High	Medium	Medium
2934	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	68	43	111	High	Medium	Medium
2935	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	0	68	33	101	High	Medium	Medium
2936	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	T	2% or less	5% or less	0	68	31	99	High	Low	Medium
2937	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	1	68	11	79	High	Low	Low
2938	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	68	38	106	High	Medium	Medium
2939	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	79	18	97	High	Low	Medium
2940	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	2	79	23	102	High	Low	Medium
2941	Diagonal	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	2	79	23	102	High	Low	Medium
2942	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	35	42	77	Low	Medium	Low
2943	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	35	42	77	Low	Medium	Low
2944	None	F			OK														33	100	133	Low	High	High
2945	None	F			OK														33	100	133	Low	High	High
2946	None	F			OK														35	100	135	Low	High	High
2947	None	F			OK														35	100	135	Low	High	High
2948	None	F			OK														34	100	134	Low	High	High
2949	None	F			OK														28	100	128	Low	High	High
2950	None	F			OK														28	100	128	Low	High	High
2951	None	F			OK														36	100	136	Low	High	High
2952	None	F			OK														36	100	136	Low	High	High
2953	None	F			OK														36	100	136	Low	High	High
2954	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	48	46	94	Medium	Medium	Medium
2955	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	48	51	99	Medium	Medium	Medium
2956	None	F			OK														46	100	146	Medium	High	High
2957	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	38	61	99	Low	Medium	Medium
2958	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	46	84	Low	Medium	Medium
2959	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	37	36	73	Low	Medium	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2960	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	56	93	Low	Medium	Medium
2961	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	35	46	81	Low	Medium	Medium
2962	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	38	51	89	Low	Medium	Medium
2963	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	38	41	79	Low	Medium	Low
2964	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	38	51	89	Low	Medium	Medium
2965	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	37	51	88	Low	Medium	Medium
2966	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	37	41	78	Low	Medium	Low
2967	None	F			OK														39	100	139	Low	High	High
2968	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	39	41	80	Low	Medium	Low
2969	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	39	36	75	Low	Medium	Low
2970	None	F			OK														37	100	137	Low	High	High
2971	None	F			OK														37	100	137	Low	High	High
2972	Parallel	F	F	F	OK	F	None	< 36 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	39	48	87	Low	Medium	Medium
2973	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	0	37	36	73	Low	Medium	Low
2974	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	32	51	83	Low	Medium	Medium
2975	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	34	46	80	Low	Medium	Low
2976	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	34	31	65	Low	Low	Low
2977	Parallel	F	F	F	OK	F	None	< 36 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	39	53	92	Low	Medium	Medium
2978	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	37	61	98	Low	Medium	Medium
2979	Parallel	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	58	95	Low	Medium	Medium
2980	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	38	61	99	Low	Medium	Medium
2981	Parallel	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	33	63	96	Low	Medium	Medium
2982	Parallel	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	33	51	84	Low	Medium	Medium
2983	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	37	61	98	Low	Medium	Medium
2984	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	56	93	Low	Medium	Medium
2985	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%	0	37	46	83	Low	Medium	Medium
2986	Parallel	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	35	51	86	Low	Medium	Medium
2987	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	56	93	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
2988	Directional	T	T	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	1	42	55	97	Low	Medium	Medium
2989	None	F			OK														42	100	142	Low	High	High
2990	Directional	T	T	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	42	55	97	Low	Medium	Medium
2991	Directional	T	T	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	2	40	45	85	Low	Medium	Medium
2992	Directional	T	T	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	1	43	55	98	Medium	Medium	Medium
2993	Parallel	T	T	F	OK	T	< 36 in	< 36 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	43	44	87	Medium	Medium	Medium
2994	None	F			OK														48	100	148	Medium	High	High
2995	None	F			OK														48	100	148	Medium	High	High
2996	None	F			OK														35	100	135	Low	High	High
2997	None	F			OK														44	100	144	Medium	High	High
2998	None	F			OK														38	100	138	Low	High	High
2999	None	F			OK														35	100	135	Low	High	High
3000	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	37	41	78	Low	Medium	Low
3001	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	47	43	90	Medium	Medium	Medium
3002	None	F			OK														48	100	148	Medium	High	High
3003	None	F			OK														46	100	146	Medium	High	High
3004	None	F			OK														48	100	148	Medium	High	High
3005	None	F			OK														47	100	147	Medium	High	High
3006	None	F			OK														39	100	139	Low	High	High
3007	None	F			OK														38	100	138	Low	High	High
3008	None	F			OK														45	100	145	Medium	High	High
3009	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	46	91	Medium	Medium	Medium
3010	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	0	45	47	92	Medium	Medium	Medium
3011	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	41	86	Medium	Medium	Medium
3012	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	45	46	91	Medium	Medium	Medium
3013	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	45	46	91	Medium	Medium	Medium
3014	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	36	81	Medium	Medium	Medium
3015	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	45	21	66	Medium	Low	Low
3016	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	45	41	86	Medium	Medium	Medium
3017	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	45	51	96	Medium	Medium	Medium
3018	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	36	81	Medium	Medium	Medium
3019	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	45	46	91	Medium	Medium	Medium
3020	None	F			OK														45	100	145	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3021	None	F			OK														45	100	145	Medium	High	High
3022	None	F			OK														45	100	145	Medium	High	High
3023	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	42	51	93	Low	Medium	Medium
3024	None	F			OK														43	100	143	Medium	High	High
3025	None	F			OK														44	100	144	Medium	High	High
3026	Directional	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	56	99	Medium	Medium	Medium
3027	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	43	51	94	Medium	Medium	Medium
3028	None	F			OK														58	100	158	Medium	High	High
3029	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	37	31	68	Low	Low	Low
3030	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	36	40	76	Low	Medium	Low
3033	None	F			OK														39	100	139	Low	High	High
3034	None	F			OK														39	100	139	Low	High	High
3035	None	F			OK														41	100	141	Low	High	High
3036	None	F			OK														41	100	141	Low	High	High
3037	None	F			OK														41	100	141	Low	High	High
3038	None	F			OK														41	100	141	Low	High	High
3039	None	F			OK														40	100	140	Low	High	High
3040	None	F			OK														40	100	140	Low	High	High
3041	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	1	44	11	55	Medium	Low	Low
3042	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	44	21	65	Medium	Low	Low
3043	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	44	26	70	Medium	Low	Low
3044	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	47	15	62	Medium	Low	Low
3045	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	1	51	26	77	Medium	Low	Low
3046	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	1	42	20	62	Low	Low	Low
3047	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	1	41	16	57	Low	Low	Low
3048	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	49	21	70	Medium	Low	Low
3049	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	F	T	2% or less	5.1% to 8	1	40	20	60	Low	Low	Low
3050	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less	1	40	15	55	Low	Low	Low
3051	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	2	59	21	80	Medium	Low	Low
3052	Diagonal	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	2	48	27	75	Medium	Low	Low
3053	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	63	21	84	High	Low	Medium
3054	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	1	63	31	94	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3055	Perpendicular	T	T	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	63	22	85	High	Low	Medium
3056	Perpendicular	T	T	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	63	32	95	High	Medium	Medium
3057	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	1	61	26	87	High	Low	Medium
3058	Perpendicular	T	T	F	OK	T	None	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	59	31	90	Medium	Low	Medium
3059	None	F			OK														59	100	159	Medium	High	High
3060	None	F			OK														61	100	161	High	High	High
3061	Perpendicular	T	T	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	56	28	84	Medium	Low	Medium
3062	Perpendicular	T	T	F	OK	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	54	27	81	Medium	Low	Medium
3063	Parallel	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	59	36	95	Medium	Medium	Medium
3064	Parallel	T	T	F	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	1	48	17	65	Medium	Low	Low
3065	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	48	26	74	Medium	Low	Low
3066	Perpendicular	T	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	46	22	68	Medium	Low	Low
3067	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	1	47	30	77	Medium	Low	Low
3068	None	F			OK														49	100	149	Medium	High	High
3069	None	F			OK														51	100	151	Medium	High	High
3070	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	47	41	88	Medium	Medium	Medium
3071	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	47	31	78	Medium	Low	Low
3072	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	54	36	90	Medium	Medium	Medium
3073	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	54	36	90	Medium	Medium	Medium
3074	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	48	21	69	Medium	Low	Low
3075	None	F			OK														57	100	157	Medium	High	High
3076	Directional	F	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	59	40	99	Medium	Medium	Medium
3078	None	F			OK														56	100	156	Medium	High	High
3079	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	60	26	86	High	Low	Medium
3080	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	1	56	26	82	Medium	Low	Medium
3081	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	55	31	86	Medium	Low	Medium
3082	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	55	30	85	Medium	Low	Medium
3083	None	F			OK														58	100	158	Medium	High	High
3084	None	F			OK														58	100	158	Medium	High	High
3085	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	2	49	16	65	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3086	Parallel	F	F	F	OK	F	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	49	40	89	Medium	Medium	Medium
3087	Parallel	F	F	F	Grating	F	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	49	55	104	Medium	Medium	Medium
3088	None	F			OK														49	100	149	Medium	High	High
3089	None	F			OK														49	100	149	Medium	High	High
3090	None	F			OK														53	100	153	Medium	High	High
3092	Parallel	F	F	F	Grating	F	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	49	54	103	Medium	Medium	Medium
3093	Parallel	F	F	F	OK	F	36-47 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	49	40	89	Medium	Medium	Medium
3094	None	F			OK														49	100	149	Medium	High	High
3095	None	F			OK														49	100	149	Medium	High	High
3096	None	F			OK														50	100	150	Medium	High	High
3097	None	F			OK														49	100	149	Medium	High	High
3098	None	F			OK														50	100	150	Medium	High	High
3099	None	F			OK														50	100	150	Medium	High	High
3100	None	F			OK														50	100	150	Medium	High	High
3101	None	F			OK														50	100	150	Medium	High	High
3102	None	F			OK														50	100	150	Medium	High	High
3103	None	F			OK														50	100	150	Medium	High	High
3104	None	F			OK														50	100	150	Medium	High	High
3105	None	F			OK														52	100	152	Medium	High	High
3106	None	F			OK														52	100	152	Medium	High	High
3107	None	F			OK														51	100	151	Medium	High	High
3108	None	F			OK														51	100	151	Medium	High	High
3109	None	F			OK														49	100	149	Medium	High	High
3110	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	41	90	Medium	Medium	Medium
3111	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	50	99	Medium	Medium	Medium
3112	Parallel	F	F	F	Grating	T	36-47 in	36-47 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	52	45	97	Medium	Medium	Medium
3113	Parallel	F	F	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	52	40	92	Medium	Medium	Medium
3114	Directional	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	60	28	88	High	Low	Medium
3115	Directional	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	T	T	F	2% - 4%	5% or less	0	60	20	80	High	Low	Low
3116	Directional	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	> 12%	None	F	T	F	> 4%	5% or less	0	60	40	100	High	Medium	Medium
3117	Directional	F	F	F	OK	T	>= 48 in	< 36 in	> 10%	> 4%	> 12%	None	T	F	F	> 4%	5.1% to 8	0	60	54	114	High	Medium	Medium
3118	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	2	60	26	86	High	Low	Medium
3119	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	2	60	18	78	High	Low	Low
3120	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	2	60	20	80	High	Low	Low
3121	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	57	21	78	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3122	Directional	F	F	F	Grating	F	>= 48 in	< 36 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	60	65	125	High	Medium	High
3123	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	> 4%	5% or less	0	60	35	95	High	Medium	Medium
3124	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	58	27	85	Medium	Low	Medium
3125	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	60	26	86	High	Low	Medium
3126	Directional	T	T	F	Grating	F	>= 48 in	< 36 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	57	48	105	Medium	Medium	Medium
3127	Directional	T	T	F	OK	T	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8	1	57	23	80	Medium	Low	Low
3128	None	F			OK														57	100	157	Medium	High	High
3129	Directional	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	T	2% or less	5% or less	1	55	18	73	Medium	Low	Low
3130	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	57	28	85	Medium	Low	Medium
3131	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	56	6	62	Medium	Low	Low
3132	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	0	57	21	78	Medium	Low	Low
3133	Perpendicular	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less	0	57	16	73	Medium	Low	Low
3134	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	T	2% or less	> 8.1%	1	35	26	61	Low	Low	Low
3135	Perpendicular	T	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	> 4%	> 8.1%	1	35	36	71	Low	Medium	Low
3136	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	35	12	47	Low	Low	Low
3137	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	35	17	52	Low	Low	Low
3138	None	T			OK													2	35	100	135	Low	High	High
3139	Diagonal	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	2	35	43	78	Low	Medium	Low
3140	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	> 4%	5% or less	0	35	35	70	Low	Medium	Low
3141	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	45	38	83	Medium	Medium	Medium
3142	None	F			OK														43	100	143	Medium	High	High
3143	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	44	36	80	Medium	Medium	Low
3144	None	F			OK														47	100	147	Medium	High	High
3145	None	F			OK														47	100	147	Medium	High	High
3146	None	F			OK														69	100	169	High	High	High
3147	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	0	69	21	90	High	Low	Medium
3148	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	69	25	94	High	Low	Medium
3149	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	62	26	88	High	Low	Medium
3150	None	F			OK														61	100	161	High	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3151	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	1	67	1	68	High	Low	Low
3152	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	52	16	68	Medium	Low	Low
3153	None	F			OK														67	100	167	High	High	High
3154	Perpendicular	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	52	30	82	Medium	Low	Medium
3155	Perpendicular	T	F	F	OK	F	< 36 in	>= 48 in	> 10%	< 2%	> 12%	None	T	F	T	2% or less	5.1% to 8	1	64	43	107	High	Medium	Medium
3156	Diagonal	T	T	F	Grating	F	< 36 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	2	64	59	123	High	Medium	High
3157	Perpendicular	T	T	F	OK	F	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	64	43	107	High	Medium	Medium
3158	Directional	F	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	57	41	98	Medium	Medium	Medium
3159	Directional	F	F	F	Utility Pole	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	F	> 4%	5% or less	0	59	55	114	Medium	Medium	Medium
3160	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	56	10	66	Medium	Low	Low
3161	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	56	31	87	Medium	Low	Medium
3162	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	56	16	72	Medium	Low	Low
3163	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	0	58	26	84	Medium	Low	Medium
3164	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	1	58	21	79	Medium	Low	Low
3165	Parallel	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	58	0	58	Medium	Low	Low
3166	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	58	31	89	Medium	Low	Medium
3167	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	1	51	10	61	Medium	Low	Low
3168	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	1	51	5	56	Medium	Low	Low
3169	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%	0	50	31	81	Medium	Low	Medium
3170	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	50	41	91	Medium	Medium	Medium
3171	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	F	F	2% - 4%	> 8.1%	0	54	36	90	Medium	Medium	Medium
3172	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	> 8.1%	0	54	31	85	Medium	Low	Medium
3173	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	F	F	2% - 4%	> 8.1%	0	55	51	106	Medium	Medium	Medium
3174	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	55	43	98	Medium	Medium	Medium
3175	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	1	75	6	81	High	Low	Medium
3176	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less	1	75	15	90	High	Low	Medium
3177	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	61	28	89	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3178	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	61	23	84	High	Low	Medium
3179	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	63	23	86	High	Low	Medium
3180	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less	1	63	7	70	High	Low	Low
3181	Perpendicular	T	F	T	OK	T	< 36 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	67	24	91	High	Low	Medium
3182	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	67	23	90	High	Low	Medium
3183	None	F			OK														60	100	160	High	High	High
3184	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	59	48	107	Medium	Medium	Medium
3185	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	59	48	107	Medium	Medium	Medium
3186	None	F			OK														58	100	158	Medium	High	High
3187	None	F			OK														57	100	157	Medium	High	High
3188	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	42	46	88	Low	Medium	Medium
3189	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	48	46	94	Medium	Medium	Medium
3190	None	F			OK														48	100	148	Medium	High	High
3191	Directional	F	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	48	41	89	Medium	Medium	Medium
3192	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	41	90	Medium	Medium	Medium
3193	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	1	49	26	75	Medium	Low	Low
3194	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	31	80	Medium	Low	Low
3195	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	49	41	90	Medium	Medium	Medium
3196	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	48	26	74	Medium	Low	Low
3197	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	48	31	79	Medium	Low	Low
3198	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	36	85	Medium	Medium	Medium
3199	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	36	85	Medium	Medium	Medium
3200	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	45	94	Medium	Medium	Medium
3201	Parallel	T	T	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	49	30	79	Medium	Low	Low
3202	None	F			OK														32	100	132	Low	High	High
3203	None	F			OK														32	100	132	Low	High	High
3204	None	F			OK														32	100	132	Low	High	High
3205	None	F			OK														32	100	132	Low	High	High
3206	None	F			OK														32	100	132	Low	High	High
3207	None	F			OK														32	100	132	Low	High	High
3208	None	F			OK														46	100	146	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3209	Directional	F	F	F	OK	F	< 36 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	46	59	105	Medium	Medium	Medium
3210	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	46	31	77	Medium	Low	Low
3211	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	46	42	88	Medium	Medium	Medium
3212	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	2	55	26	81	Medium	Low	Medium
3213	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	2	55	36	91	Medium	Medium	Medium
3214	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	57	10	67	Medium	Low	Low
3215	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	56	15	71	Medium	Low	Low
3216	Perpendicular	F	F	F	OK	T	< 36 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	45	54	99	Medium	Medium	Medium
3217	None	F			OK														49	100	149	Medium	High	High
3218	None	F			OK														45	100	145	Medium	High	High
3219	None	F			OK														44	100	144	Medium	High	High
3220	None	F			OK														48	100	148	Medium	High	High
3221	None	F			OK														48	100	148	Medium	High	High
3222	None	F			OK														48	100	148	Medium	High	High
3223	None	F			OK														47	100	147	Medium	High	High
3224	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	47	51	98	Medium	Medium	Medium
3225	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	47	36	83	Medium	Medium	Medium
3226	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	47	51	98	Medium	Medium	Medium
3227	None	F			OK														43	100	143	Medium	High	High
3228	None	F			OK														45	100	145	Medium	High	High
3229	None	F			OK														42	100	142	Low	High	High
3230	None	F			OK														46	100	146	Medium	High	High
3231	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	49	36	85	Medium	Medium	Medium
3232	None	F			OK														46	100	146	Medium	High	High
3233	None	F			OK														46	100	146	Medium	High	High
3234	None	F			OK														44	100	144	Medium	High	High
3235	None	F			OK														44	100	144	Medium	High	High
3236	None	F			OK														44	100	144	Medium	High	High
3237	None	F			OK														44	100	144	Medium	High	High
3238	None	F			OK														48	100	148	Medium	High	High
3239	None	F			OK														50	100	150	Medium	High	High
3240	None	F			OK														49	100	149	Medium	High	High
3241	None	F			OK														49	100	149	Medium	High	High
3242	None	F			OK														49	100	149	Medium	High	High
3243	None	F			OK														49	100	149	Medium	High	High
3244	None	F			OK														46	100	146	Medium	High	High
3245	None	F			OK														44	100	144	Medium	High	High
3246	None	F			OK														45	100	145	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3247	None	F			OK														37	100	137	Low	High	High
3248	None	F			OK														45	100	145	Medium	High	High
3249	None	F			OK														45	100	145	Medium	High	High
3250	None	F			OK														41	100	141	Low	High	High
3251	None	F			OK														48	100	148	Medium	High	High
3252	None	F			OK														48	100	148	Medium	High	High
3253	None	F			OK														42	100	142	Low	High	High
3254	None	F			OK														42	100	142	Low	High	High
3255	None	F			OK														44	100	144	Medium	High	High
3256	None	F			OK														44	100	144	Medium	High	High
3257	None	F			OK														42	100	142	Low	High	High
3258	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	F	T	2% or less	5.1% to 8	0	42	25	67	Low	Low	Low
3259	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	42	38	80	Low	Medium	Low
3260	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	47	36	83	Medium	Medium	Medium
3261	Parallel	T	T	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	47	45	92	Medium	Medium	Medium
3262	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	47	36	83	Medium	Medium	Medium
3263	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	46	91	Medium	Medium	Medium
3264	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	1	45	16	61	Medium	Low	Low
3265	None	F			OK														45	100	145	Medium	High	High
3266	None	F			OK														34	100	134	Low	High	High
3267	None	F			OK														42	100	142	Low	High	High
3268	None	F			OK														43	100	143	Medium	High	High
3269	None	F			OK														32	100	132	Low	High	High
3270	None	F			OK														36	100	136	Low	High	High
3271	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%	0	50	46	96	Medium	Medium	Medium
3272	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8	0	51	36	87	Medium	Medium	Medium
3273	None	F			OK														50	100	150	Medium	High	High
3274	None	F			OK														50	100	150	Medium	High	High
3275	None	F			OK														51	100	151	Medium	High	High
3276	None	F			OK														48	100	148	Medium	High	High
3277	None	F			OK														33	100	133	Low	High	High
3278	None	F			OK														43	100	143	Medium	High	High
3279	None	F			OK														43	100	143	Medium	High	High
3280	None	F			OK														43	100	143	Medium	High	High
3281	None	F			OK														43	100	143	Medium	High	High
3282	None	F			OK														51	100	151	Medium	High	High
3283	None	F			OK														51	100	151	Medium	High	High
3284	None	F			OK														51	100	151	Medium	High	High
3285	None	F			OK														49	100	149	Medium	High	High
3286	None	F			OK														47	100	147	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3287	None	F			OK														41	100	141	Low	High	High
3288	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	41	46	87	Low	Medium	Medium
3289	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	1	45	36	81	Medium	Medium	Medium
3290	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	45	15	60	Medium	Low	Low
3291	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	46	16	62	Medium	Low	Low
3292	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	1	46	36	82	Medium	Medium	Medium
3293	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	2	47	10	57	Medium	Low	Low
3294	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	1	34	26	60	Low	Low	Low
3295	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	34	21	55	Low	Low	Low
3296	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	1	53	21	74	Medium	Low	Low
3297	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	53	31	84	Medium	Low	Medium
3298	None	F			OK														50	100	150	Medium	High	High
3299	None	F			OK														41	100	141	Low	High	High
3300	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%	0	41	31	72	Low	Low	Low
3301	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	39	43	82	Low	Medium	Medium
3302	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	40	41	81	Low	Medium	Medium
3303	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	39	38	77	Low	Medium	Low
3304	None	F			OK														40	100	140	Low	High	High
3305	None	F			OK														40	100	140	Low	High	High
3306	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	40	48	88	Low	Medium	Medium
3307	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	32	31	63	Low	Low	Low
3308	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	38	68	Low	Medium	Low
3309	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	0	32	28	60	Low	Low	Low
3310	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	F	> 4%	5% or less	0	41	28	69	Low	Low	Low
3311	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	41	48	89	Low	Medium	Medium
3312	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	39	53	92	Low	Medium	Medium
3313	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	31	47	78	Low	Medium	Low
3314	None	F			OK														33	100	133	Low	High	High
3315	None	F			OK														31	100	131	Low	High	High
3316	None	F			OK														31	100	131	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3317	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	31	48	79	Low	Medium	Low
3318	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	33	33	66	Low	Medium	Low
3319	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	33	31	64	Low	Low	Low
3320	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	33	31	64	Low	Low	Low
3321	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	31	37	68	Low	Medium	Low
3322	None	F			OK														33	100	133	Low	High	High
3323	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	35	26	61	Low	Low	Low
3324	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	35	31	66	Low	Low	Low
3325	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	46	21	67	Medium	Low	Low
3326	Parallel	T	T	T	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	1	46	17	63	Medium	Low	Low
3327	Parallel	T	T	T	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less	1	46	11	57	Medium	Low	Low
3328	Island \ Median	T	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	1	46	16	62	Medium	Low	Low
3329	Directional	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	1	46	16	62	Medium	Low	Low
3330	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%	1	46	31	77	Medium	Low	Low
3331	None	F			OK														25	100	125	Low	High	High
3332	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	24	53	77	Low	Medium	Low
3333	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	0	24	46	70	Low	Medium	Low
3334	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	24	47	71	Low	Medium	Low
3335	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	25	53	78	Low	Medium	Low
3336	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	24	53	77	Low	Medium	Low
3337	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	22	48	70	Low	Medium	Low
3338	None	F			OK														18	100	118	Low	High	High
3339	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	18	48	66	Low	Medium	Low
3340	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	28	53	81	Low	Medium	Medium
3341	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	18	58	76	Low	Medium	Low
3342	None	F			OK														39	100	139	Low	High	High
3343	None	F			OK														41	100	141	Low	High	High
3344	None	F			OK														41	100	141	Low	High	High
3345	None	F			OK														42	100	142	Low	High	High
3346	None	F			OK														42	100	142	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3347	None	F			OK														39	100	139	Low	High	High
3348	None	F			OK														41	100	141	Low	High	High
3349	None	F			OK														41	100	141	Low	High	High
3350	None	F			OK														42	100	142	Low	High	High
3351	None	F			OK														42	100	142	Low	High	High
3352	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	31	38	69	Low	Medium	Low
3353	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	38	70	Low	Medium	Low
3354	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	38	70	Low	Medium	Low
3355	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	38	70	Low	Medium	Low
3356	None	F			OK														32	100	132	Low	High	High
3357	None	F			OK														34	100	134	Low	High	High
3358	None	F			OK														30	100	130	Low	High	High
3359	None	F			OK														30	100	130	Low	High	High
3360	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	34	38	72	Low	Medium	Low
3361	None	F			OK														30	100	130	Low	High	High
3362	None	F			OK														32	100	132	Low	High	High
3363	None	F			OK														32	100	132	Low	High	High
3364	None	F			OK														32	100	132	Low	High	High
3365	None	F			OK														32	100	132	Low	High	High
3366	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	32	43	75	Low	Medium	Low
3367	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	32	43	75	Low	Medium	Low
3368	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	38	68	Low	Medium	Low
3369	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	30	48	78	Low	Medium	Low
3370	None	F			OK														42	100	142	Low	High	High
3371	None	F			OK														42	100	142	Low	High	High
3372	None	F			OK														44	100	144	Medium	High	High
3373	None	F			OK														42	100	142	Low	High	High
3374	None	F			OK														42	100	142	Low	High	High
3375	None	F			OK														41	100	141	Low	High	High
3376	None	F			OK														42	100	142	Low	High	High
3377	None	F			OK														42	100	142	Low	High	High
3378	None	F			OK														40	100	140	Low	High	High
3379	Parallel	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	46	92	Medium	Medium	Medium
3380	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	46	26	72	Medium	Low	Low
3381	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%	0	46	31	77	Medium	Low	Low
3382	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	38	20	58	Low	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3383	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	5.1% to 8	1	48	25	73	Medium	Low	Low
3384	None	F			OK														46	100	146	Medium	High	High
3385	None	F			OK														46	100	146	Medium	High	High
3386	None	F			OK														48	100	148	Medium	High	High
3387	None	F			OK														48	100	148	Medium	High	High
3388	None	F			OK														48	100	148	Medium	High	High
3389	None	F			OK														48	100	148	Medium	High	High
3390	None	F			OK														48	100	148	Medium	High	High
3391	None	F			OK														48	100	148	Medium	High	High
3392	None	F			OK														46	100	146	Medium	High	High
3393	None	F			OK														48	100	148	Medium	High	High
3394	None	F			OK														38	100	138	Low	High	High
3395	None	F			OK														42	100	142	Low	High	High
3396	None	F			OK														38	100	138	Low	High	High
3397	None	F			OK														48	100	148	Medium	High	High
3398	None	F			OK														61	100	161	High	High	High
3399	None	F			OK														50	100	150	Medium	High	High
3400	None	F			OK														54	100	154	Medium	High	High
3401	None	F			OK														62	100	162	High	High	High
3402	None	F			OK														62	100	162	High	High	High
3403	None	F			OK														62	100	162	High	High	High
3404	None	F			OK														50	100	150	Medium	High	High
3405	None	F			OK														50	100	150	Medium	High	High
3406	None	F			OK														50	100	150	Medium	High	High
3407	Directional	F	F	F	Grating	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	51	45	96	Medium	Medium	Medium
3408	Perpendicular	F	F	F	Grating	F	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	51	67	118	Medium	Medium	High
3409	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	51	41	92	Medium	Medium	Medium
3410	Parallel	F	F	F	Grating	T	36-47 in	36-47 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	51	45	96	Medium	Medium	Medium
3411	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	52	46	98	Medium	Medium	Medium
3412	Parallel	F	F	F	OK	F	36-47 in	36-47 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	52	44	96	Medium	Medium	Medium
3413	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	44	61	105	Medium	Medium	Medium
3414	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	36	56	92	Low	Medium	Medium
3415	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	46	84	Low	Medium	Medium
3416	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	42	41	83	Low	Medium	Medium
3417	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	38	36	74	Low	Medium	Low
3422	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	50	31	81	Medium	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3423	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	49	10	59	Medium	Low	Low
3424	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	49	35	84	Medium	Medium	Medium
3425	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	41	41	82	Low	Medium	Medium
3426	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	0	41	25	66	Low	Low	Low
3427	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	43	35	78	Medium	Medium	Low
3428	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	36	50	86	Low	Medium	Medium
3429	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	36	50	86	Low	Medium	Medium
3430	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	46	77	Low	Medium	Low
3431	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	31	61	92	Low	Medium	Medium
3432	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	29	51	80	Low	Medium	Low
3433	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	29	51	80	Low	Medium	Low
3434	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	28	46	74	Low	Medium	Low
3435	Parallel	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	28	41	69	Low	Medium	Low
3436	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	48	61	109	Medium	Medium	Medium
3437	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	48	46	94	Medium	Medium	Medium
3438	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	29	48	77	Low	Medium	Low
3439	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	29	43	72	Low	Medium	Low
3440	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	31	48	79	Low	Medium	Low
3441	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	33	61	94	Low	Medium	Medium
3442	Parallel	F	F	F	OK	F	36-47 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	33	60	93	Low	Medium	Medium
3443	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	34	41	75	Low	Medium	Low
3444	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	F	T	2% or less	> 8.1%	0	30	31	61	Low	Low	Low
3445	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	32	46	78	Low	Medium	Low
3446	Perpendicular	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	30	53	83	Low	Medium	Medium
3447	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	30	31	61	Low	Low	Low
3448	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	30	46	76	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3449	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	31	46	77	Low	Medium	Low
3450	None	F			OK														40	100	140	Low	High	High
3451	None	F			OK														40	100	140	Low	High	High
3452	None	F			OK														35	100	135	Low	High	High
3453	None	F			OK														35	100	135	Low	High	High
3454	Construction	T	F	F	OK	F					None	None	F					2	43			Medium		
3455	None	F			OK														43	100	143	Medium	High	High
3456	None	F			OK														43	100	143	Medium	High	High
3457	None	F			OK														35	100	135	Low	High	High
3458	None	F			OK														35	100	135	Low	High	High
3459	None	F			OK														35	100	135	Low	High	High
3460	None	F			OK														43	100	143	Medium	High	High
3461	None	F			OK														45	100	145	Medium	High	High
3462	None	F			OK														45	100	145	Medium	High	High
3463	None	F			OK														43	100	143	Medium	High	High
3464	None	F			OK														35	100	135	Low	High	High
3465	None	F			OK														35	100	135	Low	High	High
3466	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	41	41	82	Low	Medium	Medium
3467	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	41	41	82	Low	Medium	Medium
3468	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	44	36	80	Medium	Medium	Low
3469	None	F			OK														44	100	144	Medium	High	High
3470	Perpendicular	F	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	44	51	95	Medium	Medium	Medium
3471	None	F			OK														44	100	144	Medium	High	High
3472	None	F			OK														42	100	142	Low	High	High
3473	None	F			OK														42	100	142	Low	High	High
3474	None	F			OK														42	100	142	Low	High	High
3475	None	F			OK														42	100	142	Low	High	High
3476	None	F			OK														42	100	142	Low	High	High
3477	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	42	46	88	Low	Medium	Medium
3478	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	41	30	71	Low	Low	Low
3479	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	41	41	82	Low	Medium	Medium
3480	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	41	41	82	Low	Medium	Medium
3481	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	41	36	77	Low	Medium	Low
3482	Parallel	F	F	F	vegetation/ moss covering ramp.	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	42	46	88	Low	Medium	Medium
3483	Parallel	F	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	40	19	59	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3484	Parallel	T	T	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	40	4	44	Low	Low	Low
3485	None	F			OK														39	100	139	Low	High	High
3486	None	F			OK														40	100	140	Low	High	High
3487	None	F			OK														41	100	141	Low	High	High
3488	Perpendicular	T	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	41	43	84	Low	Medium	Medium
3489	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	43	38	81	Medium	Medium	Medium
3490	Perpendicular	T	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	43	13	56	Medium	Low	Low
3491	Perpendicular	T	F	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	42	23	65	Low	Low	Low
3492	None	F			OK														39	100	139	Low	High	High
3493	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	1	47	28	75	Medium	Low	Low
3494	Diagonal	T	T	F	OK	T	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	2	47	23	70	Medium	Low	Low
3495	Perpendicular	T	T	F	OK	T	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less	1	50	23	73	Medium	Low	Low
3496	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	47	21	68	Medium	Low	Low
3497	Diagonal	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	2	53	23	76	Medium	Low	Low
3498	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	53	23	76	Medium	Low	Low
3499	None	F			OK														53	100	153	Medium	High	High
3500	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less	1	47	26	73	Medium	Low	Low
3501	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	48	26	74	Medium	Low	Low
3502	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	45	41	86	Medium	Medium	Medium
3503	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	45	41	86	Medium	Medium	Medium
3504	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	50	21	71	Medium	Low	Low
3505	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	50	26	76	Medium	Low	Low
3506	Perpendicular	F	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	> 4%	5% or less	0	58	31	89	Medium	Low	Medium
3507	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	57	27	84	Medium	Low	Medium
3508	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	0	55	16	71	Medium	Low	Low
3509	Parallel	T	F	T	OK	T	None	36-47 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	1	50	11	61	Medium	Low	Low
3510	Perpendicular	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	F	2% - 4%	5% or less	1	41	10	51	Low	Low	Low
3511	Perpendicular	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	49	25	74	Medium	Low	Low
3512	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	49	26	75	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3513	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less	0	52	35	87	Medium	Medium	Medium
3514	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less	0	52	35	87	Medium	Medium	Medium
3515	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	1	53	26	79	Medium	Low	Low
3516	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	51	10	61	Medium	Low	Low
3517	Perpendicular	F	F	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less	0	51	15	66	Medium	Low	Low
3518	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	T	2% or less	5.1% to 8	1	51	28	79	Medium	Low	Low
3519	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	51	28	79	Medium	Low	Low
3520	None	F			OK														41	100	141	Low	High	High
3521	Perpendicular	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	41	41	82	Low	Medium	Medium
3522	Island \ Median	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	41	38	79	Low	Medium	Low
3523	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	51	17	68	Medium	Low	Low
3524	Directional	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	46	26	72	Medium	Low	Low
3525	Perpendicular	T	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	1	46	26	72	Medium	Low	Low
3526	None	F			OK														68	100	168	High	High	High
3527	None	F			OK														65	100	165	High	High	High
3528	None	F			OK														71	100	171	High	High	High
3529	None	F			OK														59	100	159	Medium	High	High
3530	None	F			OK														59	100	159	Medium	High	High
3531	Directional	F	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	31	33	64	Low	Medium	Low
3532	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	31	51	82	Low	Medium	Medium
3535	Parallel	F	F	F	OK	F	36-47 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	43	39	82	Medium	Medium	Medium
3536	Parallel	F	F	F	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	43	24	67	Medium	Low	Low
3537	Parallel	F	F	F	OK	T	None	< 36 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	30	33	63	Low	Medium	Low
3538	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	30	41	71	Low	Medium	Low
3539	None	F			OK														41	100	141	Low	High	High
3540	None	F			OK														42	100	142	Low	High	High
3541	None	F			OK														40	100	140	Low	High	High
3542	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	39	36	75	Low	Medium	Low
3543	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	40	20	60	Low	Low	Low
3544	Directional	F	F	F	Grating	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	42	66	108	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3545	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	42	61	103	Low	Medium	Medium
3546	Directional	F	F	F	Grating	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	32	65	97	Low	Medium	Medium
3548	None	F			OK														42	100	142	Low	High	High
3549	None	F			OK														42	100	142	Low	High	High
3550	Directional	T	F	F	Utility Pole	F	< 36 in	< 36 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%	1	42	64	106	Low	Medium	Medium
3551	Directional	F	F	F	OK	F	36-47 in	< 36 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	43	67	110	Medium	Medium	Medium
3552	Directional	F	F	F	OK	T	36-47 in	< 36 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	57	103	Medium	Medium	Medium
3556	None	F			OK														63	100	163	High	High	High
3594	Perpendicular	T	F	T	OK	F	< 36 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	54	38	92	Medium	Medium	Medium
3599	Diagonal	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less	2	56	0	56	Medium	Low	Low
3600	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	1	47	23	70	Medium	Low	Low
3601	Perpendicular	T	T	T	Ped Pole	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	T	2% or less	5% or less	1	50	27	77	Medium	Low	Low
3602	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	43	25	68	Medium	Low	Low
3603	None	F			OK														43	100	143	Medium	High	High
3604	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	F	F	> 4%	5.1% to 8	0	41	50	91	Low	Medium	Medium
3605	Parallel	F	F	F	Access covers	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	41	51	92	Low	Medium	Medium
3614	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	34	48	82	Low	Medium	Medium
3615	None	F			OK														34	100	134	Low	High	High
3616	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	34	38	72	Low	Medium	Low
3617	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	39	38	77	Low	Medium	Low
3618	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	41	38	79	Low	Medium	Low
3619	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	41	38	79	Low	Medium	Low
3620	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	45	36	81	Medium	Medium	Medium
3621	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	2% - 4%	5.1% to 8	1	45	40	85	Medium	Medium	Medium
3622	Perpendicular	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	42	15	57	Low	Low	Low
3623	Parallel	T	T	F	gravel	T	< 36 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	56	42	98	Medium	Medium	Medium
3624	Perpendicular	T	T	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	52	38	90	Medium	Medium	Medium
3625	Parallel	T	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	T	T	F	2% - 4%	5% or less	1	54	35	89	Medium	Medium	Medium
3626	Perpendicular	T	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	54	37	91	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3627	Perpendicular	T	T	F	OK	T	36-47 in	36-47 in	> 10%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	53	37	90	Medium	Medium	Medium
3628	None	F			OK														38	100	138	Low	High	High
3629	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	38	48	86	Low	Medium	Medium
3630	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	38	43	81	Low	Medium	Medium
3631	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	36	48	84	Low	Medium	Medium
3632	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	36	43	79	Low	Medium	Low
3633	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	36	48	84	Low	Medium	Medium
3634	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	31	43	74	Low	Medium	Low
3635	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	31	53	84	Low	Medium	Medium
3636	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	31	48	79	Low	Medium	Low
3637	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	43	76	Low	Medium	Low
3638	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	33	33	66	Low	Medium	Low
3639	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	38	71	Low	Medium	Low
3640	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	58	91	Low	Medium	Medium
3641	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	40	58	98	Low	Medium	Medium
3642	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	40	58	98	Low	Medium	Medium
3643	None	F			OK														27	100	127	Low	High	High
3644	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	43	75	Low	Medium	Low
3645	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	32	63	95	Low	Medium	Medium
3646	None	F			OK														27	100	127	Low	High	High
3647	Perpendicular	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	29	53	82	Low	Medium	Medium
3648	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	29	53	82	Low	Medium	Medium
3649	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	29	53	82	Low	Medium	Medium
3650	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	53	85	Low	Medium	Medium
3651	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	53	86	Low	Medium	Medium
3652	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	63	96	Low	Medium	Medium
3653	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	63	96	Low	Medium	Medium
3654	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	58	91	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3655	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	43	76	Low	Medium	Low
3656	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	38	71	Low	Medium	Low
3657	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	53	86	Low	Medium	Medium
3658	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	33	43	76	Low	Medium	Low
3659	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	33	53	86	Low	Medium	Medium
3660	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	27	48	75	Low	Medium	Low
3661	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	27	38	65	Low	Medium	Low
3662	None	F			OK														27	100	127	Low	High	High
3663	Perpendicular	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	27	63	90	Low	Medium	Medium
3664	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	27	53	80	Low	Medium	Low
3665	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	27	53	80	Low	Medium	Low
3666	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	32	43	75	Low	Medium	Low
3667	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less	0	30	43	73	Low	Medium	Low
3668	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	18	38	56	Low	Medium	Low
3669	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	28	48	76	Low	Medium	Low
3670	Perpendicular	F	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	28	58	86	Low	Medium	Medium
3671	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	29	38	67	Low	Medium	Low
3672	Perpendicular	F	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	29	43	72	Low	Medium	Low
3673	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	19	38	57	Low	Medium	Low
3674	None	F			OK														31	100	131	Low	High	High
3675	None	F			OK														31	100	131	Low	High	High
3676	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	31	5	36	Low	Low	Low
3679	Perpendicular	T	T	T	OK	F	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	T	F	F	2% - 4%	5.1% to 8	1	32	32	64	Low	Medium	Low
3680	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	0	32	63	95	Low	Medium	Medium
3681	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less	0	32	53	85	Low	Medium	Medium
3682	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	32	36	68	Low	Medium	Low
3683	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	38	36	74	Low	Medium	Low
3684	None	F			OK														38	100	138	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3685	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	37	41	78	Low	Medium	Low
3686	Parallel	F	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	37	46	83	Low	Medium	Medium
3687	Parallel	F	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	33	51	84	Low	Medium	Medium
3688	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	> 8.1%	0	43	31	74	Medium	Low	Low
3689	Parallel	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	46	61	107	Medium	Medium	Medium
3690	Parallel	F	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	42	61	103	Low	Medium	Medium
3691	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	36	51	87	Low	Medium	Medium
3692	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	44	31	75	Medium	Low	Low
3693	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less	0	44	20	64	Medium	Low	Low
3694	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	> 8.1%	0	43	41	84	Medium	Medium	Medium
3695	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	F	> 4%	5% or less	0	41	25	66	Low	Low	Low
3696	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	0	41	26	67	Low	Low	Low
3697	None	F			OK														41	100	141	Low	High	High
3698	Parallel	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	39	41	80	Low	Medium	Low
3699	Parallel	F	F	F	OK	F	None	< 36 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	43	58	101	Medium	Medium	Medium
3700	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	33	61	94	Low	Medium	Medium
3701	None	F			OK														45	100	145	Medium	High	High
3702	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	38	41	79	Low	Medium	Low
3703	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	37	31	68	Low	Low	Low
3704	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	37	51	88	Low	Medium	Medium
3705	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	37	31	68	Low	Low	Low
3706	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	33	26	59	Low	Low	Low
3707	Perpendicular	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	> 8.1%	0	33	16	49	Low	Low	Low
3708	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	37	26	63	Low	Low	Low
3709	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	44	21	65	Medium	Low	Low
3710	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	1	40	16	56	Low	Low	Low
3711	None	F			OK														37	100	137	Low	High	High
3712	None	F			OK														37	100	137	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3713	None	F			OK														39	100	139	Low	High	High
3714	None	F			OK														40	100	140	Low	High	High
3715	None	F			OK														36	100	136	Low	High	High
3716	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	49	46	95	Medium	Medium	Medium
3717	Directional	F	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	48	51	99	Medium	Medium	Medium
3718	Parallel	F	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	48	51	99	Medium	Medium	Medium
3719	Parallel	T	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	48	41	89	Medium	Medium	Medium
3720	Parallel	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	40	36	76	Low	Medium	Low
3722	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	50	41	91	Medium	Medium	Medium
3723	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	50	41	91	Medium	Medium	Medium
3724	Parallel	F	F	F	Access covers	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	50	51	101	Medium	Medium	Medium
3725	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	56	36	92	Medium	Medium	Medium
3726	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8	0	59	35	94	Medium	Medium	Medium
3727	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	T	F	F	> 4%	5.1% to 8	0	54	50	104	Medium	Medium	Medium
3728	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	50	30	80	Medium	Low	Low
3729	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	55	51	106	Medium	Medium	Medium
3730	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	55	31	86	Medium	Low	Medium
3731	Parallel	T	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	56	41	97	Medium	Medium	Medium
3732	Parallel	T	T	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	58	46	104	Medium	Medium	Medium
3733	Island \ Median	T	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	58	46	104	Medium	Medium	Medium
3734	Island \ Median	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	58	46	104	Medium	Medium	Medium
3735	Island \ Median	T	T	F	OK	F	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	58	45	103	Medium	Medium	Medium
3736	Parallel	T	T	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	58	41	99	Medium	Medium	Medium
3737	Island \ Median	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%	1	58	36	94	Medium	Medium	Medium
3738	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	55	46	101	Medium	Medium	Medium
3739	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	55	41	96	Medium	Medium	Medium
3740	Parallel	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	54	36	90	Medium	Medium	Medium
3741	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	54	46	100	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3742	None	F			OK														33	100	133	Low	High	High
3743	None	F			OK														33	100	133	Low	High	High
3744	None	F			OK														38	100	138	Low	High	High
3745	None	F			OK														38	100	138	Low	High	High
3746	None	F			OK														35	100	135	Low	High	High
3747	None	F			OK														39	100	139	Low	High	High
3748	None	F			OK														36	100	136	Low	High	High
3749	None	F			OK														36	100	136	Low	High	High
3750	None	F			OK														36	100	136	Low	High	High
3751	None	F			OK														28	100	128	Low	High	High
3752	None	F			OK														28	100	128	Low	High	High
3753	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	40	36	76	Low	Medium	Low
3754	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	33	41	74	Low	Medium	Low
3755	Perpendicular	T	T	T	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	40	23	63	Low	Low	Low
3756	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	30	26	56	Low	Low	Low
3757	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	34	41	75	Low	Medium	Low
3758	Directional	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	43	65	108	Medium	Medium	Medium
3759	None	F			OK														43	100	143	Medium	High	High
3760	Perpendicular	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	T	F	F	2% - 4%	> 8.1%	1	44	21	65	Medium	Low	Low
3761	Perpendicular	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	50	22	72	Medium	Low	Low
3762	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	1	49	28	77	Medium	Low	Low
3763	Perpendicular	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	51	48	99	Medium	Medium	Medium
3764	Perpendicular	T	T	T	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	55	20	75	Medium	Low	Low
3765	Parallel	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	55	31	86	Medium	Low	Medium
3766	Directional	F	F	F	vegetation	T	36-47 in	36-47 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	55	60	115	Medium	Medium	Medium
3767	None	F			OK														45	100	145	Medium	High	High
3769	None	F			OK														45	100	145	Medium	High	High
3770	None	F			OK														49	100	149	Medium	High	High
3772	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	34	11	45	Low	Low	Low
3773	Parallel	T	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	2	34	16	50	Low	Low	Low
3774	Parallel	T	T	T	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	34	31	65	Low	Low	Low
3775	Parallel	T	T	T	Grating	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	34	31	65	Low	Low	Low
3776	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less	2	40	6	46	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3777	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	40	31	71	Low	Low	Low
3778	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	40	26	66	Low	Low	Low
3779	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	48	21	69	Medium	Low	Low
3780	Parallel	T	T	T	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	48	27	75	Medium	Low	Low
3781	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	1	48	11	59	Medium	Low	Low
3782	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	0	48	33	81	Medium	Medium	Medium
3783	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	48	38	86	Medium	Medium	Medium
3784	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	37	21	58	Low	Low	Low
3785	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	Compliant	F	T	F	2% - 4%	5% or less	0	37	31	68	Low	Low	Low
3786	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	1	47	11	58	Medium	Low	Low
3787	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%	0	47	51	98	Medium	Medium	Medium
3788	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	1	47	21	68	Medium	Low	Low
3789	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	2	57	26	83	Medium	Low	Medium
3790	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	40	26	66	Low	Low	Low
3791	Perpendicular	F	F	T	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	40	28	68	Low	Low	Low
3792	None	F			OK														21	100	121	Low	High	High
3793	None	F			OK														21	100	121	Low	High	High
3794	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	28	31	59	Low	Low	Low
3795	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	2	26	16	42	Low	Low	Low
3796	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	51	41	92	Medium	Medium	Medium
3797	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	T	T	F	2% - 4%	5% or less	1	51	37	88	Medium	Medium	Medium
3798	Perpendicular	T	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8	1	47	38	85	Medium	Medium	Medium
3799	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	51	100	Medium	Medium	Medium
3800	Perpendicular	F	F	F	OK	F	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	48	53	101	Medium	Medium	Medium
3801	None	F			OK														48	100	148	Medium	High	High
3802	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less	0	48	33	81	Medium	Medium	Medium
3803	None	F			OK														48	100	148	Medium	High	High
3804	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	49	36	85	Medium	Medium	Medium
3805	None	F			OK														45	100	145	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3806	None	F			OK														45	100	145	Medium	High	High
3807	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	45	46	91	Medium	Medium	Medium
3808	Parallel	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	45	56	101	Medium	Medium	Medium
3809	None	F			OK														54	100	154	Medium	High	High
3810	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	33	36	69	Low	Medium	Low
3811	Parallel	F	F	F	Access covers	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	33	46	79	Low	Medium	Low
3812	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	33	36	69	Low	Medium	Low
3813	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	34	41	75	Low	Medium	Low
3814	Directional	F	F	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	34	35	69	Low	Medium	Low
3827	None	T			OK													1	30	100	130	Low	High	High
3828	Parallel	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	35	16	51	Low	Low	Low
3829	Parallel	T	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	35	15	50	Low	Low	Low
3830	Directional	T	T	F	OK	F	36-47 in	< 36 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	1	35	37	72	Low	Medium	Low
3831	Directional	F	F	F	OK	T	36-47 in	< 36 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	42	31	73	Low	Low	Low
3832	Directional	F	F	F	OK	T	36-47 in	< 36 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less	0	42	37	79	Low	Medium	Low
3833	None	F			OK														42	100	142	Low	High	High
3834	Directional	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	10.1% - 12%	None	F	F	F	2% - 4%	5.1% to 8	1	41	42	83	Low	Medium	Medium
3835	None	F			OK														41	100	141	Low	High	High
3836	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	35	30	65	Low	Low	Low
3837	Directional	F	F	F	Grating	F	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	F	F	2% - 4%	5.1% to 8	0	34	60	94	Low	Medium	Medium
3838	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	35	36	71	Low	Medium	Low
3839	Directional	T	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less	1	35	19	54	Low	Low	Low
3840	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	41	41	82	Low	Medium	Medium
3841	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	41	41	82	Low	Medium	Medium
3842	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	None	None	T	T	T	2% or less	5% or less	0	41	35	76	Low	Medium	Low
3843	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	33	41	74	Low	Medium	Low
3844	Directional	F	F	F	Access covers	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	F	> 4%	5% or less	0	36	45	81	Low	Medium	Medium
3845	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	37	16	53	Low	Low	Low
3846	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	37	16	53	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3847	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less	0	37	40	77	Low	Medium	Low
3848	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	37	31	68	Low	Low	Low
3849	None	T			OK													1	36	100	136	Low	High	High
3850	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	38	25	63	Low	Low	Low
3851	None	T			OK													2	39	100	139	Low	High	High
3852	None	T			OK													1	39	100	139	Low	High	High
3853	Perpendicular	T	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	1	39	27	66	Low	Low	Low
3854	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less	0	46	32	78	Medium	Medium	Low
3855	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	37	31	68	Low	Low	Low
3856	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	37	16	53	Low	Low	Low
3857	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	38	36	74	Low	Medium	Low
3858	Directional	F	F	F	Grating	T	36-47 in	36-47 in	8.3% - 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	37	45	82	Low	Medium	Medium
3859	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	41	21	62	Low	Low	Low
3860	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	1	40	16	56	Low	Low	Low
3861	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	40	30	70	Low	Low	Low
3862	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less	2	41	11	52	Low	Low	Low
3863	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less	0	38	26	64	Low	Low	Low
3864	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	0	40	20	60	Low	Low	Low
3865	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	42	26	68	Low	Low	Low
3866	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8	0	42	21	63	Low	Low	Low
3867	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	41	16	57	Low	Low	Low
3868	None	F			OK														60	100	160	High	High	High
3869	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	1	51	41	92	Medium	Medium	Medium
3870	Parallel	T	T	F	Grating	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	1	53	51	104	Medium	Medium	Medium
3871	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	55	41	96	Medium	Medium	Medium
3872	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	55	41	96	Medium	Medium	Medium
3873	Directional	F	F	F	OK	F	None	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	0	55	46	101	Medium	Medium	Medium
3874	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less	0	55	41	96	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3875	Perpendicular	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	F	T	T	2% or less	5% or less	0	57	21	78	Medium	Low	Low
3876	Parallel	T	F	F	Access covers	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less	1	57	36	93	Medium	Medium	Medium
3877	None	T			OK													1	57	100	157	Medium	High	High
3878	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	1	56	21	77	Medium	Low	Low
3879	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less	1	56	21	77	Medium	Low	Low
3880	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	55	31	86	Medium	Low	Medium
3881	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	55	36	91	Medium	Medium	Medium
3882	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	0	54	46	100	Medium	Medium	Medium
3883	None	F			OK														55	100	155	Medium	High	High
3884	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	F	T	2% or less	5.1% to 8	0	47	20	67	Medium	Low	Low
3885	Directional	F	F	T	Grating	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	2% - 4%	5.1% to 8	0	47	36	83	Medium	Medium	Medium
3886	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	0	47	31	78	Medium	Low	Low
3887	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%	0	47	36	83	Medium	Medium	Medium
3888	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less	1	46	26	72	Medium	Low	Low
3889	Parallel	T	T	T	Grating	T	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	2	46	31	77	Medium	Low	Low
3890	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less	1	46	5	51	Medium	Low	Low
3891	None	F			OK														47	100	147	Medium	High	High
3892	None	F			OK														43	100	143	Medium	High	High
3893	None	F			OK														45	100	145	Medium	High	High
3894	None	F			OK														43	100	143	Medium	High	High
3895	None	F			OK														47	100	147	Medium	High	High
3896	Parallel	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	1	60	46	106	High	Medium	Medium
3897	Parallel	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	1	60	51	111	High	Medium	Medium
3898	Parallel	F	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	60	41	101	High	Medium	Medium
3899	Parallel	T	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	1	60	31	91	High	Low	Medium
3900	None	F			OK														56	100	156	Medium	High	High
3901	None	F			OK														56	100	156	Medium	High	High
3902	Parallel	T	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	1	53	51	104	Medium	Medium	Medium
3903	Parallel	T	T	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	1	53	46	99	Medium	Medium	Medium
3904	None	F			OK														46	100	146	Medium	High	High
3905	None	F			OK														57	100	157	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3906	Perpendicular	F	F	F	OK	T	< 36 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	60	43	103	High	Medium	Medium
3907	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	59	46	105	Medium	Medium	Medium
3908	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	66	31	97	High	Low	Medium
3909	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	53	10	63	Medium	Low	Low
3910	Perpendicular	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less	1	45	10	55	Medium	Low	Low
3911	Perpendicular	T	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	54	26	80	Medium	Low	Low
3912	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less	0	47	32	79	Medium	Medium	Low
3913	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	47	51	98	Medium	Medium	Medium
3914	Parallel	F	F	T	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	50	26	76	Medium	Low	Low
3915	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	55	51	106	Medium	Medium	Medium
3916	Perpendicular	F	F	F	OK	T	< 36 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	55	52	107	Medium	Medium	Medium
3917	Parallel	F	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8	0	55	46	101	Medium	Medium	Medium
3918	None	F			OK														65	100	165	High	High	High
3919	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less	0	66	26	92	High	Low	Medium
3920	Directional	F	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	62	56	118	High	Medium	High
3921	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less	0	64	35	99	High	Medium	Medium
3922	Directional	F	F	F	Utility Pole	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%	0	59	41	100	Medium	Medium	Medium
3923	Directional	F	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less	0	59	30	89	Medium	Low	Medium
3926	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	40	51	91	Low	Medium	Medium
3927	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8	0	40	51	91	Low	Medium	Medium
3930	Parallel	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less	0	39	31	70	Low	Low	Low
3931	Parallel	F	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	39	46	85	Low	Medium	Medium
3933	Directional	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	F	> 4%	5% or less	1	39	26	65	Low	Low	Low
3936	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	36	51	87	Low	Medium	Medium
3937	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	36	41	77	Low	Medium	Low
3938	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	> 8.1%	0	32	36	68	Low	Medium	Low
3939	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	31	51	82	Low	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3940	Parallel	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	F	F	2% - 4%	> 8.1%	0	32	41	73	Low	Medium	Low
3941	None	F			OK														38	100	138	Low	High	High
3942	None	F			OK														37	100	137	Low	High	High
3943	None	F			OK														37	100	137	Low	High	High
3944	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less	0	40	26	66	Low	Low	Low
3945	Directional	F	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	F	> 4%	> 8.1%	0	40	26	66	Low	Low	Low
3946	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%	0	43	36	79	Medium	Medium	Low
3947	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	43	41	84	Medium	Medium	Medium
3948	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8	0	43	46	89	Medium	Medium	Medium
3949	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	> 8.1%	0	47	31	78	Medium	Low	Low
3950	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8	0	47	41	88	Medium	Medium	Medium
3951	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	> 8.1%	0	47	31	78	Medium	Low	Low
3954	Parallel	F	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	44	56	100	Medium	Medium	Medium
3955	None	F			OK														44	100	144	Medium	High	High
3956	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%	0	44	51	95	Medium	Medium	Medium
3957	Parallel	F	F	F	OK	T	None	< 36 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	53	99	Medium	Medium	Medium
3958	Parallel	F	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less	0	49	26	75	Medium	Low	Low
3959	Construction	T	F	F	OK	F					None	None	F					2	44			Medium		
3960	Parallel	F	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8	0	46	51	97	Medium	Medium	Medium
3961	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	47	43	90	Medium	Medium	Medium
3962	Perpendicular	F	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	46	48	94	Medium	Medium	Medium
3963	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	46	48	94	Medium	Medium	Medium
3964	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8	0	45	41	86	Medium	Medium	Medium
3965	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	45	41	86	Medium	Medium	Medium
3966	None	F			OK														45	100	145	Medium	High	High
3967	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less	0	44	37	81	Medium	Medium	Medium
3968	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	44	31	75	Medium	Low	Low
3969	Perpendicular	F	F	F	vegetation	T	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	44	41	85	Medium	Medium	Medium
3970	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%	0	47	43	90	Medium	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
3971	Perpendicular	T	T	F	OK	T	36-47 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	1	45	31	76	Medium	Low	Low
3972	None	F			OK														45	100	145	Medium	High	High
3973	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	45	43	88	Medium	Medium	Medium
3974	Perpendicular	F	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	45	43	88	Medium	Medium	Medium
3975	Directional	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	0	52	46	98	Medium	Medium	Medium
3976	None	F			OK														62	100	162	High	High	High
3977	None	F			OK														66	100	166	High	High	High
3978	Perpendicular	F	F	F	OK	F	36-47 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less	0	66	51	117	High	Medium	Medium
3979	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	67	46	113	High	Medium	Medium
3980	None	F			OK														67	100	167	High	High	High
3981	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	66	46	112	High	Medium	Medium
3982	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	T	T	F	2% - 4%	5% or less	0	55	40	95	Medium	Medium	Medium
3983	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less	0	55	46	101	Medium	Medium	Medium
3984	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less	0	55	41	96	Medium	Medium	Medium
3985	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	53	31	84	Medium	Low	Medium
3986	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less	1	51	36	87	Medium	Medium	Medium
3987	Perpendicular	T	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less	1	46	31	77	Medium	Low	Low
3988	Perpendicular	F	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less	0	46	36	82	Medium	Medium	Medium
3989	None	F			OK														44	100	144	Medium	High	High
3992	None	F			OK														43	100	143	Medium	High	High
3993	None	F			OK														43	100	143	Medium	High	High
3994	None	F			OK														47	100	147	Medium	High	High
3995	None	F			OK														32	100	132	Low	High	High
3996	None	F			OK														33	100	133	Low	High	High
3997	None	F			OK														46	100	146	Medium	High	High
3998	None	F			OK														46	100	146	Medium	High	High
3999	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less	1	57	26	83	Medium	Low	Medium
4000	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less	1	57	16	73	Medium	Low	Low
4001	None	F			OK														59	100	159	Medium	High	High
4002	Directional	F	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less	0	55	36	91	Medium	Medium	Medium
4003	Directional	F	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less	0	55	30	85	Medium	Low	Medium
4004	None	F			OK														43	100	143	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4005	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less	2	52	11	63	Medium	Low	Low
4006	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less	2	52	21	73	Medium	Low	Low
4007	None	T			OK													1	51	100	151	Medium	High	High
4008	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8	2	50	31	81	Medium	Low	Medium
4009	Parallel	T	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	T	F	> 4%	5% or less	1	51	26	77	Medium	Low	Low
4010	None	F			OK														51	100	151	Medium	High	High
4011	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less	0	46	43	89	Medium	Medium	Medium
4012	Perpendicular	F	F	F	OK	T	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	46	48	94	Medium	Medium	Medium
4013	Perpendicular	F	F	F	OK	T	None	< 36 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	47	55	102	Medium	Medium	Medium
4014	Perpendicular	F	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8	0	47	48	95	Medium	Medium	Medium
4015	None	F			OK														47	100	147	Medium	High	High
4016	None	F			OK														47	100	147	Medium	High	High
4017	None	F			OK														32	100	132	Low	High	High
4018	Perpendicular	T	F	F	OK	F	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less	1	32	33	65	Low	Medium	Low
4019	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less	1	52	20	72	Medium	Low	Low
4020	Parallel	T	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less	1	58	15	73	Medium	Low	Low
4021	Perpendicular	F	F	T	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		50	42	92	Medium	Medium	Medium
4022	Perpendicular	F	F	T	OK	T	36-47 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		50	27	77	Medium	Low	Low
4023	Parallel	F	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		45	51	96	Medium	Medium	Medium
4024	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		50	28	78	Medium	Low	Low
4025	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	F	2% - 4%	> 8.1%		50	22	72	Medium	Low	Low
4026	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		50	41	91	Medium	Medium	Medium
4027	Parallel	T	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		48	26	74	Medium	Low	Low
4028	Perpendicular	F	F	F	OK	F	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		48	62	110	Medium	Medium	Medium
4029	Parallel	T	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		44	31	75	Medium	Low	Low
4030	Perpendicular	F	F	F	OK	F	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		50	63	113	Medium	Medium	Medium
4031	Perpendicular	T	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		50	43	93	Medium	Medium	Medium
4032	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%		68	46	114	High	Medium	Medium
4033	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		68	48	116	High	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4034	Directional	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	> 4%	5% or less		42	30	72	Low	Low	Low
4035	None	F			OK														47	100	147	Medium	High	High
4036	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		38	38	76	Low	Medium	Low
4037	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		28	43	71	Low	Medium	Low
4038	Parallel	NA	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		31	41	72	Low	Medium	Low
4039	None	F			OK														22	100	122	Low	High	High
4040	None	F			OK														23	100	123	Low	High	High
4041	None	F			OK														18	100	118	Low	High	High
4042	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		39	36	75	Low	Medium	Low
4043	Perpendicular	NA	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		41	32	73	Low	Medium	Low
4044	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		34	26	60	Low	Low	Low
4045	None	F			OK														41	100	141	Low	High	High
4046	None	F			OK														41	100	141	Low	High	High
4047	None	F			OK														51	100	151	Medium	High	High
4048	Directional	NA	F	T	OK	T	36-47 in	36-47 in	8.3% - 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		48	40	88	Medium	Medium	Medium
4049	None	F			OK														48	100	148	Medium	High	High
4050	None	F			OK														38	100	138	Low	High	High
4051	None	F			OK														48	100	148	Medium	High	High
4052	None	F			OK														37	100	137	Low	High	High
4053	None	F			OK														47	100	147	Medium	High	High
4054	None	F			OK														47	100	147	Medium	High	High
4055	None	F			OK														37	100	137	Low	High	High
4056	None	F			OK														47	100	147	Medium	High	High
4057	None	F			OK														45	100	145	Medium	High	High
4058	None	F			OK														45	100	145	Medium	High	High
4059	None	F			OK														43	100	143	Medium	High	High
4060	None	F			OK														44	100	144	Medium	High	High
4061	None	F			OK														44	100	144	Medium	High	High
4062	None	F			OK														46	100	146	Medium	High	High
4063	None	F			OK														48	100	148	Medium	High	High
4064	None	F			OK														46	100	146	Medium	High	High
4065	None	F			OK														48	100	148	Medium	High	High
4066	Directional	NA	F	T	OK	T	36-47 in	36-47 in	8.3% - 10%	< 2%	None	Compliant	F	F	T	2% or less	> 8.1%		48	25	73	Medium	Low	Low
4067	Parallel	NA	F	T	OK	T	36-47 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		40	35	75	Low	Medium	Low
4068	None	F			OK														48	100	148	Medium	High	High
4069	None	F			OK														40	100	140	Low	High	High
4070	None	F			OK														40	100	140	Low	High	High
4071	None	F			OK														39	100	139	Low	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4072	Parallel	NA	F	T	OK	T	36-47 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	F	T	2% or less	5.1% to 8		49	20	69	Medium	Low	Low
4073	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
4074	Parallel	NA	F	T	OK	T	36-47 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		49	35	84	Medium	Medium	Medium
4075	Parallel	NA	T	T	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		48	21	69	Medium	Low	Low
4076	Parallel	NA	F	T	OK	T	< 36 in	>= 48 in	> 10%	> 4%	None	Compliant	T	T	T	2% or less	5% or less		48	36	84	Medium	Medium	Medium
4077	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		48	11	59	Medium	Low	Low
4078	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		48	21	69	Medium	Low	Low
4079	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	F	T	2% or less	5.1% to 8		48	16	64	Medium	Low	Low
4080	None	F			OK														48	100	148	Medium	High	High
4081	None	F			OK														48	100	148	Medium	High	High
4082	None	F			OK														48	100	148	Medium	High	High
4083	None	F			OK														48	100	148	Medium	High	High
4084	None	F			OK														46	100	146	Medium	High	High
4085	None	F			OK														45	100	145	Medium	High	High
4086	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	F	F	2% - 4%	> 8.1%		46	21	67	Medium	Low	Low
4087	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		46	41	87	Medium	Medium	Medium
4088	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low
4089	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		45	31	76	Medium	Low	Low
4090	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		47	31	78	Medium	Low	Low
4091	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		43	26	69	Medium	Low	Low
4092	Parallel	NA	F	T	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		45	22	67	Medium	Low	Low
4093	Parallel	NA	T	T	OK	T	< 36 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		44	22	66	Medium	Low	Low
4094	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		44	20	64	Medium	Low	Low
4095	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	T	T	T	2% or less	5% or less		45	20	65	Medium	Low	Low
4096	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	F	T	2% or less	5.1% to 8		45	21	66	Medium	Low	Low
4097	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less		44	16	60	Medium	Low	Low
4098	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	2% - 4%	5% or less		43	20	63	Medium	Low	Low
4099	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	F	> 4%	5% or less		43	20	63	Medium	Low	Low
4100	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		43	11	54	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4101	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		43	10	53	Medium	Low	Low
4102	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		43	10	53	Medium	Low	Low
4103	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		43	10	53	Medium	Low	Low
4104	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	F	> 4%	5% or less		43	25	68	Medium	Low	Low
4105	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		44	10	54	Medium	Low	Low
4106	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		44	31	75	Medium	Low	Low
4107	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		44	16	60	Medium	Low	Low
4108	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		34	20	54	Low	Low	Low
4109	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	> 8.1%		34	31	65	Low	Low	Low
4110	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		42	20	62	Low	Low	Low
4111	Perpendicular	NA	F	F	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		37	41	78	Low	Medium	Low
4112	Perpendicular	NA	F	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		37	37	74	Low	Medium	Low
4115	Perpendicular	NA	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		29	63	92	Low	Medium	Medium
4116	Perpendicular	NA	F	F	OK	F	None	36-47 in	> 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		29	63	92	Low	Medium	Medium
4117	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		34	36	70	Low	Medium	Low
4118	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		34	35	69	Low	Medium	Low
4119	None	F			OK														29	100	129	Low	High	High
4120	None	F			OK														29	100	129	Low	High	High
4121	None	F			OK														31	100	131	Low	High	High
4122	None	F			OK														32	100	132	Low	High	High
4123	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	F	2% - 4%	5% or less		46	15	61	Medium	Low	Low
4124	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
4125	Parallel	NA	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		49	46	95	Medium	Medium	Medium
4126	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		49	31	80	Medium	Low	Low
4127	Parallel	NA	F	F	Grating	T	None	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		44	56	100	Medium	Medium	Medium
4128	Parallel	NA	T	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	T	2% or less	> 8.1%		44	46	90	Medium	Medium	Medium
4129	None	T			OK													1	45	100	145	Medium	High	High
4130	Parallel	NA	F	F	Grating	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		44	51	95	Medium	Medium	Medium
4131	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		44	21	65	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4132	None	F			OK														45	100	145	Medium	High	High
4133	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		45	26	71	Medium	Low	Low
4134	None	F			OK														43	100	143	Medium	High	High
4135	Parallel	NA	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		43	51	94	Medium	Medium	Medium
4136	Parallel	NA	F	F	OK	F	None	36-47 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		43	56	99	Medium	Medium	Medium
4137	Parallel	NA	T	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		45	51	96	Medium	Medium	Medium
4138	None	T			OK													1	45	100	145	Medium	High	High
4139	None	F			OK														45	100	145	Medium	High	High
4140	Directional	NA	F	F	OK	T	>= 48 in	< 36 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		44	43	87	Medium	Medium	Medium
4141	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		44	36	80	Medium	Medium	Low
4142	Directional	NA	F	F	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		44	45	89	Medium	Medium	Medium
4143	Parallel	NA	F	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		44	41	85	Medium	Medium	Medium
4144	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		55	26	81	Medium	Low	Medium
4145	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		55	16	71	Medium	Low	Low
4146	Perpendicular	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		60	28	88	High	Low	Medium
4147	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		60	20	80	High	Low	Low
4148	Perpendicular	NA	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		64	22	86	High	Low	Medium
4149	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		63	30	93	High	Low	Medium
4150	None	F			OK														65	100	165	High	High	High
4151	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	> 8.1%		60	21	81	High	Low	Medium
4152	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		60	15	75	High	Low	Low
4153	Directional	NA	F	F	OK	T	>= 48 in	< 36 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		75	37	112	High	Medium	Medium
4154	Directional	NA	F	F	OK	T	>= 48 in	< 36 in	< 8.3%	> 4%	None	None	T	F	T	2% or less	5.1% to 8		70	37	107	High	Medium	Medium
4155	Perpendicular	NA	F	F	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		71	47	118	High	Medium	High
4156	Perpendicular	NA	F	F	OK	F	36-47 in	>= 48 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		58	35	93	Medium	Medium	Medium
4157	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		60	30	90	High	Low	Medium
4158	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		59	36	95	Medium	Medium	Medium
4159	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		62	31	93	High	Low	Medium
4160	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		61	31	92	High	Low	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4161	Perpendicular	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		64	28	92	High	Low	Medium
4162	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		62	30	92	High	Low	Medium
4163	Perpendicular	NA	F	F	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less		61	43	104	High	Medium	Medium
4164	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		61	31	92	High	Low	Medium
4165	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		65	36	101	High	Medium	Medium
4166	Perpendicular	NA	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		65	26	91	High	Low	Medium
4167	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		54	26	80	Medium	Low	Low
4168	Parallel	NA	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		49	46	95	Medium	Medium	Medium
4169	Parallel	NA	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		54	56	110	Medium	Medium	Medium
4170	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		57	36	93	Medium	Medium	Medium
4171	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		56	41	97	Medium	Medium	Medium
4172	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		51	36	87	Medium	Medium	Medium
4173	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		50	36	86	Medium	Medium	Medium
4174	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		57	46	103	Medium	Medium	Medium
4175	Parallel	NA	F	F	Sign Pole	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		57	51	108	Medium	Medium	Medium
4176	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		60	41	101	High	Medium	Medium
4177	Parallel	NA	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		60	46	106	High	Medium	Medium
4178	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		61	36	97	High	Medium	Medium
4179	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		61	36	97	High	Medium	Medium
4180	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		49	51	100	Medium	Medium	Medium
4181	None	F			OK														49	100	149	Medium	High	High
4182	Directional	NA	T	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		49	36	85	Medium	Medium	Medium
4183	Parallel	NA	T	F	Grating	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		49	56	105	Medium	Medium	Medium
4184	None	T			OK													1	50	100	150	Medium	High	High
4185	Parallel	NA	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		50	36	86	Medium	Medium	Medium
4186	Parallel	NA	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		48	56	104	Medium	Medium	Medium
4187	Parallel	NA	F	F	OK	F	None	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		49	56	105	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4188	Parallel	NA	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		49	51	100	Medium	Medium	Medium
4189	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low
4190	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		47	20	67	Medium	Low	Low
4191	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8		47	32	79	Medium	Medium	Low
4192	Perpendicular	NA	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		36	32	68	Low	Medium	Low
4193	Perpendicular	NA	F	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	T	2% or less	5% or less		36	43	79	Low	Medium	Low
4194	Perpendicular	NA	F	F	OK	F	< 36 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less		36	49	85	Low	Medium	Medium
4195	None	F			OK														36	100	136	Low	High	High
4196	None	F			OK														35	100	135	Low	High	High
4197	None	F			OK														33	100	133	Low	High	High
4198	None	F			OK														33	100	133	Low	High	High
4199	None	F			OK														40	100	140	Low	High	High
4200	None	F			OK														36	100	136	Low	High	High
4201	None	F			OK														38	100	138	Low	High	High
4202	None	F			OK														38	100	138	Low	High	High
4203	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		38	30	68	Low	Low	Low
4204	Perpendicular	NA	T	F	OK	F	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		38	53	91	Low	Medium	Medium
4205	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		38	38	76	Low	Medium	Low
4206	Construction	NA	F	F	OK	F					None	None	F						48			Medium		
4207	Parallel	NA	T	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		38	46	84	Low	Medium	Medium
4208	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		33	26	59	Low	Low	Low
4209	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		34	36	70	Low	Medium	Low
4210	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		34	31	65	Low	Low	Low
4211	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		40	26	66	Low	Low	Low
4212	Parallel	NA	F	F	Access covers	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		40	46	86	Low	Medium	Medium
4213	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		40	21	61	Low	Low	Low
4214	Directional	NA	F	F	Access covers	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		38	41	79	Low	Medium	Low
4215	Parallel	NA	T	F	Access covers	T	36-47 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		40	50	90	Low	Medium	Medium
4216	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		40	46	86	Low	Medium	Medium
4217	Directional	NA	T	F	Access covers	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		40	30	70	Low	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4218	Parallel	NA	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		40	56	96	Low	Medium	Medium
4219	Parallel	NA	T	F	Utility Pole	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		40	51	91	Low	Medium	Medium
4220	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		48	21	69	Medium	Low	Low
4221	None	F			OK														48	100	148	Medium	High	High
4222	None	F			OK														48	100	148	Medium	High	High
4223	None	F			OK														48	100	148	Medium	High	High
4224	None	T			OK													2	48	100	148	Medium	High	High
4225	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		48	36	84	Medium	Medium	Medium
4226	Perpendicular	NA	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		48	46	94	Medium	Medium	Medium
4227	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		48	36	84	Medium	Medium	Medium
4228	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		48	41	89	Medium	Medium	Medium
4229	Directional	NA	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		48	51	99	Medium	Medium	Medium
4230	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		34	31	65	Low	Low	Low
4231	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		34	36	70	Low	Medium	Low
4232	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		29	41	70	Low	Medium	Low
4233	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		28	36	64	Low	Medium	Low
4234	Parallel	NA	F	F	Grating	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		28	36	64	Low	Medium	Low
4235	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		33	16	49	Low	Low	Low
4236	Parallel	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		33	36	69	Low	Medium	Low
4237	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		51	36	87	Medium	Medium	Medium
4238	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		53	51	104	Medium	Medium	Medium
4239	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	> 8.1%		53	31	84	Medium	Low	Medium
4240	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		53	36	89	Medium	Medium	Medium
4241	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		53	25	78	Medium	Low	Low
4242	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		53	41	94	Medium	Medium	Medium
4243	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		57	25	82	Medium	Low	Medium
4244	Directional	NA	T	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		59	51	110	Medium	Medium	Medium
4245	Perpendicular	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		59	31	90	Medium	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4246	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		60	21	81	High	Low	Medium
4247	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		60	21	81	High	Low	Medium
4248	Parallel	NA	F	F	Utility Pole	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		56	46	102	Medium	Medium	Medium
4249	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		63	26	89	High	Low	Medium
4250	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		58	36	94	Medium	Medium	Medium
4251	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		58	46	104	Medium	Medium	Medium
4252	None	F			OK														55	100	155	Medium	High	High
4253	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		53	16	69	Medium	Low	Low
4254	Parallel	NA	T	T	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		66	26	92	High	Low	Medium
4255	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		53	36	89	Medium	Medium	Medium
4256	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		72	46	118	High	Medium	High
4257	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		59	51	110	Medium	Medium	Medium
4258	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		53	21	74	Medium	Low	Low
4259	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		59	26	85	Medium	Low	Medium
4260	Island \ Median	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		52	21	73	Medium	Low	Low
4261	Island \ Median	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		67	16	83	High	Low	Medium
4262	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less		67	16	83	High	Low	Medium
4263	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		52	16	68	Medium	Low	Low
4264	Parallel	NA	T	F	OK	T	None	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		68	41	109	High	Medium	Medium
4265	Perpendicular	NA	T	F	Access covers	T	< 36 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		68	54	122	High	Medium	High
4266	Perpendicular	NA	T	F	Access covers	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		68	59	127	High	Medium	High
4267	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		57	31	88	Medium	Low	Medium
4268	None	F			OK														51	100	151	Medium	High	High
4269	None	F			OK														51	100	151	Medium	High	High
4270	None	F			OK														41	100	141	Low	High	High
4271	None	F			OK														38	100	138	Low	High	High
4272	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		48	26	74	Medium	Low	Low
4273	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		44	10	54	Medium	Low	Low
4274	None	F			OK														54	100	154	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4275	None	F			OK														65	100	165	High	High	High
4276	None	F			OK														48	100	148	Medium	High	High
4277	None	F			OK														48	100	148	Medium	High	High
4278	None	F			OK														44	100	144	Medium	High	High
4279	None	F			OK														48	100	148	Medium	High	High
4280	None	F			OK														50	100	150	Medium	High	High
4281	None	F			OK														79	100	179	High	High	High
4282	Perpendicular	NA	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		79	43	122	High	Medium	High
4283	None	F			OK														79	100	179	High	High	High
4284	Perpendicular	NA	F	F	OK	F	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		78	50	128	High	Medium	High
4285	None	F			OK														78	100	178	High	High	High
4286	None	F			OK														78	100	178	High	High	High
4287	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		77	41	118	High	Medium	High
4288	Perpendicular	NA	T	T	Grating	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less		77	48	125	High	Medium	High
4289	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		77	26	103	High	Low	Medium
4290	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	> 8.1%		75	36	111	High	Medium	Medium
4291	None	F			OK														79	100	179	High	High	High
4292	None	F			OK														77	100	177	High	High	High
4293	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	T	2% or less	5% or less		65	16	81	High	Low	Medium
4294	Perpendicular	NA	T	F	OK	F	None	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		63	53	116	High	Medium	Medium
4295	None	F			OK														42	100	142	Low	High	High
4296	None	F			OK														43	100	143	Medium	High	High
4297	Perpendicular	NA	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		44	30	74	Medium	Low	Low
4298	Perpendicular	NA	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		45	46	91	Medium	Medium	Medium
4299	Perpendicular	NA	F	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		45	46	91	Medium	Medium	Medium
4300	None	F			OK														45	100	145	Medium	High	High
4301	Perpendicular	NA	F	F	OK	F	None	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		45	46	91	Medium	Medium	Medium
4302	Perpendicular	NA	F	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		43	41	84	Medium	Medium	Medium
4303	Perpendicular	NA	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		44	30	74	Medium	Low	Low
4304	None	F			OK														45	100	145	Medium	High	High
4305	None	F			OK														44	100	144	Medium	High	High
4306	None	F			OK														45	100	145	Medium	High	High
4307	None	F			OK														45	100	145	Medium	High	High
4308	Directional	NA	F	F	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		52	35	87	Medium	Medium	Medium
4309	Directional	NA	F	F	OK	T	36-47 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		53	40	93	Medium	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4310	Parallel	NA	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		54	50	104	Medium	Medium	Medium
4311	Parallel	NA	F	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		53	50	103	Medium	Medium	Medium
4312	None	F			OK														44	100	144	Medium	High	High
4313	None	F			OK														44	100	144	Medium	High	High
4314	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		49	23	72	Medium	Low	Low
4315	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	> 12%	None	F	T	F	> 4%	5% or less		49	18	67	Medium	Low	Low
4316	Perpendicular	NA	T	F	OK	T	36-47 in	36-47 in	> 10%	> 4%	> 12%	None	F	F	T	2% or less	5.1% to 8		49	52	101	Medium	Medium	Medium
4317	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		49	48	97	Medium	Medium	Medium
4318	Perpendicular	NA	T	T	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		49	38	87	Medium	Medium	Medium
4319	Perpendicular	NA	T	T	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		39	13	52	Low	Low	Low
4320	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		44	43	87	Medium	Medium	Medium
4321	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		44	48	92	Medium	Medium	Medium
4322	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		57	38	95	Medium	Medium	Medium
4323	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		48	38	86	Medium	Medium	Medium
4324	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	T	T	T	2% or less	5% or less		44	37	81	Medium	Medium	Medium
4325	Construction	NA	F	F	OK	F					None	None	F						44			Medium		
4326	Construction	NA	F	F	OK	F					None	None	F						44			Medium		
4327	Construction	NA	F	F	OK	F					None	None	F						44			Medium		
4328	Construction	NA	F	F	OK	F					None	None	F						44			Medium		
4329	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		44	38	82	Medium	Medium	Medium
4330	None	F			OK														36	100	136	Low	High	High
4333	Island \ Median	NA	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		49	51	100	Medium	Medium	Medium
4334	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		49	46	95	Medium	Medium	Medium
4335	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		41	21	62	Low	Low	Low
4336	Directional	NA	T	T	OK	T	None	36-47 in	< 8.3%	> 4%	None	Compliant	F	F	F	> 4%	5.1% to 8		45	31	76	Medium	Low	Low
4337	None	F			OK														45	100	145	Medium	High	High
4338	None	F			OK														45	100	145	Medium	High	High
4339	None	F			OK														45	100	145	Medium	High	High
4340	None	F			OK														45	100	145	Medium	High	High
4341	None	F			OK														45	100	145	Medium	High	High
4342	Parallel	NA	T	T	OK	T	36-47 in	36-47 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		40	25	65	Low	Low	Low
4343	None	F			OK														49	100	149	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4344	None	F			OK														46	100	146	Medium	High	High
4345	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		46	21	67	Medium	Low	Low
4346	Perpendicular	NA	T	T	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		42	17	59	Low	Low	Low
4347	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		39	28	67	Low	Low	Low
4348	Perpendicular	NA	F	T	OK	T	36-47 in	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		39	42	81	Low	Medium	Medium
4349	Island \ Median	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		39	31	70	Low	Low	Low
4350	Island \ Median	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		39	21	60	Low	Low	Low
4351	Parallel	NA	F	T	OK	T	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		39	35	74	Low	Medium	Low
4352	Parallel	NA	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		54	46	100	Medium	Medium	Medium
4353	Perpendicular	NA	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		44	33	77	Medium	Medium	Low
4354	Parallel	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		44	36	80	Medium	Medium	Low
4355	Parallel	NA	T	T	Light Pole	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		41	36	77	Low	Medium	Low
4356	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		41	25	66	Low	Low	Low
4357	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		33	40	73	Low	Medium	Low
4358	None	F			OK														32	100	132	Low	High	High
4359	None	F			OK														30	100	130	Low	High	High
4360	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		30	51	81	Low	Medium	Medium
4361	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		42	11	53	Low	Low	Low
4362	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		42	10	52	Low	Low	Low
4363	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		37	21	58	Low	Low	Low
4364	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		42	10	52	Low	Low	Low
4365	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		52	16	68	Medium	Low	Low
4366	Perpendicular	NA	F	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		42	26	68	Low	Low	Low
4367	Directional	NA	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		42	36	78	Low	Medium	Low
4368	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		42	25	67	Low	Low	Low
4369	Perpendicular	NA	T	T	OK	T	36-47 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		66	19	85	High	Low	Medium
4370	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		66	27	93	High	Low	Medium
4371	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		56	28	84	Medium	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4372	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		56	28	84	Medium	Low	Medium
4373	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		56	15	71	Medium	Low	Low
4374	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		56	21	77	Medium	Low	Low
4375	Perpendicular	NA	T	T	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	Compliant	F	F	F	> 4%	5.1% to 8		56	41	97	Medium	Medium	Medium
4376	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		56	16	72	Medium	Low	Low
4377	Perpendicular	NA	F	F	OK	F	None	36-47 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		36	42	78	Low	Medium	Low
4378	Perpendicular	NA	F	F	OK	F	None	36-47 in	< 8.3%	< 2%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		37	41	78	Low	Medium	Low
4379	Parallel	NA	F	F	OK	F	36-47 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		36	45	81	Low	Medium	Medium
4380	None	F			OK														42	100	142	Low	High	High
4381	None	F			OK														42	100	142	Low	High	High
4382	Perpendicular	NA	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		53	32	85	Medium	Medium	Medium
4383	Directional	NA	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		52	30	82	Medium	Low	Medium
4384	Directional	NA	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		52	20	72	Medium	Low	Low
4385	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		52	31	83	Medium	Low	Medium
4386	Perpendicular	NA	T	T	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		71	38	109	High	Medium	Medium
4387	Perpendicular	NA	T	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		71	48	119	High	Medium	High
4388	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	F	> 4%	5% or less		68	30	98	High	Low	Medium
4389	None	F			OK														68	100	168	High	High	High
4390	Perpendicular	NA	T	F	OK	T	None	>= 48 in	> 10%	> 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		71	53	124	High	Medium	High
4391	Perpendicular	NA	T	F	OK	T	None	>= 48 in	< 8.3%	< 2%	> 12%	None	F	F	T	2% or less	5.1% to 8		81	28	109	High	Low	Medium
4392	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		59	31	90	Medium	Low	Medium
4393	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		63	41	104	High	Medium	Medium
4394	Parallel	NA	T	F	Grating	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		63	36	99	High	Medium	Medium
4395	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		53	35	88	Medium	Medium	Medium
4396	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	> 8.1%		45	51	96	Medium	Medium	Medium
4397	Island \ Median	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		45	51	96	Medium	Medium	Medium
4398	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		31	31	62	Low	Low	Low
4399	Perpendicular	NA	F	F	Grating	F	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		31	63	94	Low	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4400	Perpendicular	NA	T	F	OK	F	None	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		79	43	122	High	Medium	High
4401	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		79	43	122	High	Medium	High
4402	Perpendicular	NA	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		79	31	110	High	Low	Medium
4403	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		79	48	127	High	Medium	High
4404	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		78	38	116	High	Medium	Medium
4405	Perpendicular	NA	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		78	36	114	High	Medium	Medium
4406	Perpendicular	NA	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		68	47	115	High	Medium	Medium
4407	Parallel	NA	F	F	OK	F	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		56	55	111	Medium	Medium	Medium
4408	Perpendicular	NA	F	F	OK	T	None	36-47 in	< 8.3%	< 2%	10.1% - 12%	None	F	F	F	2% - 4%	> 8.1%		62	32	94	High	Medium	Medium
4409	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		59	46	105	Medium	Medium	Medium
4410	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		59	46	105	Medium	Medium	Medium
4411	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		67	16	83	High	Low	Medium
4412	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		67	16	83	High	Low	Medium
4413	Perpendicular	NA	T	T	Ped Pole	T	36-47 in	>= 48 in	8.3% - 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		57	31	88	Medium	Low	Medium
4414	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		57	16	73	Medium	Low	Low
4415	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		69	26	95	High	Low	Medium
4416	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		69	20	89	High	Low	Medium
4417	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	T	T	2% or less	5% or less		69	21	90	High	Low	Medium
4418	Perpendicular	NA	T	T	OK	T	< 36 in	>= 48 in	> 10%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		69	37	106	High	Medium	Medium
4419	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		69	10	79	High	Low	Low
4420	Perpendicular	NA	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		59	33	92	Medium	Medium	Medium
4421	Perpendicular	NA	T	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		69	27	96	High	Low	Medium
4422	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10.1% - 12%	None	T	T	T	2% or less	5% or less		58	21	79	Medium	Low	Low
4423	Perpendicular	NA	T	F	OK	F	None	36-47 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		57	43	100	Medium	Medium	Medium
4424	Perpendicular	NA	T	T	OK	F	< 36 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		49	31	80	Medium	Low	Low
4425	Perpendicular	NA	T	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		67	27	94	High	Low	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4426	Perpendicular	NA	T	F	OK	F	36-47 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		49	41	90	Medium	Medium	Medium
4427	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	2% - 4%	5% or less		49	43	92	Medium	Medium	Medium
4428	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		82	33	115	High	Medium	Medium
4429	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less		82	31	113	High	Low	Medium
4430	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		72	26	98	High	Low	Medium
4431	Perpendicular	NA	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	> 4%	5% or less		69	43	112	High	Medium	Medium
4432	Perpendicular	NA	F	F	OK	F	None	>= 48 in	8.3% - 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		74	51	125	High	Medium	High
4433	Perpendicular	NA	F	F	OK	F	< 36 in	>= 48 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		74	57	131	High	Medium	High
4434	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		68	25	93	High	Low	Medium
4435	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	> 8.1%		72	31	103	High	Low	Medium
4436	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		61	36	97	High	Medium	Medium
4437	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		51	26	77	Medium	Low	Low
4438	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		62	36	98	High	Medium	Medium
4439	None	F			OK														50	100	150	Medium	High	High
4440	Parallel	NA	F	T	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		58	41	99	Medium	Medium	Medium
4441	Parallel	NA	F	F	OK	T	None	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	5.1% to 8		64	36	100	High	Medium	Medium
4442	Perpendicular	NA	F	F	OK	F	< 36 in	36-47 in	< 8.3%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		76	54	130	High	Medium	High
4443	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		48	56	104	Medium	Medium	Medium
4444	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		52	46	98	Medium	Medium	Medium
4445	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		44	26	70	Medium	Low	Low
4446	Directional	NA	F	F	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		54	51	105	Medium	Medium	Medium
4447	None	F			OK														58	100	158	Medium	High	High
4448	None	F			OK														58	100	158	Medium	High	High
4449	None	F			OK														40	100	140	Low	High	High
4450	None	F			OK														51	100	151	Medium	High	High
4451	None	F			OK														56	100	156	Medium	High	High
4452	Perpendicular	NA	F	F	OK	T	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		57	43	100	Medium	Medium	Medium
4453	Perpendicular	NA	T	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		57	48	105	Medium	Medium	Medium
4454	None	F			OK														54	100	154	Medium	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4455	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	F	T	2% or less	> 8.1%		59	16	75	Medium	Low	Low
4456	Perpendicular	NA	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	10% or less	None	F	T	F	2% - 4%	5% or less		56	30	86	Medium	Low	Medium
4457	Perpendicular	NA	T	T	OK	T	36-47 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		56	32	88	Medium	Medium	Medium
4458	Perpendicular	NA	T	T	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		56	14	70	Medium	Low	Low
4459	Parallel	NA	F	F	Grating and util pole	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		77	46	123	High	Medium	High
4460	Perpendicular	NA	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		54	48	102	Medium	Medium	Medium
4461	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		54	48	102	Medium	Medium	Medium
4462	Perpendicular	NA	T	F	Utility Pole	F	< 36 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	> 8.1%		59	74	133	Medium	High	High
4463	Parallel	NA	T	F	Utility Pole	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		80	56	136	High	Medium	High
4464	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		56	41	97	Medium	Medium	Medium
4465	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		56	51	107	Medium	Medium	Medium
4466	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		58	51	109	Medium	Medium	Medium
4467	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	> 8.1%		58	56	114	Medium	Medium	Medium
4468	Parallel	NA	T	F	OK	F	36-47 in	>= 48 in	> 10%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		58	60	118	Medium	Medium	High
4469	None	F			OK														52	100	152	Medium	High	High
4470	Perpendicular	NA	T	F	OK	T	< 36 in	36-47 in	8.3% - 10%	< 2%	10.1% - 12%	None	T	F	T	2% or less	> 8.1%		58	37	95	Medium	Medium	Medium
4471	None	F			OK														56	100	156	Medium	High	High
4472	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		55	11	66	Medium	Low	Low
4473	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		49	25	74	Medium	Low	Low
4474	Parallel	NA	T	T	Access covers	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	F	F	2% - 4%	5.1% to 8		64	35	99	High	Medium	Medium
4475	Parallel	NA	T	T	Access covers	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	2% - 4%	5.1% to 8		71	51	122	High	Medium	High
4476	Parallel	NA	T	T	Access covers	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		71	41	112	High	Medium	Medium
4477	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	> 12%	None	T	T	F	> 4%	5% or less		71	37	108	High	Medium	Medium
4478	Perpendicular	NA	T	T	Ped Pole	F	< 36 in	36-47 in	> 10%	< 2%	> 12%	None	F	T	F	2% - 4%	5% or less		75	54	129	High	Medium	High
4479	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		66	36	102	High	Medium	Medium
4480	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		66	46	112	High	Medium	Medium
4481	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		47	21	68	Medium	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4482	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		47	31	78	Medium	Low	Low
4483	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low
4484	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	F	2% - 4%	5% or less		46	20	66	Medium	Low	Low
4485	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		46	16	62	Medium	Low	Low
4486	Directional	NA	F	F	Grating	T	36-47 in	36-47 in	< 8.3%	> 4%	None	None	F	F	F	> 4%	5.1% to 8		40	55	95	Low	Medium	Medium
4487	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		78	46	124	High	Medium	High
4488	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		77	51	128	High	Medium	High
4489	Perpendicular	NA	T	F	OK	F	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		54	48	102	Medium	Medium	Medium
4490	None	T			OK													1	46	100	146	Medium	High	High
4491	Perpendicular	NA	T	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	> 4%	5% or less		53	42	95	Medium	Medium	Medium
4492	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		57	16	73	Medium	Low	Low
4493	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	T	2% or less	5% or less		47	20	67	Medium	Low	Low
4494	None	F			OK														53	100	153	Medium	High	High
4495	None	F			OK														61	100	161	High	High	High
4496	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		45	26	71	Medium	Low	Low
4497	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		52	36	88	Medium	Medium	Medium
4498	None	F			OK														54	100	154	Medium	High	High
4499	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	< 8.3%	> 4%	None	None	T	T	T	2% or less	5% or less		49	30	79	Medium	Low	Low
4500	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		41	31	72	Low	Low	Low
4501	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		56	31	87	Medium	Low	Medium
4502	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	T	2% or less	5% or less		64	15	79	High	Low	Low
4503	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	> 4%	5% or less		47	26	73	Medium	Low	Low
4504	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		56	16	72	Medium	Low	Low
4505	Perpendicular	NA	T	T	Ped Pole	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		55	20	75	Medium	Low	Low
4506	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		55	15	70	Medium	Low	Low
4507	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		55	21	76	Medium	Low	Low
4508	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		46	15	61	Medium	Low	Low
4509	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		44	30	74	Medium	Low	Low



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4510	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	T	T	F	2% - 4%	5% or less		29	35	64	Low	Medium	Low
4511	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	F	2% - 4%	5% or less		50	30	80	Medium	Low	Low
4512	None	F			OK														50	100	150	Medium	High	High
4513	Directional	NA	T	F	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		35	40	75	Low	Medium	Low
4514	None	F			OK														58	100	158	Medium	High	High
4515	Directional	NA	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		43	43	86	Medium	Medium	Medium
4516	Perpendicular	NA	F	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		45	48	93	Medium	Medium	Medium
4517	Perpendicular	NA	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		45	43	88	Medium	Medium	Medium
4518	None	F			OK														39	100	139	Low	High	High
4519	None	F			OK														39	100	139	Low	High	High
4520	None	T			OK													2	39	100	139	Low	High	High
4521	Perpendicular	NA	F	F	OK	F	None	>= 48 in	> 10%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		50	56	106	Medium	Medium	Medium
4522	Perpendicular	NA	F	F	OK	T	None	>= 48 in	> 10%	< 2%	10.1% - 12%	None	F	T	T	2% or less	5% or less		50	32	82	Medium	Medium	Medium
4523	Perpendicular	NA	F	F	OK	T	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		50	38	88	Medium	Medium	Medium
4524	Perpendicular	NA	F	F	OK	T	None	>= 48 in	< 8.3%	> 4%	10% or less	None	F	T	F	> 4%	5% or less		50	36	86	Medium	Medium	Medium
4525	None	F			OK														50	100	150	Medium	High	High
4526	Perpendicular	NA	T	F	OK	F	< 36 in	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		41	59	100	Low	Medium	Medium
4527	Perpendicular	NA	F	F	OK	T	< 36 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		32	26	58	Low	Low	Low
4528	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		41	31	72	Low	Low	Low
4529	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		41	46	87	Low	Medium	Medium
4530	Island \ Median	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		41	25	66	Low	Low	Low
4531	Perpendicular	NA	T	F	OK	F	None	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		41	53	94	Low	Medium	Medium
4532	Parallel	NA	F	F	OK	F	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	T	2% or less	5.1% to 8		31	41	72	Low	Medium	Low
4533	Parallel	NA	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		31	46	77	Low	Medium	Low
4534	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		32	26	58	Low	Low	Low
4535	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		32	20	52	Low	Low	Low
4536	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	> 8.1%		31	26	57	Low	Low	Low
4537	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		31	41	72	Low	Medium	Low
4538	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		33	31	64	Low	Low	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4539	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	10% or less	None	F	F	F	> 4%	5.1% to 8		33	31	64	Low	Low	Low
4540	None	F			OK														34	100	134	Low	High	High
4541	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%		46	36	82	Medium	Medium	Medium
4542	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	T	T	T	2% or less	5% or less		49	15	64	Medium	Low	Low
4543	None	T			OK													1	49	100	149	Medium	High	High
4544	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		49	16	65	Medium	Low	Low
4545	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	> 8.1%		49	21	70	Medium	Low	Low
4546	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	F	T	2% or less	> 8.1%		49	21	70	Medium	Low	Low
4547	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		48	26	74	Medium	Low	Low
4548	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		48	21	69	Medium	Low	Low
4549	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		48	21	69	Medium	Low	Low
4550	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		53	31	84	Medium	Low	Medium
4551	Directional	NA	F	T	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		49	31	80	Medium	Low	Low
4552	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	> 4%	5% or less		49	16	65	Medium	Low	Low
4553	Parallel	NA	F	T	Grating	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		47	41	88	Medium	Medium	Medium
4554	Directional	NA	F	T	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		51	11	62	Medium	Low	Low
4555	Directional	NA	F	F	OK	F	>= 48 in	< 36 in	< 8.3%	2% - 4%	None	None	F	F	F	> 4%	5.1% to 8		43	48	91	Medium	Medium	Medium
4556	None	F			OK														44	100	144	Medium	High	High
4557	None	F			OK														44	100	144	Medium	High	High
4558	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	T	F	2% - 4%	5% or less		61	26	87	High	Low	Medium
4559	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	> 10%	> 4%	None	None	F	F	F	> 4%	> 8.1%		33	51	84	Low	Medium	Medium
4561	None	T			OK													1	41	100	141	Low	High	High
4562	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	Compliant	F	T	F	2% - 4%	5% or less		50	36	86	Medium	Medium	Medium
4563	Parallel	NA	F	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		90	31	121	High	Low	High
4564	Construction	NA	F	F	OK	F					None	None	F						87			High		
4565	Directional	NA	T	T	Ped Pole	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		87	30	117	High	Low	Medium
4566	Directional	NA	T	T	OK	T	None	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		87	16	103	High	Low	Medium
4567	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		87	31	118	High	Low	High
4568	Parallel	NA	T	F	Access covers	T	>= 48 in	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		87	51	138	High	Medium	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4569	Parallel	NA	T	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		87	36	123	High	Medium	High
4570	Parallel	NA	T	T	OK	T	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	> 4%	5% or less		87	26	113	High	Low	Medium
4571	Parallel	NA	T	T	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		87	31	118	High	Low	High
4572	Construction	NA	F	F	OK	F					None	None	F						88			High		
4573	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	T	2% or less	> 8.1%		55	26	81	Medium	Low	Medium
4574	Perpendicular	NA	T	T	OK	T	>= 48 in	36-47 in	> 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		45	32	77	Medium	Medium	Low
4575	Parallel	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		45	41	86	Medium	Medium	Medium
4576	Parallel	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	T	2% or less	5% or less		50	36	86	Medium	Medium	Medium
4577	None	F			OK														47	100	147	Medium	High	High
4578	None	F			OK														47	100	147	Medium	High	High
4579	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		42	21	63	Low	Low	Low
4580	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		52	36	88	Medium	Medium	Medium
4581	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	2% - 4%	5.1% to 8		52	41	93	Medium	Medium	Medium
4582	Parallel	NA	T	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		52	46	98	Medium	Medium	Medium
4583	Parallel	NA	T	F	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	F	T	2% or less	5.1% to 8		52	46	98	Medium	Medium	Medium
4584	Perpendicular	NA	T	F	OK	T	None	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		51	48	99	Medium	Medium	Medium
4585	Perpendicular	NA	F	F	OK	T	None	< 36 in	> 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		52	35	87	Medium	Medium	Medium
4586	Perpendicular	NA	T	F	OK	T	36-47 in	36-47 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		52	24	76	Medium	Low	Low
4587	Perpendicular	NA	T	F	OK	T	None	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		52	28	80	Medium	Low	Low
4588	Perpendicular	NA	T	F	OK	T	None	36-47 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		52	31	83	Medium	Low	Medium
4589	Perpendicular	NA	T	F	OK	T	>= 48 in	< 36 in	> 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		41	33	74	Low	Medium	Low
4590	Directional	NA	F	F	Access covers	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		45	51	96	Medium	Medium	Medium
4591	Perpendicular	NA	T	F	Light Pole	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		51	47	98	Medium	Medium	Medium
4592	Perpendicular	NA	T	F	Ped Pole	T	< 36 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		38	59	97	Low	Medium	Medium
4593	Perpendicular	NA	T	T	OK	T	< 36 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	F	F	F	2% - 4%	5.1% to 8		38	37	75	Low	Medium	Low
4594	Parallel	NA	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		38	56	94	Low	Medium	Medium
4595	Parallel	NA	T	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		36	51	87	Low	Medium	Medium
4596	Parallel	NA	F	T	OK	F	None	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		38	41	79	Low	Medium	Low

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4597	Directional	NA	F	F	Access covers	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		38	45	83	Low	Medium	Medium
4598	None	F			OK														34	100	134	Low	High	High
4599	None	F			OK														48	100	148	Medium	High	High
4600	None	F			OK														51	100	151	Medium	High	High
4601	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		37	20	57	Low	Low	Low
4602	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	None	None	F	T	F	2% - 4%	5% or less		40	36	76	Low	Medium	Low
4603	Perpendicular	NA	T	F	OK	T	< 36 in	36-47 in	> 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		45	54	99	Medium	Medium	Medium
4604	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		45	23	68	Medium	Low	Low
4605	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		45	33	78	Medium	Medium	Low
4606	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		51	26	77	Medium	Low	Low
4607	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	2% - 4%	5% or less		51	26	77	Medium	Low	Low
4608	None	T			OK													1	49	100	149	Medium	High	High
4609	Parallel	NA	T	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		41	36	77	Low	Medium	Low
4610	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		41	31	72	Low	Low	Low
4611	Parallel	NA	T	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	T	2% or less	5% or less		41	31	72	Low	Low	Low
4612	None	F			OK														39	100	139	Low	High	High
4613	None	F			OK														39	100	139	Low	High	High
4614	None	F			OK														40	100	140	Low	High	High
4615	Parallel	NA	T	T	OK	T	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	> 4%	5% or less		41	36	77	Low	Medium	Low
4616	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		37	26	63	Low	Low	Low
4617	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		51	10	61	Medium	Low	Low
4618	Directional	NA	F	F	OK	T	None	>= 48 in	< 8.3%	< 2%	None	None	F	T	T	2% or less	5% or less		46	21	67	Medium	Low	Low
4619	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		40	31	71	Low	Low	Low
4620	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		41	26	67	Low	Low	Low
4621	Directional	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	F	F	2% - 4%	5.1% to 8		41	46	87	Low	Medium	Medium
4622	Parallel	NA	F	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	> 4%	5% or less		41	31	72	Low	Low	Low
4623	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		37	31	68	Low	Low	Low
4624	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	2% - 4%	5% or less		37	31	68	Low	Low	Low
4625	None	T			OK													1	37	100	137	Low	High	High
4626	None	T			OK													1	37	100	137	Low	High	High



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4627	Perpendicular	NA	F	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	F	F	F	2% - 4%	5.1% to 8		51	28	79	Medium	Low	Low
4628	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		54	25	79	Medium	Low	Low
4629	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		55	20	75	Medium	Low	Low
4630	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		50	27	77	Medium	Low	Low
4631	Perpendicular	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		51	28	79	Medium	Low	Low
4632	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		56	10	66	Medium	Low	Low
4633	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		58	21	79	Medium	Low	Low
4634	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		58	15	73	Medium	Low	Low
4635	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	F	T	T	2% or less	5% or less		58	16	74	Medium	Low	Low
4636	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less		56	20	76	Medium	Low	Low
4637	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		51	41	92	Medium	Medium	Medium
4638	None	T			OK													1	53	100	153	Medium	High	High
4639	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		55	41	96	Medium	Medium	Medium
4640	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	T	2% or less	5% or less		55	26	81	Medium	Low	Medium
4641	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	T	T	2% or less	5% or less		55	31	86	Medium	Low	Medium
4642	None	T			OK													1	55	100	155	Medium	High	High
4643	None	T			OK													1	54	100	154	Medium	High	High
4644	None	T			OK													1	53	100	153	Medium	High	High
4645	None	T			OK													1	51	100	151	Medium	High	High
4646	Parallel	NA	F	F	OK	F	None	>= 48 in	> 10%	> 4%	None	None	F	T	F	2% - 4%	5% or less		42	56	98	Low	Medium	Medium
4647	Parallel	NA	F	F	OK	F	None	>= 48 in	< 8.3%	> 4%	None	None	F	T	T	2% or less	5% or less		41	41	82	Low	Medium	Medium
4648	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	T	F	> 4%	5% or less		46	26	72	Medium	Low	Low
4649	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	None	F	F	F	> 4%	5.1% to 8		44	31	75	Medium	Low	Low
4650	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		64	30	94	High	Low	Medium
4651	Parallel	NA	T	T	OK	F	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	F	T	T	2% or less	5% or less		65	26	91	High	Low	Medium
4652	None	T			OK													1	64	100	164	High	High	High
4653	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	None	T	T	T	2% or less	5% or less		61	25	86	High	Low	Medium
4654	Directional	NA	F	F	OK	T	< 36 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		60	26	86	High	Low	Medium
4655	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	T	2% or less	5% or less		64	36	100	High	Medium	Medium

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4656	Perpendicular	NA	T	T	OK	T	None	>= 48 in	> 10%	2% - 4%	10% or less	Compliant	F	T	F	> 4%	5% or less		61	31	92	High	Low	Medium
4657	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	F	F	> 4%	5.1% to 8		61	37	98	High	Medium	Medium
4658	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	Compliant	T	F	T	2% or less	> 8.1%		60	25	85	High	Low	Medium
4659	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		60	10	70	High	Low	Low
4660	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Compliant	T	T	F	2% - 4%	5% or less		60	15	75	High	Low	Low
4661	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		60	28	88	High	Low	Medium
4662	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		60	15	75	High	Low	Low
4663	Island \ Median	NA	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	2% - 4%	10% or less	None	F	T	F	2% - 4%	5% or less		26	41	67	Low	Medium	Low
4664	Island \ Median	NA	F	F	OK	F	>= 48 in	36-47 in	> 10%	2% - 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		24	58	82	Low	Medium	Medium
4665	Island \ Median	NA	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		26	48	74	Low	Medium	Low
4666	Perpendicular	NA	T	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		34	43	77	Low	Medium	Low
4667	Perpendicular	NA	T	F	OK	F	>= 48 in	36-47 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		34	48	82	Low	Medium	Medium
4668	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	> 4%	5% or less		40	21	61	Low	Low	Low
4669	None	T		T	OK													1	40	100	140	Low	High	High
4670	None	T		T	OK													1	45	100	145	Medium	High	High
4671	None	T		T	OK													1	45	100	145	Medium	High	High
4672	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		44	35	79	Medium	Medium	Low
4673	None	T			OK													1	48	100	148	Medium	High	High
4674	None	T			OK													1	46	100	146	Medium	High	High
4675	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	> 10%	< 2%	None	None	F	T	F	2% - 4%	5% or less		46	36	82	Medium	Medium	Medium
4676	None	F			OK														39	100	139	Low	High	High
4677	None	F			OK														34	100	134	Low	High	High
4678	None	F			OK														34	100	134	Low	High	High
4679	None	F			OK														61	100	161	High	High	High
4680	None	F			OK														61	100	161	High	High	High
4681	None	F			OK														61	100	161	High	High	High
4682	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	T	T	F	2% - 4%	5% or less		61	30	91	High	Low	Medium
4683	None	F			OK														61	100	161	High	High	High
4684	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	T	T	T	2% or less	5% or less		75	15	90	High	Low	Medium
4685	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		71	28	99	High	Low	Medium
4686	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	< 2%	None	None	T	T	T	2% or less	5% or less		61	40	101	High	Medium	Medium
4687	Parallel	NA	F	F	OK	F	>= 48 in	>= 48 in	> 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		61	51	112	High	Medium	Medium



ADA Self-Evaluation Report

1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4688	None	F			OK														74	100	174	High	High	High
4689	None	F			OK														74	100	174	High	High	High
4690	None	F			OK														74	100	174	High	High	High
4691	None	F			OK														62	100	162	High	High	High
4692	None	F			OK														62	100	162	High	High	High
4693	Directional	NA	F	F	OK	T	>= 48 in	36-47 in	8.3% - 10%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		32	36	68	Low	Medium	Low
4694	None	F			OK														32	100	132	Low	High	High
4695	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		29	33	62	Low	Medium	Low
4696	Directional	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Non-Compliant	F	F	F	2% - 4%	> 8.1%		29	31	60	Low	Low	Low
4697	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	> 4%	> 12%	None	F	T	F	> 4%	5% or less		29	28	57	Low	Low	Low
4698	Island \ Median	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		29	16	45	Low	Low	Low
4699	Island \ Median	NA	T	T	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	Compliant	F	F	T	2% or less	5.1% to 8		29	21	50	Low	Low	Low
4700	Directional	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	None	Compliant	F	T	T	2% or less	5% or less		29	16	45	Low	Low	Low
4701	Directional	NA	F	T	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	Non-Compliant	F	T	T	2% or less	5% or less		29	11	40	Low	Low	Low
4702	None	F			OK														29	100	129	Low	High	High
4703	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		58	38	96	Medium	Medium	Medium
4704	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	> 12%	None	T	T	T	2% or less	5% or less		58	27	85	Medium	Low	Medium
4705	Perpendicular	NA	F	F	OK	F	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	F	T	2% or less	5.1% to 8		43	35	78	Medium	Medium	Low
4706	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	10% or less	None	T	T	T	2% or less	5% or less		48	35	83	Medium	Medium	Medium
4707	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		63	15	78	High	Low	Low
4708	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	10% or less	None	T	T	T	2% or less	5% or less		63	20	83	High	Low	Medium
4709	Directional	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	T	2% or less	5% or less		62	20	82	High	Low	Medium
4710	None	F			OK														46	100	146	Medium	High	High
4711	None	F			OK														61	100	161	High	High	High
4712	None	F			OK														49	100	149	Medium	High	High
4713	None	F			OK														57	100	157	Medium	High	High
4714	None	F			OK														62	100	162	High	High	High
4715	None	F			OK														62	100	162	High	High	High
4716	None	F			OK														62	100	162	High	High	High
4717	Parallel	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	F	F	F	2% - 4%	> 8.1%		61	31	92	High	Low	Medium
4718	None	F			OK														60	100	160	High	High	High
4719	None	F			OK														61	100	161	High	High	High
4720	None	F			OK														54	100	154	Medium	High	High
4721	None	F			OK														51	100	151	Medium	High	High
4722	None	F			OK														51	100	151	Medium	High	High

Curb Ramp Data



1	2	3	4	5	6	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26
4731	Perpendicular	NA	T	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	F	2% - 4%	5% or less		51	38	89	Medium	Medium	Medium
4733	None	F			OK														45	100	145	Medium	High	High
4734	None	F			OK														43	100	143	Medium	High	High
4735	None	F			OK														44	100	144	Medium	High	High
4736	None	F			OK														46	100	146	Medium	High	High
4737	Perpendicular	NA	F	F	OK	F	None	36-47 in	8.3% - 10%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		39	58	97	Low	Medium	Medium
4738	Perpendicular	NA	F	F	OK	F	None	36-47 in	8.3% - 10%	< 2%	> 12%	None	F	F	T	2% or less	> 8.1%		39	43	82	Low	Medium	Medium
4739	Perpendicular	NA	T	F	OK	T	None	36-47 in	< 8.3%	< 2%	> 12%	None	F	T	T	2% or less	5% or less		46	23	69	Medium	Low	Low
4740	Perpendicular	NA	T	F	OK	T	None	36-47 in	8.3% - 10%	2% - 4%	> 12%	None	F	T	T	2% or less	5% or less		46	33	79	Medium	Medium	Low
4741	Perpendicular	NA	F	F	OK	T	None	36-47 in	< 8.3%	> 4%	> 12%	None	F	F	F	> 4%	5.1% to 8		39	43	82	Low	Medium	Medium
4742	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	2% - 4%	None	Compliant	F	T	F	> 4%	5% or less		46	31	77	Medium	Low	Low
4743	Parallel	NA	T	T	OK	T	>= 48 in	>= 48 in	> 10%	< 2%	None	Compliant	F	F	F	> 4%	5.1% to 8		43	31	74	Medium	Low	Low
4744	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	None	None	F	T	F	> 4%	5% or less		34	41	75	Low	Medium	Low
4745	Parallel	NA	T	F	OK	T	>= 48 in	>= 48 in	< 8.3%	2% - 4%	None	None	F	T	F	2% - 4%	5% or less		31	31	62	Low	Low	Low
4746	Directional	NA	F	F	OK	T	>= 48 in	>= 48 in	< 8.3%	< 2%	None	None	T	T	F	2% - 4%	5% or less		26	25	51	Low	Low	Low
4747	Perpendicular	NA	T	T	OK	T	>= 48 in	>= 48 in	8.3% - 10%	> 4%	10.1% - 12%	None	F	T	F	2% - 4%	5% or less		49	32	81	Medium	Medium	Medium