

SHORELINE ANALYSIS REPORT

TECHNICAL APPENDIX VOLUME I: SHORELINE INVENTORY REPORT – WETLANDS



JANUARY 16, 2009
FINALIZED 10/9/2015



**SHORELINE INVENTORY REPORT –
Technical Appendix Volume I - Wetlands
City of Bellevue’s Shorelines: Lake Washington, Lake
Sammamish, Phantom Lake, Kelsey Creek and Mercer
Slough**

Project: Shoreline Master Program Update

- **Task 1.3.3: Develop Shoreline Wetlands Inventory**

Prepared by:



City of Bellevue
Planning & Community Development
450 110th Ave. NE
Bellevue, WA 98009

Prepared by:



750 Sixth Street South
Kirkland, WA 98033

31 August 2008

TABLE OF CONTENTS

<u>Section</u>	<u>Page No.</u>
1.0 Introduction.....	1
2.0 Methods.....	1
3.0 Findings.....	2
3.1 Meydenbauer Bay	2
3.1.1 Meydenbauer Beach Park	5
3.1.2 Meydenbauer Creek Area	5
3.2 Mercer Slough Complex.....	6
3.2.1 Mercer Slough Wetland	6
3.2.2 Sturtevant Creek Wetland	7
3.2.3 SE 40 th Street Boat Launch Area.....	8
3.2.4 Coal Creek Area	8
3.2.5 Bellefield Park Lane Wetland	9
3.3 Lower Kelsey Creek	9
3.3.1 Kelsey A	10
3.3.2 Kelsey B	10
3.3.3 Kelsey C	11
3.3.4 Kelsey D	11
3.3.5 Kelsey E	12
3.3.6 Kelsey F.....	12
3.4 Newcastle Beach Park	13
3.4.1 Wetland A	13
3.4.2 Wetland B.....	13
3.5 Phantom Lake/Larsen Lake	14
3.5.1 Phantom A.....	14
3.5.2 Phantom B.....	15
3.5.3 Larsen A	15
3.5.4 Larsen B.....	16
3.6 Lake Sammamish Wetlands.....	17
4.0 References	18

Appendix A: Maps of Shoreline-Associated Wetlands
Appendix B: Wetland Rating Forms
Appendix C: Semi-Quantitative Function Assessment

List of Tables	<u>Page No.</u>
Table 1. Summary of wetland size, location and classification.....	3

1.0 INTRODUCTION

This report presents an assessment of key wetlands considered to be “associated” with Bellevue’s shorelines: Lake Washington, Lake Sammamish, Phantom Lake, Kelsey Creek, and Mercer Slough (see maps in Appendix A). Associated wetlands are those that are “in *proximity* to and either *influence* or are *influenced by* ... a lake or stream subject to the Shoreline Management Act”.

It is generally acknowledged that wetlands perform the following eight functions: 1) flood/stormwater control, 2) base flow/groundwater support, 3) erosion/shoreline protection, 4) water quality improvement, 5) natural biological support, 6) general habitat functions, 7) specific habitat functions, and 8) cultural and socioeconomic values (Cooke Scientific Services 2000). Shoreline-associated wetlands, by virtue of their connection with or proximity to shoreline water bodies, have the potential to perform many of these functions at a higher level than wetlands outside of shoreline jurisdiction.

2.0 METHODS

The City of Bellevue (City) was consulted to identify target wetlands for assessment. Existing City of Bellevue wetland information and National Wetland Inventory (NWI) data were reviewed to identify associated wetlands. Ecology guidance states that the entire wetland is associated if any part of it lies within the area 200 feet from the OHWM (or floodway in riverine environments) of a state shoreline. Further guidance states that wetlands that are hydraulically connected to a Shoreline also would be considered associated, as well as wetlands within the 100-year floodplain. Wetlands that are separated by an obvious topographic break from the shoreline are not associated, provided they are outside the shoreland zone and provided that the break is not an artificial feature such as a berm or road. We used observations in the field to assess the hydrologic connectivity of wetlands to the City’s Shoreline.

To the greatest extent possible, we identified wetland areas along the shoreline using aerial photography in addition to existing inventory information. Materials included oblique aerial photography of the shoreline from the Department of Ecology’s Coastal Atlas website (<https://fortress.wa.gov/ecy/coastalatlus/viewer.htm>) and the Windows Live Local mapping program (<http://local.live.com>). Winter aerial photographs from Google maps (<http://maps.google.com>) were used to identify vegetation types in and around wetland areas. Information on the condition and size of the contributing basins in Bellevue was obtained through the City of Bellevue’s online Mapping Service (http://www.ci.bellevue.wa.us/drainage_basin_maps.htm). Finally, topography and summer aerial photography were reviewed using King County’s mapping site, iMAP (http://www.metrokc.gov/gis/Mapportal/iMAP_main.htm).

Fieldwork was conducted from March through May of 2008. Wetland boundaries were located at a reconnaissance level using a combination of topography, aerial photographs of vegetation, and field visits. Winter aerial photographs were used to determine the extent of two species that typically grow in wetlands, reed canarygrass (*Phalaris arundinacea*, FACW) and Douglas spirea (*Spiraea douglasii*, FACW). We preliminarily determined the wetland edge to be at the location

where one or the other of these species transitioned to predominantly non-hydric vegetation. The location of the wetland edge was confirmed during site visits. Where aerial photographs and topography did not provide sufficient clues to make the determination, hydrology and soils were also examined during the site visits.

Each wetland was rated using the *Washington State Wetland Rating System for Western Washington* (Rating System) (Ecology 2004) (see Appendix B for rating forms). Field observations and aerial and oblique photography were used to assess and rate the wetlands. A rating form for each wetland described below is included in Appendix B.

The boundary of wetland units described in this section were defined for the purposes of rating based on pages 12 to 19 of the Rating System. Several wetland complexes within the scope of this inventory are physically divided by man-made features (roads/trails) and were either rated as many units or as one depending on how water flowed across the bisecting feature (see section entitled "*Wetlands Bisected by Human-Made Features*"). The flow of water through the surface connection between wetland areas was assessed in the field to make this determination. Units were rated separately if water flowed only in one direction through the connection (e.g., between Phantom A and Phantom B Wetlands). They were grouped as one wetland if the water levels on each side of the man-made feature were the same, allowing movement of water in either direction (e.g., Phantom B is not divided by 156th Avenue SE as the bottom of the culvert is submerged beneath stagnant water).

Additionally, each wetland was assessed using the *Wetland and Buffer Functions Semi-Quantitative Assessment Methodology* (SAM) (Cooke Scientific Services 2000). SAM was used to evaluate each wetland based on the eight functions described above. Though the analysis has no regulatory implications, the information was used to more fully understand each wetland from a landscape, educational and cultural perspective. The SAM rating forms are included in Appendix C.

3.0 FINDINGS

The following six general areas along the City's shorelines were determined to contain wetlands:

- Meydenbauer Bay
- Mercer Slough
- Lower Kelsey Creek
- Newcastle Beach Park
- Phantom/Larsen Lakes
- Lake Sammamish

Table 1 provides information about the size, location, and classification of each of the assessment wetlands.

3.1 *Meydenbauer Bay*

Located west of downtown Bellevue, Meydenbauer Bay has a highly developed shoreline. Meydenbauer Beach Park and the mouth of Meydenbauer Creek contain wetlands.

Table 1. Summary of wetland size, location and classification.

Wetland	Approx. Size	Location (S/T/R)	HGM Class ¹	Ecology Wetland Rating				
				Category	WQ ²	HYD	HAB	Total
Meydenbauer Beach A	2,500 SF	31 25 05	S	IV	0	2	8	10
Meydenbauer Beach B	<1,000 SF	31 25 05	D	IV	2	2	6	10
Meydenbauer Beach C	<1,000 SF	31 25 05	D	IV	2	2	6	10
Meydenbauer Creek A	5.5 acres	31 25 05	L	IV	0	0	11	11
Meydenbauer Creek B	3.7 acres	32 25 05	R	II	20	22	14	56
Mercer Slough Wetland	398 acres	04 24 05 05 24 05 08 24 05 09 24 05	DLR/D	II	20	7	29	56
Sturtevant Creek	12.2 acres	32 25 05 05 25 05	R	II	24	13	23	60
SE 40 th Street Wetland	2,000 SF	08 24 05	L	IV	0	4	10	14
Coal Creek Wetland A	0.6 acres	17 24 05	L	III	14	8	14	36
Coal Creek Wetland B	<1,000 SF	17 24 05	D	IV	4	6	8	18
Coal Creek Wetland C	<1,000 SF	17 24 05	D	IV	8	10	11	29
Bellefield Park Lane	0.6 acres	05 24 05	D	IV	4	8	15	27
Kelsey A	5.1 acres	33 25 05	R	I	24	32	24	80
Kelsey B	>40 acres	03 24 05 04 24 05 33 25 05 34 25 05	R	I	20	26	27	73
Kelsey C	4 acres	04 24 05	R	II	16	18	18	52
Kelsey D	5.5 acres	04 24 05 33 25 05	R	I	32	22	21	75
Kelsey E	3.0 acres	33 25 05	D	II	22	16	16	54
Kelsey F	0.3 acres	04 24 04 33 25 05	R	III	20	9	17	46
Newcastle A	6.2 acres	17 24 05	LRSD/D	II	20	12	21	53
Newcastle B	2.0 acres	17 24 05	R	III	20	9	17	46

Wetland	Approx. Size	Location (S/T/R)	HGM Class ¹	Ecology Wetland Rating				
				Category	WQ ²	HYD	HAB	Total
Phantom A	38 acres	01 24 05 02 24 05	LDR/D	II	16	20	24	59
Phantom B	39 acres	02 24 05	R	I	16	32	25	73
Larsen A	88 acres	02 24 05 34 25 05 35 25 05	RD/D	II	18	24	26	68
Larsen B	3.2 acres	34 25 05	RD/D	II	14	16	21	51

¹ D = Depressional; S = Slope; L = Lake fringe; R = Riverine; wetlands with multiple HGM classes were rated as Depressional per guidance in Ecology's *Washington State Wetland Rating System for Western Washington*.

² WQ = Water Quality Function, HYD = Hydrologic Function, HAB = Habitat Function

3.1.1 Meydenbauer Beach Park

Three small, low-functioning wetlands (Wetlands A, B, and C) are located in close proximity to each other at the south end of Meydenbauer Beach Park. Though they are separated by uplands, each wetland is likely fed by the same groundwater seep. A ditch and culvert run through the wetland areas. Soft rush (*Juncus effusus*, FAC), saw-beaked sedge (*Carex stipata*, FACW), and bluegrasses (*Poa* sp.) dominate the wetlands, which are all currently maintained by mowing. Some red clover (*Trifolium repens*) and curly dock (*Rumex crispus*, FACW) are scattered throughout each wetland. A large weeping willow (*Salix x pendulina*, FAC+), rooted in an adjacent upland area, provides cover.

Meydenbauer Park Wetland A is an approximately 2,500-square-foot Category IV wetland. Wetlands B and C are both Category IV wetlands smaller than 1,000 square feet. The wetlands near Meydenbauer Beach Park provide only minimal water quality improvement and erosion prevention functions, and add little habitat value to the shoreline, as they are separated from the lake by a rock bulkhead.

3.1.2 Meydenbauer Creek Area

Two wetlands are located near the mouth of Meydenbauer Creek, at the south end of Meydenbauer bay. Wetland A is an approximately 5.5-acre lake fringe wetland composed of mostly aquatic bed vegetation and a small fringe of emergent vegetation along the shoreline. The wetland lies at the south end of Meydenbauer Bay, near the mouth of Meydenbauer Creek, which drains the 927-acre Meydenbauer Creek basin. The basin contains 53 percent impervious surface. Pond lily (*Nuphar polycephalum*, OBL) dominates the aquatic bed stratum, with some waterweed (*Egeria densa*, OBL) also present. Cattail (*Typha latifolia*, OBL) dominates the emergent fringe, with lesser amounts of American speedwell (*Veronica americana*, OBL), small-fruited bulrush (*Scirpus microcarpus*, OBL) and creeping buttercup (*Ranunculus repens*, FACW) supported as well.

Wetland A scores low on Ecology's rating form. Its thin margin of emergent plants along the shoreline affords very low erosion protection for the shoreline, and only marginal water quality function. The wetland contained some native bird species at the time of the field visit. Overall, however, it scores low for habitat functions because it is isolated from other habitats and has few structural components that would attract perching birds, mammals or amphibians, according to the Rating System.

Wetland B is a riverine wetland along Meydenbauer Creek, upstream of Wetland A. The approximately 3.5-acre, scrub-shrub and forested wetland is separated from the shoreline by 101st Avenue SE and the Bay Shore Apartment buildings and is approximately 390 feet away from the Lake Washington shoreline. Meydenbauer Creek floods the wetland during storm events with enough frequency to qualify this wetland as riverine. However, during times of normal flow, most of the hydrology that supports the wetland vegetation and hydric soils comes from groundwater. Several habitat features are present, including a few small snags, large woody debris, and vegetation overhanging Meydenbauer Creek. Now bordered by development, Wetland B was likely once contiguous with Wetland A and the Meydenbauer Bay shoreline.

The two wetlands likely have very little mutual exchange of groundwater, due to this separation. The narrow surface connection between Wetlands A and B via Meydenbauer Creek is unidirectional only. Wetland B is not considered associated with the shoreline and thus not within shoreline jurisdiction.

3.2 MERCER SLOUGH COMPLEX

The Mercer Slough area contains a unique and large shoreline wetland system that currently extends from just north of Coal Creek to SE 6th Street near downtown Bellevue. Alterations to the watershed have fragmented the Mercer Slough Complex, though much of the wetland adjacent to the slough remains as one unit. Despite historic alterations, the Mercer Slough Complex's size, location, and composition provide important functions to the City's shoreline. Five distinct wetland areas within the complex are discussed in this section.

3.2.1 Mercer Slough Wetland

The Mercer Slough Wetland is approximately 400 acres in size and located immediately adjacent to the slough. A high water table associated with the level of Lake Washington provides most of the hydrology to the wetland. A thin margin of area adjacent to the shoreline is likely seasonally inundated due to the regulated fluctuation of Lake Washington. Most of the scrub-shrub and forested areas of the wetland receive no overbank flooding, as those areas are located higher than the zone of fluctuation. Kelsey and Sturtevant Creeks, which drain 5,848 urbanized acres, flow into Mercer Slough. The wetland contains elements of lake fringe, depressional, and riverine hydrogeomorphic wetland classes.

The Mercer Slough Wetland contains a variety of land uses, including roadways and agricultural land. A portion of Interstate 90 passes through the wetland on pilings. Additionally, several trails, radio towers, and an active blueberry farm are contained within the large wetland. The Bellefield Office Park, located within the Mercer Slough Wetland Complex, contains areas that meet wetland parameters. Plants typical of hydric conditions, such as European silver birch (*Betula pendula*, FACW), pacific and weeping willows, cattail, and reed canarygrass, are widespread in the parking medians and adjacent to buildings. Standing water was observed in parking medians throughout the complex during the site visit in spring 2008. Since wetland parameters are met throughout, and there is a hydrologic connection via groundwater to other portions of the wetland, areas meeting parameters within the Bellefield Office Park are included in the Mercer Slough Wetland unit.

Black cottonwood, Oregon ash, and European silver birch dominate the canopy in the forest stratum, with shore pine (*Pinus contorta*, FAC) and western hemlock (*Tsuga heterophylla*, FAC+) sub-dominating. Pacific crabapple (*Malus fusca*, FACW) is widespread throughout the forest understory, which also supports European mountain ash (*Sorbus aucuparia*, NI), lady fern, and skunk cabbage (*Lysichiton americanus*, OBL). Douglas spirea (*Spiraea douglasii*, FACW), Sitka willow (*Salix sitchensis*, FACW) and cascara (*Frangula purshiana*, FAC-) make up the scrub-shrub areas. Reed canarygrass forms a monoculture through most of the emergent stratum. Cultivated blueberry (*Vaccinium sp.*) is the primary species within the active and former agricultural areas contained within the Mercer Slough Wetland.

Some plants unique to peat-based environments grow in the largely organic substrate that characterizes the area. Water birch (*Betula occidentalis*, FACW) and peat bog birch (*Betula pumila*, OBL) flourish north of the blueberry farm. Some bog wetlands qualify as Category I based on “special characteristics”, according to guidance in the Rating System. However, the Mercer Slough Wetland does not meet the *70% cover of mosses at ground level* parameter required for special rating (Ecology 2004, p. 88).

Based on functions, the Mercer Slough wetland rates as Category II. The wetland scores high for water quality function due to its position at the base of two highly urbanized contributing basins. According to the Rating System, “the opportunity for wetlands to improve water quality in a watershed is related to the amount of pollutants that come into the wetland. Qualitatively, the level of pollutants can be correlated with the level of disturbance, development, and intensity of agriculture in the landscape” (Ecology 2004, p44).

The Mercer Slough Wetland has a moderate score for hydrologic function as it has little opportunity, low in the watershed and along Lake Washington to protect resources against flooding. According to the Rating System, “The opportunity for wetlands to reduce the impacts of flooding and erosion is based on the presence of human or natural resources that can be damaged by these processes” (Ecology 2004, p57). Lake Washington is not generally threatened by these processes a result of its level being regulated by the Corps of Engineers. The level of Mercer Slough is consistent with that of Lake Washington. Flooding from Kelsey and Sturtevant Creeks likely does not impact the level of the Slough. Processes measured by the Rating System do not threaten buildings and natural resources within the Complex. However, the thick vegetation along the Lake Washington shoreline buffers against wave-induced erosion, protecting resources located landward of the wetland. The sinuous edges between the various habitat types, abundant snags, and downed woody debris throughout the wetland are all features of high quality wildlife habitat. Also, abundant overhanging vegetation along the slough and interior stream channels creates habitat for salmonids using Kelsey Creek.

3.2.2 Sturtevant Creek Wetland

A large portion of the 12-acre Sturtevant Creek Wetland receives overbank flooding from Sturtevant Creek during flooding events. The riverine wetland is located north of the Mercer Slough Wetland, divided from it by SE 8th Street. An approximately 15-foot-wide metal culvert conveys the flow of Sturtevant Creek to the Mercer Slough. The Sturtevant Creek Wetland sits at the base of the highly urbanized 773-acre Sturtevant Creek basin. At times of normal flow groundwater provides most of the hydrology that supports the wetland vegetation and hydric soils within the unit.

Emergent, scrub-shrub, and forested wetland classes are present. Pacific willow and red alder dominate the canopy of the forested area, located at the south edge of the wetland. Salmonberry, Douglas spirea, and Sitka willow dominate the scrub-shrub stratum, with Himalayan blackberry scattered within. A reed canarygrass monoculture makes up the emergent areas in the north and west sections of the unit.

The Category II Sturtevant Creek wetland has the opportunity to improve water quality because floodwaters entering the system originate in a watershed containing the Bellevue’s downtown

core. Douglas spirea and other rigid vegetation grow thickly along the banks of Sturtevant Creek. During flooding events, dense vegetation in frequently flooded riverine systems like this “...acts as a filter to trap sediments and associated pollutants” (Ecology 2004, p53). Habitat features such as snags and downed woody debris and complex edges between habitat types offer niches for birds and mammals. However, the moderate habitat function score reflects the wetland’s isolation from other significant patches of habitat by buildings and roads. The wetland has potential to store and diffuse flood flow, but there are no resources threatened by flooding downstream, as water levels in the Mercer Slough are regulated and likely not affected by flooding in Sturtevant Creek.

The culvert connection between the Sturtevant Creek Wetland and the Mercer Slough Wetland conveys unidirectional surface flow, constituting a break between units for rating purposes. However, the likely significant mutual hydrologic exchange beneath SE 8th Street means the unit is an associated wetland, despite being just over 200 feet away from the OHWM of the Mercer Slough.

3.2.3 SE 40th Street Boat Launch Area

The SE 40th Street boat launch area contains one small lake fringe wetland composed of aquatic bed vegetation and a small emergent fringe along the lakeshore. Wetland vegetation and hydric soils are largely supported by hydrology from the lake.

The emergent fringe located north of the boat launch is part of a small mowed lawn adjacent to Lake Washington. The vegetation consists of reed canarygrass, slough sedge (*Juncus effusus*, FACW), and American speedwell. American white water lily (*Nymphaea odorata*, OBL) occurs in patches among the marina slips. This patchy aquatic bed vegetation in the marina was historically contiguous with the Mercer Slough Wetland described above. In accordance with the Rating System guidance, most of the aquatic bed was not included in the unit, as it is not all contiguous with the emergent vegetation along the shoreline.

The wetland is a low quality, Category IV wetland, providing poor water quality and erosion prevention function. The small emergent wetland has a degraded buffer, no snags or woody debris, and is largely composed of non-native reed canarygrass. Its low structural and compositional diversity provides little wildlife habitat.

3.2.4 Coal Creek Area

Three small wetlands are located near the mouth of Coal Creek. As with the SE 40th Street wetland, the Coal Creek wetlands are situated close to the summer high level of Lake Washington. A high water table, associated with the nearby lake, supports the wetland vegetation and hydric soil.

Wetland A, a Category III lake-fringe wetland, just over 0.5 acres, lies north of Coal Creek on the edge of Lake Washington. It has little opportunity to reduce flood flow at the bottom of the Coal Creek basin, though it does provide some water quality function as it buffers the shoreline from wave erosion. The wetland contains scrub-shrub and emergent vegetation. Sitka and pacific willows are thick along the shoreline, with reed canarygrass also dense in patches.

Two small depressional wetlands (Wetlands B and C) are located south of Coal Creek near the edge of Lake Washington. The wetlands, each smaller than 1,000 square feet in size, contain only sparse, non-rigid emergent vegetation. The wetlands score low for functions, as they have little potential or opportunity to improve water quality, reduce flood flow, or provide habitat.

3.2.5 Bellefield Park Lane Wetland

The Bellefield Park Lane Wetland is an approximately 0.6-acre depressional wetland surrounded by an apartment complex. It is located west of 112th Avenue SE, which separates the wetland from the Mercer Slough Wetland. Water drains from the wetland through a culvert beneath 112th Avenue SE and cascades approximately 10 to 15 vertical feet down a channel into the Mercer Slough. The wetland contains a large, permanently inundated pond, surrounded by saturated only areas. Reed canarygrass, buttercup, and lady fern grow along banks of the inundated area with some black cottonwood, weeping willow, and alder interspersed occasionally.

The wetland rates as a Category IV wetland. It has the opportunity to improve water quality, although it lacks the abundant persistent vegetation that serves to perform water quality functions most effectively. It provides a moderate level of hydrologic function, as its slightly constricted outlet helps slow flood flows during storm events. It contains few habitat features and is relatively isolated by roadways and apartment buildings from other non-wetland habitat areas, which reflects in a low habitat functions score.

Due to the significant (10- to 15-foot) topographic break, and distance from the Mercer Slough Shoreline, this wetland is not a shoreline-associated wetland.

3.3 LOWER KELSEY CREEK

Shoreline jurisdiction in the City of Bellevue includes the lower portion of Kelsey Creek, extending from the I-405 culverts to approximately 700 feet upstream of the Richards/Kelsey Creek confluence. Six high functioning wetlands are located along this section of Kelsey Creek. The wetlands were once likely a contiguous complex but are now divided by a series of roadways, including SE 8th Street, the north- and south-bound lanes of Lake Hills Connector, and SE 7th Place. Based on the Rating System guidance (Ecology 2004, p13), the wetlands were rated as separate units because of this division. Despite the historic alteration to the landscape, these units provide critical water quality, flood flow retention, and habitat functions for the City's shoreline. All units described below are within 200 feet of the OHWM of Kelsey Creek.

The wetland units are situated at the base of four moderately urbanized areas. The Kelsey Creek, Richards Creek, Sunset Creek, and East Creek basins cover a combined 5,075 acres, of which approximately 43 percent (2,168 acres) is covered by impervious surface. A high water table provides the wetlands with most of their hydrology, although overbank flooding from Kelsey and Richards Creeks and a small Kelsey Creek tributary provides a significant input to the wetlands during storm events.

Generally, the Lower Kelsey Creek wetlands score highly for functions, based on Ecology's Rating System. The wetlands rate high for water quality function due in part to their location at the base of urbanized watersheds. As with the Mercer Slough Wetland, flooding events bring

elevated levels of pollutants in contact with the wetlands. The thick, rigid vegetation that characterizes the wetlands helps slow floodwater, and encourages sedimentation of suspended particles. Also, with the exception of areas near I-405, the wide and flat shape of each unit diffuses and slows floodwater entering the complex. Natural and human resources downstream benefit from reduced flood intensity.

Habitat function, as measured by Ecology's Rating System, varies among the wetlands, although generally, they all rate fairly high. Each wetland unit generally has various vegetation types ranging from forest to emergent and aquatic bed. The high structural and composition diversity "increases the suitability for some wildlife guilds by increasing the number of ecological niches." (Ecology 2004, p 76). Overhanging vegetation along Kelsey Creek in several of the units improves habitat for fish and amphibians. High-quality upland forest habitat in nearby Kelsey Creek Park and Wilburton Hill Park provide foraging and dispersal areas for wildlife; however, some of the units in this system are isolated from these nearby habitats due to the bisecting roadways.

The following sections describe the six wetland units in the Lower Kelsey Creek shoreline area.

3.3.1 Kelsey A

Kelsey A is an approximately five-acre riverine wetland, classified as Category I. It lies at the lower end of Wilburton Hills Park between SE 7th Place and the International School. An unnamed, perennial tributary to Kelsey Creek flows through the wetland to a culvert beneath SE 7th Place before discharging to Kelsey Creek. The wetland has a broad surface connection over SE 7th Place to Kelsey Creek during severe flooding events, but otherwise is divided by the roadway.

A large portion of the wetland is forested, with pacific and Sitka willow widespread in the stratum and black cottonwood, red alder and Oregon ash (*Fraxinus latifolia*, FACW) intermittently present. Salmonberry and black twinberry (*Lonicera involucrata*, FAC+) form a thicket in the understory, with some lady fern, giant horsetail (*Equisetum telmateia*, FACW), skunk cabbage, and stinging nettle (*Urtica dioica*, FAC+). Thick Sitka willow forms a scrub shrub stratum south of the International School.

The wetland has a high concentration of habitat features, such as snags and downed woody debris, which provide habitat for birds, mammals, amphibians and insects. The wetland has a broad, relatively undisturbed vegetated connection to about 50-acres of Douglas-fir-dominated, upland forest in Wilburton Hills Park.

3.3.2 Kelsey B

This Category I riverine wetland extends eastward from the intersection of SE 7th Place and Lake Hills Connector through Kelsey Creek Community Park to the Glendale Country Club. Although the wetland is approximately 50 acres in size, only the lower portion is located within

shoreline jurisdiction¹. Regular overbank flooding from Kelsey Creek provides some of the hydrology to the wetland, although the hydric vegetation and soils are supported primarily by groundwater during times of normal flow.

The wetland contains the highest variety of habitats among those in the complex, including forest, scrub-shrub, emergent, and a few small areas of aquatic bed vegetation. Pacific willow, red alder, and black cottonwood dominate the canopy of the forest, with black twinberry and salmonberry dominant in the understory. Sitka willow and Douglas spirea dominate the scrub-shrub vegetation, with some Himalayan blackberry. Reed canarygrass dominates most of the emergent areas, with some patches of cattail present near Lake Hills Connector.

Kelsey Creek B, the largest wetland unit in the Lower Kelsey Creek complex, contains several important habitat types ranging from snag-rich forest to areas of thin-stemmed emergent vegetation. The later, according to Ecology's Rating System, provides places for amphibians to lay their eggs (Ecology 2004, p 81). The abundance of other habitat features, such as downed woody debris and overhanging vegetation along Kelsey Creek provides niches for wildlife, including the salmon that depend on the Creek for spawning and rearing. Kelsey Creek B has relatively high connectivity to other habitat types in nearby Kelsey Creek Park, which allows for important dispersal and foraging for mammals, amphibian and birds (Ecology 2004, p 81).

3.3.3 Kelsey C

Kelsey C, an approximately 3.5-acre riverine wetland located in the median of Lake Hills Connector, includes the confluence of Kelsey and Richards Creeks. Groundwater input accounts for the wetland hydrology, with some overbank flooding during storm events. The small, forested area is dominated by black cottonwood and contains some mature red alder. Pacific and Sitka willow dominate the scrub-shrub areas surrounding the stream, with some stinging nettle and reed canarygrass in the understory. Reed canarygrass monocultures form patches along the banks of Kelsey Creek.

Because this Category II wetland is narrow in relation to the widths of Richards and Kelsey Creeks, its potential to store and diffuse flood flow is low compared to other wetlands in the complex. It exhibits much of the same habitat suitability and structural complexity as the other wetlands nearby, but is isolated from other habitats by the north and south lanes of Lake Hills Connector.

3.3.4 Kelsey D

Kelsey D is located downstream of Kelsey C, just across the southbound lanes of Lake Hills Connector. The 5.5-acre riverine wetland lies southwest of the intersection of Lake Hills Connector and SE 8th Street. Kelsey Creek runs through the center of the scrub-shrub and forested wetland. Typical hydrologic input to the wetland is from groundwater, runoff from nearby roads, with occasional overbank flooding.

¹ The U.S. Geological Survey has identified the upper extent of shoreline jurisdiction by modeling the point where stream flow reaches 20 cubic feet per second (cfs). Any associated wetlands upstream of the 20cfs point would not be considered part of shoreline jurisdiction.

The vegetation in the forested and scrub-shrub strata contains similar species composition, including willows, black cottonwood and red alder, as within Kelsey A and Kelsey C. Thick vegetation was noted along the banks of Kelsey Creek in the wetland.

The riverine wetland contains many of the same habitat features common throughout the complex, including forest habitat and structural diversity that increases the suitability for a wide variety of wildlife. The overhanging vegetation along Kelsey Creek creates important niches for salmonids. As with Wetland C, it is fairly isolated from other non-wetland habitats because of the nearby roadways.

3.3.5 Kelsey E

A depressional system, in a complex of mostly riverine systems, Kelsey E is located north of SE 8th Street. The approximately 3.5-acre wetland has a seasonally flowing, constricted outlet through a culvert that discharges to Kelsey Creek. Groundwater and runoff from the surrounding roads provide most of the hydrology to the wetland, which is mostly seasonally and occasionally flooded, with one small permanently ponded area in the interior.

The Category II contains mostly emergent vegetation, though has a small scrub-shrub and aquatic bed component. Sitka willow and Douglas spirea line the edge of the wetland, with cattail, small-fruited bulrush, soft rush, and buttercup vegetating the interior.

The wetland scores high for water quality function as it has a large, seasonally ponded area, where the chemical processes that remove phosphorus and nitrogen are thought to occur (Ecology 2004, p 43). Its constrictive outlet to Kelsey helps diffuse flood intensity in the short stretch of Kelsey Creek below it. The wetland scores slightly lower than some of the other large wetland in the Lower Kelsey Creek Complex as it is located away from Kelsey Creek and is highly isolated from other wetlands and non-wetland habitat by the surrounding roads.

3.3.6 Kelsey F

Kelsey F is an approximately one-acre riverine wetland south of SE 8th Street, between 121st Avenue SE and Interstate 405 along the lower stretch of Kelsey Creek. Hydrologic input to the wetland is from groundwater and occasional overbank flooding.

Forest and scrub-shrub vegetation classes typical of the riverine wetlands in the complex are present. Pacific and Sitka willow dominate the forested class, with some black cottonwood and red alder also present. Salmonberry and black twinberry dominate the understory, with some lady fern and skunk cabbage.

The Category III wetland is fairly small compared to other five wetlands, limiting its ability to improve water quality or store floodwaters during storm events. A few small snags, woody debris, and overhanging vegetation provide some wildlife habitat, but, as with Wetland E, the wetland is somewhat isolated from nearby wetlands and upland habitat by roadways.

3.4 NEWCASTLE BEACH PARK

Newcastle Beach Park contains two wetlands that lie at the downstream end of an unnamed stream that drains an approximately 35-acre sub-basin on the west side of I-405. Wetland A lies on the shoreline of Lake Washington, divided from Wetland B by SE 50th Street.

3.4.1 Wetland A

Wetland A is an approximately 6.2-acre wetland situated along the shoreline of Lake Washington. Groundwater from seeps and a high water table supports hydric conditions throughout most of the wetland. Some areas close to the shoreline are seasonally ponded when the level of Lake Washington rises in the summer. Occasional overbank flooding also provides some hydrology to areas adjacent to the small stream.

Wetland A, Category II, rates high for water quality and habitat function, and moderate for hydrologic function. A thicket of pacific and Sitka willow and Oregon ash trees help protect the shoreline against wave-induced erosion. This reflects in the moderate hydrologic function score. Thick emergent vegetation along the edge of the stream, consisting of reed canarygrass, skunk cabbage and stinging nettle helps slow water velocity and trap particulate matter during flooding events. Thirty- to fifty-year-old black cottonwood trees dominate the forest canopy away from the shoreline. Beneath the canopy, small depressions help trap pollutants in surface water. Twinberry, salmonberry, and slough sedge dominate this area, along with stinging nettle, skunk cabbage, and scouring rush (*Equisetum hymenale*, FACW). Abundant downed logs and standing snags in the forest and along the shoreline provide potential breeding and foraging area for amphibians and birds.

3.4.2 Wetland B

Wetland B is an approximately 2-acre riverine wetland upstream of Wetland A. At 600 feet from the shoreline, the wetland is located outside of the standard “shorelands area”. But because it is located near Wetland A (a wetland adjacent to the shoreline), we evaluated it within our study to assess its functions and determine whether a hydrologic connection to Wetland A warranted its inclusion in the City’s shoreline jurisdiction.

The small stream floods the wetland area during storm events, although the high water table supports the wetland vegetation and hydric soils under normal circumstances. The small stream flows into Wetland A via a culvert beneath SE 50th Street. Red alder trees that once cast a canopy over the stream appear to have recently died, leaving several snags within the wetland. Aside from some remaining live red alder and black cottonwood trees along the fringe, Sitka and pacific willows form low, thick cover in places. Cattail and other low emergents grow near the banks of the stream.

The wetland scores high for water quality, moderate for habitat function, and relatively low for hydrologic function. We found that this wetland has no significant mutual hydraulic interaction with Wetland A, and is therefore not an “associated wetland” and not considered to be within the City’s shoreline jurisdiction.

3.5 PHANTOM LAKE/LARSEN LAKE

Included in the shoreline jurisdiction is an approximately 170-acre wetland complex adjacent to Phantom and Larsen Lakes. The complex extends north about 1.8 miles from the south edge of Phantom Lake to Sammamish High School, adjacent to Main Street northwest of Larsen Lake. Similar to the Lower Kelsey Creek system, the wetland complex is now divided by roads, buildings, and altered by ditches and various land use practices. Per Ecology’s guidance, the system contains four distinct wetland units that are considered to be hydrologically associated with the Phantom Lake shoreline jurisdiction.

A distinguishing feature of the Phantom/Larsen Lake complex is its position near the headwaters of the Kelsey Creek and Phantom Creek basins. Other shoreline wetlands in the City are located at lower end of their respective basins. Approximately 80 percent of the complex lies in the headwater area of the 2,816-acre Kelsey Creek basin. The Phantom A wetland lies in the upper third of the 529-acre Phantom Creek basin. Wetlands located in headwaters are generally thought to be “...important in reducing peak flows because they slow down and ‘desynchronize’ the initial peak flows from a storm...” (Ecology 2004, p 48). Flood flow reduction is especially important for Kelsey Creek, where sockeye, Coho and Chinook salmon and cutthroat trout habitat can be damaged by flooding. Indeed, the high functional scores for most of the units in this complex reflects their unique position in the watershed, as well as for other factors including size and habitat types.

The wetland complex contains widespread organic soils, an “indicator that [the] wetlands can remove a wide range of pollutants from surface water” (Ecology 2004, p 39). Generally, the unit’s significant structural and physical diversity, which increases the suitability for various types of wildlife, is reflected in the high habitat function score. Also notable are the two large stands of coniferous forest south of Larson Lake, which provide perching and nesting sites for raptors, and refuge for other wildlife, and significant cultural and aesthetic value. Moreover, high structural diversity and complex interspersions of habitat increases the suitability for wildlife. Roads and development, however, have moderately isolated this complex from other upland habitat areas, important for wildlife recruitment and movement.

3.5.1 Phantom A

Phantom A is an approximately 38-acre wetland located along the shoreline of Phantom Lake with an arm extending north to SE 16th Street. This arm spans the boundary between the Kelsey/Phantom basins. The wetland contains lake-fringe, riverine, and depressional hydrogeomorphic elements.

Much of the wetland is located within the Lake Hills Greenbelt Park that extends from Phantom Lake to Larsen Lake. A black cottonwood, red alder, and Pacific willow forest patch is located near the northwest edge of Phantom Lake. Thick Sitka willow, Douglas spirea and black twinberry vegetation lines the edge of Phantom Lake here and surrounds the forest patch. The scrub-shrub stratum gives way to reed canarygrass near the meandering headwaters of Kelsey Creek, north of the lake, with some lady fern and giant horsetail plants also in the riparian corridor. Himalayan blackberry patches punctuate the reed canarygrass monoculture in the northern extent of the wetland, close to NE 16th Street.

The portion of the shoreline outside of the Lake Hills Greenbelt Park is largely privately owned and consists of lawn, some shrubs and trees adjacent to the shoreline. The aquatic bed, water ward of the shoreline is dominated by American white water lily and yellow pond lily.

The Category II wetland scores moderately for water quality function and high for habitat and hydrologic function. The area of seasonal ponding, an important indication of the wetland's water quality improvement ability, is slightly smaller relative other neighboring units. The live storage of Phantom Lake helps to diffuse flooding in both Kelsey and Phantom Creeks. Phantom A, as with the greater complex, contains several vegetative and structural components. The scrub-shrub and forest strata along the Phantom Lake shoreline provide structural complexity. Snags located along the Phantom Lake shoreline, downed woody debris in the forest stratum, and the undulating vegetation along the shoreline provide abundant niches for birds, mammals and amphibians.

3.5.2 Phantom B

This approximately 39-acre Category I wetland is bordered by SE 16th Street to the south and SE Lake Hills Boulevard to the north. 156th Ave SE runs through the middle of the wetland but does not divide it into separate units, as water velocity through the culvert is very low. The upper reach of Kelsey Creek flows through the wetland in a low-gradient ditch.

Phantom B, also within the Lake Hills Greenbelt Park, contains a variety of land uses. Active farm fields adjacent to 156th Street SE comprise approximately 10 percent of the wetland area. A trail extends the length of the wetland from north to south. The remaining area is largely open space characterized by forest, scrub-shrub, and emergent vegetation.

Notable is the three acres of coniferous forested located along the wetland's west edge. Two late-succession species, western red cedar and western hemlock, dominate the closed canopy of the forest, beneath which lady fern, giant horsetail and sword fern carpet the understory. The wetland forest provides significant wildlife habitat as reflected on the rating form. This area contains snags and downed woody debris that typically provide foraging and nesting sites for birds, amphibians and mammals. The coniferous forest transitions to a pacific- and Sitka willow-dominated deciduous forest, and then to a scrub-shrub layer of Douglas spirea and Sitka willow closer to the Kelsey Creek. The creek is bordered by a reed canarygrass monoculture.

Phantom B scores high on Ecology's Rating Form due in part to the diverse vegetation strata described above. Additionally, this unit contains an abundance of smaller seasonally and occasionally flooded depressions that improve its ability to store and diffuse flood flow during storm events. As with other units in the complex, the widespread organic soils indicate an ability to remove pollutants from surface water.

3.5.3 Larsen A

Larsen A, an approximately 88-acre wetland, contains Larsen Lake, a portion of Kelsey Creek, and an unnamed tributary. The wetland extends from SE Lake Hills Boulevard to the south edge of the Kmart shopping center. The wetland is composed of riverine and depressional hydrogeomorphic classes.

Land uses in the wetland include blueberry farming, trails open to the public, and open space. 148th Avenue SE bisects the wetland just west of Larsen Lake, but does not warrant a division into separate units. The wetland contains forest, scrub-shrub, emergent, aquatic bed, and open water habitat types. The agricultural area is made up of 4- to 6-foot-tall blueberry plants that generally provide higher year-round structural complexity than the other farms contained within the complex.

An approximately 1-acre patch of forested wetland, dominated by Sitka spruce (*Picea sitchensis*, FACW) and western red cedar, is located at the south end of the Category II wetland. Himalayan blackberry and lady fern carpet the understory. As with the coniferous forest component in Phantom B, this grove contains snags, downed woody debris and a structural complexity desirable for wildlife, which is reflected in the high habitat function score for Larson A. The wetland contains another forested stratum, north of Larson Lake. European silver birch, pacific, and Sitka willow, black cottonwood and red alder exhibit an array of habitat features including snags, downed woody debris and overhanging vegetation. The forest transitions to Douglas spirea, blueberry bushes, and eventually Larsen Lake. The various vegetation types, from aquatic bed, to coniferous forest, provide complex structural and compositional diversity that increase suitability for amphibians, birds and mammals. The organic soil found throughout most of the wetland area, as mentioned above, has the ability to remove dissolved phosphorus and nitrogen from surface water (Ecology 2004, p 39). Additionally, the emergent vegetation along Kelsey Creek slows surface water velocity during storms, and may filter out particles that otherwise would flow downstream.

3.5.4 Larsen B

The 3.5-acre Larsen B wetland lies west of 145th Place SE and Larsen A, and is located along a small tributary to Kelsey Creek. Groundwater and occasional surface flow from Main Street provide the depressional component of the wetland a significant portion of its hydrology. Overbank flooding from the tributary provides some wetland hydrology along the banks of the stream. The wetland is largely open space, though its western edge lies within the maintained grounds of Sammamish High School.

The Category II wetland contains a pacific- and Sitka willow-dominated forest with black cottonwood and red alder interspersed along the edge. Although this wetland contains fewer habitat types than areas in the other portion of the Phantom/Larsen complex, it scores relatively high on habitat function due high structural diversity. A Salmonberry and black twinberry thicket fill in beneath the forest canopy along with some stinging nettle and piggyback plant (*Tolmiea menziesii*, FAC+). Some small snags and large woody debris may provide a few nesting and foraging sites for reptiles and amphibians. However, roadways and buildings isolate the wetland from other habitat types. The Category II wetland provides a moderate level of flood storage, and water quality improvement function. The thick vegetation along the shores of the small tributary slows the velocity of water during storm events, helping also to filter particles from the water. The occasionally flooded depression diffuses flood flow and sequesters pollution during storm events.

3.6 LAKE SAMMAMISH WETLANDS

No major wetland areas have been identified along the Lake Sammamish shoreline within the City of Bellevue. However, there are likely many small lake-fringe wetlands along the edge of the lake where bulkheads are not present. Wetland areas observed consists of narrow, emergent vegetation fringes waterward of the OHWM of Lake Sammamish.

After a review of the shoreline with aerial maps, a site visit was made to Vasa Creek Park, in the southeast corner of the City of Bellevue. The portion of Vasa Creek within shoreline jurisdiction does not contain wetlands. A very narrow riverine wetland exists along the creek west of West Lake Sammamish Parkway. However, this riverine wetland is located beyond 200 feet from the OHWM of Lake Sammamish and thus outside of shoreline jurisdiction. A red alder/salmonberry/lady fern association typical of riparian wetlands characterizes the area.

4.0 REFERENCES

- Cooke, S. 2000. Wetland and Buffer Functions Semi-Quantitative Assessment Methodology. Cooke Scientific Services, Inc. Seattle, WA.
- Hruby, T. 2004. Washington State wetland rating system for western Washington – Revised. Washington State Department of Ecology Publication # 04-06-025

APPENDIX A

MAP OF SHORELINE-ASSOCIATED WETLANDS

APPENDIX B

ECOLOGY WETLAND RATING FORMS

APPENDIX C

SEMI-QUANTITATIVE FUNCTION ASSESSMENT



Shoreline Wetland Inventory


City of Bellevue Shoreline Master Program



August 2008
 Data: The Watershed Company, USDA NAIP, City of Bellevue
 Finalized 10/09/2015

- Shoreline Associated Wetlands
- Shoreline Jurisdiction
- Ordinary High Water Mark
- Lakes
- City Boundary
- Highways
- Major Streets


Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Shoreline Wetland Inventory

Coal Creek

City of Bellevue Shoreline Master Program




August 2008
 Data: The Watershed Company, NWI, City of Bellevue
 Finalized 10/09/2015



- | | |
|-------------------------------|---------------|
| Shoreline Associated Wetlands | Lakes |
| Streams | Highways |
| Shoreline Jurisdiction | Major Streets |
| Ordinary High Water Mark | |

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Shoreline Wetland Inventory

Mercer Slough/Kelsey Creek

City of Bellevue Shoreline Master Program



August 2008
 Data: The Watershed Company, NWI, City of Bellevue
 Finalized 10/09/2015



- | | |
|-------------------------------|---------------|
| Shoreline Associated Wetlands | Lakes |
| Streams | City Boundary |
| Shoreline Jurisdiction | Highways |
| Ordinary High Water Mark | Major Streets |


Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Shoreline Wetland Inventory

Meydenbauer Bay

City of Bellevue Shoreline Master Program




August 2008
 Data: The Watershed Company, NWI, City of Bellevue
 Finalized 10/09/2015



- | | |
|-------------------------------|---------------|
| Shoreline Associated Wetlands | Lakes |
| Streams | City Boundary |
| Shoreline Jurisdiction | Highways |
| Ordinary High Water Mark | Major Streets |


Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.



Shoreline Wetland Inventory

Phantom and Larson Lakes

City of Bellevue Shoreline Master Program



August 2008
 Data: The Watershed Company, NWI, City of Bellevue
 Finalized 10/09/2015



- Shoreline Associated Wetlands
- Streams
- Shoreline Jurisdiction
- Ordinary High Water Mark
- Lakes
- Highways
- Major Streets

Shoreline jurisdiction boundaries depicted on this map are approximate. They have not been formally delineated or surveyed and are intended for planning purposes only. Additional site-specific evaluation may be needed to confirm/verify information shown on this map.

Wetland name or number: Meydenbauer Beach Park A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Meydenbauer Beach Park A Date of site visit: _____

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 31 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 2,500 SF

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	2
Score for Habitat Functions	8
TOTAL score for functions	10

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	x
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Meydenbauer Beach Park A

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

- NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.







<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

S	Slope Wetlands	Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
S 3. Does the wetland have the potential to reduce flooding and erosion?		<i>(see p. 68)</i>
S	<p>S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms. <i>Choose the points appropriate for the description that best fit conditions in the wetland. (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows)</i></p> <p>Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. points = 6 Dense, uncut, rigid vegetation > 1/2 area of wetland points = 3 Dense, uncut, rigid vegetation > 1/4 area points = 1 More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid points = 0</p>	0
S	<p>S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at least 10% of its area.</p> <p><input type="checkbox"/> YES points = 2 <input type="checkbox"/> NO points = 0</p>	2
S	Total for S 3 <i>Add the points in the boxes above</i>	2
S	<p>S 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 70) Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland has surface runoff that drains to a river or stream that has flooding problems <input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p style="text-align: center;">YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	multiplier <u>1</u>
S	TOTAL - Hydrologic Functions Multiply the score from S 3 by S 4 <i>Add score to table on p. 1</i>	2

Comments

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 2 types points = 1 <input type="checkbox"/> 1 type points = 0 </p>	0
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0 </p>	1
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: > 19 species points = 2 <input type="checkbox"/> 5 - 19 species points = 1 <input type="checkbox"/> < 5 species points = 0 </p> <p>List species below if you want to:</p> <p>Typha, willow herb, JUEF, watercress, poa, RUCR, carex</p>	1

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  None = 0 points </div> <div style="text-align: center;">  Low = 1 point </div> <div style="text-align: center;">  Moderate = 2 points </div> <div style="text-align: center;">  High = 3 points </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  High = 3 points </div> <div style="text-align: center;">  High = 3 points </div> <div style="text-align: center;">  [riparian braided channels] </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	1
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	3

H 2. Does the wetland have the opportunity to provide habitat for many species?		
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>		1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="padding-left: 20px;"><input type="checkbox"/> YES = 1 point NO = 0 points</p>		1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Meydenbauer Beach Park A

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	5
<p>TOTAL for H1 from page 14</p>	3
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	8

Wetland name or number: Meydenbauer Beach B

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Meydenbauer Beach B Date of site visit: March 25, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 31 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size <1,000 SF

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	2
Score for Habitat Functions	6
TOTAL score for functions	10

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Meydenbauer Beach B

5. Does the entire wetland unit **meet all** of the following criteria?
- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
 - The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6 **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>). points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 (<i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i>)	1
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	0
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > 1/2 total area of wetland..... points = 4 Area seasonally ponded is > 1/4 total area of wetland..... points = 2 Area seasonally ponded is < 1/4 total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	1
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	2

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p>Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p><input type="checkbox"/> Marks of ponding less than 0.5 ft points = 0</p>	0
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit points = 3</p> <p><input type="checkbox"/> The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	0
D	Total for D 3 <i>Add the points in the boxes above</i>	2
D	D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?	<i>(see p. 49)</i>
	<p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	multiplier 1
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	2

These questions apply to wetlands of all HGM classes.									
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr><td>4 types or more</td><td>points = 4</td></tr> <tr><td>3 types</td><td>points = 2</td></tr> <tr><td>2 types</td><td>points = 1</td></tr> <tr><td>1 type</td><td>points = 0</td></tr> </table>	4 types or more	points = 4	3 types	points = 2	2 types	points = 1	1 type	points = 0	0
4 types or more	points = 4								
3 types	points = 2								
2 types	points = 1								
1 type	points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr><td>4 or more types present</td><td>points = 3</td></tr> <tr><td>3 types present</td><td>points = 2</td></tr> <tr><td>2 types present</td><td>points = 1</td></tr> <tr><td>1 types present</td><td>points = 0</td></tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	0
4 or more types present	points = 3								
3 types present	points = 2								
2 types present	points = 1								
1 types present	points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="margin-left: 100px;">If you counted: > 19 species</p> <p>List species below if you want to: 5 - 19 species</p> <p style="margin-left: 100px;">< 5 species</p>	0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	1
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, or open water >95% of circumference. No developed areas or heavy boat traffic in buffer. Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland) Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Meydenbauer Beach B

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	5
<p>TOTAL for H1 from page 14</p>	1
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	6

Wetland name or number: Meydenbauer Beach C

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Meydenbauer Beach C Date of site visit: March 25, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 31 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size <1,000 SF

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	2
Score for Hydrologic Functions	2
Score for Habitat Functions	6
TOTAL score for functions	10

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Meydenbauer Beach C

5. Does the entire wetland unit **meet all** of the following criteria?
- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
 - The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6 **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>). points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 (<i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i>)	1
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	0
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > 1/2 total area of wetland..... points = 4 Area seasonally ponded is > 1/4 total area of wetland..... points = 2 Area seasonally ponded is < 1/4 total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1	<i>Add the points in the boxes above</i> 1
D	D 2. Does the wetland unit have the opportunity to improve water quality?	<i>(see p. 44)</i>
	Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	multiplier <u>2</u>
D	TOTAL - Water Quality Functions	Multiply the score from D1 by D2 <i>Add score to table on p. 1</i> 2

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><u>Unit has an intermittently flowing, or highly constricted permanently flowing outlet</u> points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p>Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p><u>Marks of ponding less than 0.5 ft</u> points = 0</p>	0
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit points = 3</p> <p><u>The area of the basin is more than 100 times the area of the unit</u>..... points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	0
D	Total for D 3 <i>Add the points in the boxes above</i>	2
D	<p>D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?</p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	<i>(see p. 49)</i> multiplier 1
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	2

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 2 types points = 1 1 type points = 0 </p>	0
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0 </p>	0
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: > 19 species points = 2 5 - 19 species points = 1 <input type="checkbox"/> < 5 species points = 0 </p> <p>List species below if you want to:</p>	0

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	1
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	1

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, or open water >95% of circumference. No developed areas or buildings within 100 m of buffer. (relatively undisturbed also means no mowing)..... Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer..... Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland)..... Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>0</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Meydenbauer Beach C

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	5
<p>TOTAL for H1 from page 14</p>	1
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	6

Wetland name or number: Meydenbauer Creek A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Meydenbauer Creek A Date of site visit: March 25, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 31 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 5.5 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	0
Score for Habitat Functions	11
TOTAL score for functions	11

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	x
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Meydenbauer Creek A

5. Does the entire wetland unit **meet all** of the following criteria?
- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
 - The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

L	Lake-fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
L	L 1. Does the wetland have the potential to improve water quality?	<i>(see p. 59)</i>
L	L 1.1 Average width of vegetation along the lakeshore: Vegetation is more than 33ft (10m) wide points = 6 Vegetation is more than 16 (5m) wide and <33ft points = 3 Vegetation is more than 6ft (2m) wide and <16 ft points = 1 Vegetation is less than 6 ft wide points = 0	0
L	L 1.2 Characteristics of the vegetation in the wetland: <i>choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. In this case the herbaceous plants can be either the dominant form (called emergent class) or as an understory in a shrub or forest community. These are not Cowardin classes. Area of Cover is total cover in the unit, but it can be in patches. NOTE: Herbaceous does not include aquatic bed.</i> Herbaceous plants cover >90% of the vegetated area points = 6 Herbaceous plants cover >2/3 of the vegetated area points = 4 Herbaceous plants cover >1/3 of the vegetated area points = 3 Other vegetation that is not aquatic bed in > 2/3 vegetated area points = 3 Other vegetation that is not aquatic bed in > 1/3 vegetated area points = 1 Aquatic bed cover > 2/3 of the vegetated area points = 0	0
L	Total for L 1 <i>Add the points in the boxes above</i>	0
L	L 2. Does the wetland have the opportunity to improve water quality? (see p. 61) Answer YES if you know or believe there are pollutants in the lake water, or surface water flowing through the wetland to the lake is polluted. <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Wetland is along the shores of a lake or reservoir that does not meet water quality standards <input type="checkbox"/> Grazing in the wetland or within 150ft <input type="checkbox"/> Polluted water discharges to wetland along upland edge <input type="checkbox"/> Residential or urban areas are within 150 ft of wetland <input type="checkbox"/> Parks with grassy areas that are maintained, ballfields, golf courses (all within 150 ft. of lake shore) <input checked="" type="checkbox"/> Power boats with gasoline or diesel engines use the lake <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
L	TOTAL - Water Quality Functions <i>Multiply the score from L 1 by L 2</i> <i>Add score to table on p. 1</i>	0

Comments

L Lake-fringe Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce shoreline erosion		
	L 3. Does the wetland have the potential to reduce shoreline erosion? (see p. 62)	
L	<p>L 3 Average width and characteristics of vegetation along the lakeshore (do not include aquatic bed): <i>(choose the highest scoring description that matches conditions in the wetland)</i></p> <p>> ¾ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 6 > ¾ of fringe vegetation is shrubs or trees at least 6 ft. (2 m) wide points = 4 > ¼ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 4 Fringe vegetation is at least 6 ft (2m) wide points = 2 Fringe vegetation is less than 6 ft (2m) wide points = 0</p>	0
L	<i>Record the points from the box above</i>	
L	<p>L 4. Does the wetland have the opportunity to reduce erosion? (see p. 63) Are there features along the shore that will be impacted if the shoreline erodes? <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities along the upland edge of the wetland (buildings, fields) that can be damaged by erosion <input type="checkbox"/> There are undisturbed natural resources along the upland edge of the wetland (e.g. mature forests other wetlands) than can be damaged by shoreline erosion <input type="checkbox"/> Other _____</p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
L	TOTAL - Hydrologic Functions Multiply the score from L 3 by L 4 <i>Add score to table on p. 1</i>	0

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr><td>4 types or more</td><td>points = 4</td></tr> <tr><td>3 types</td><td>points = 2</td></tr> <tr><td><u>2 types</u></td><td>points = 1</td></tr> <tr><td>1 type</td><td>points = 0</td></tr> </table>	4 types or more	points = 4	3 types	points = 2	<u>2 types</u>	points = 1	1 type	points = 0	1
4 types or more	points = 4								
3 types	points = 2								
<u>2 types</u>	points = 1								
1 type	points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input checked="" type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr><td>4 or more types present</td><td>points = 3</td></tr> <tr><td>3 types present</td><td>points = 2</td></tr> <tr><td>2 types present</td><td>points = 1</td></tr> <tr><td>1 types present</td><td>points = 0</td></tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	2
4 or more types present	points = 3								
3 types present	points = 2								
2 types present	points = 1								
1 types present	points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr><td>> 19 species</td><td>points = 2</td></tr> <tr><td><u>5 - 19 species</u></td><td>points = 1</td></tr> <tr><td>< 5 species</td><td>points = 0</td></tr> </table> <p>List species below if you want to:</p> <p>JUEF, SCMI, NUPO, VEAM, CAST, etc.</p>	> 19 species	points = 2	<u>5 - 19 species</u>	points = 1	< 5 species	points = 0	1		
> 19 species	points = 2								
<u>5 - 19 species</u>	points = 1								
< 5 species	points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points High = 3 points</p> <p>[riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	0
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	5

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points <u>If wetland has 1 priority habitat = 1 point</u> No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Meydenbauer Creek A

<p>H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	6
<p>TOTAL for H1 from page 14</p>	5
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	11

Wetland name or number: Meydenbauer Creek B

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Meydenbauer Creek B Date of site visit: March 25, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 31 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 3.7 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	22
Score for Habitat Functions	14
TOTAL score for functions	56

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Meydenbauer Creek B

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

- NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	2
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	10
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is <u>2</u> NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	20

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i> If the ratio is more than 20..... points = 9 If the ratio is between 10 – 20..... points = 6 If the ratio is 5- <10..... points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1..... points = 1</p>	4
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i> Forest or shrub for >1/3 area OR Emergent plants > 2/3 area..... points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria..... points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	11
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	22

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <p> <input type="checkbox"/> Aquatic bed <input type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 2 types points = 1 1 type points = 0 </p>	0
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0 </p>	2
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 </p> <p>List species below if you want to:</p> <p>SALU, SASI, RUSP, RUAR, EQTE, URDI, etc.</p>	1

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>High = 3 points</p> </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	3
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	6

H 2. Does the wetland have the opportunity to provide habitat for many species?		
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input checked="" type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>		3
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>		1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Meydenbauer Creek B

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	6
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	14

Wetland name or number: Mercer Slough Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Mercer Slough Wetland Date of site visit: May 1, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 04, 05, 08, 09 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 398 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	7
Score for Habitat Functions	29
TOTAL score for functions	56

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	x
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	x

Wetland name or number: Mercer Slough Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Mercer Slough Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6 **YES** – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 **YES** – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 **YES** – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.








<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, **or you have more than 2 HGM classes within a wetland boundary**, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>)..... points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 (<i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i>)	1
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	4
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation >= 95% of area..... points = 5 Wetland has persistent, ungrazed, vegetation >= 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation >= 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area..... points = 0	5
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > 1/2 total area of wetland..... points = 4 Area seasonally ponded is > 1/4 total area of wetland..... points = 2 Area seasonally ponded is < 1/4 total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	10
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	20

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2</p> <p><u>Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing)</u>, points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing). points = 0</p>	1
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p><u>Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet</u>..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p>Marks of ponding less than 0.5 ft..... points = 0</p>	3
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. (contributing basin larger than 5,000 acres)</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p><u>The area of the basin is 10 to 100 times the area of the unit</u>..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	3
D	Total for D 3 <i>Add the points in the boxes above</i>	7
D	<p>D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?</p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	multiplier 1
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	7

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>..... points = 4</td> </tr> <tr> <td>3 types</td> <td>..... points = 2</td> </tr> <tr> <td>2 types</td> <td>..... points = 1</td> </tr> <tr> <td>1 type</td> <td>..... points = 0</td> </tr> </table>	4 types or more points = 4	3 types points = 2	2 types points = 1	1 type points = 0	4
4 types or more points = 4								
3 types points = 2								
2 types points = 1								
1 type points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 or more types present</td> <td>..... points = 3</td> </tr> <tr> <td>3 types present</td> <td>..... points = 2</td> </tr> <tr> <td>2 types present</td> <td>..... points = 1</td> </tr> <tr> <td>1 types present</td> <td>..... points = 0</td> </tr> </table>	4 or more types present points = 3	3 types present points = 2	2 types present points = 1	1 types present points = 0	3
4 or more types present points = 3								
3 types present points = 2								
2 types present points = 1								
1 types present points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">> 19 species</td> <td>..... points = 2</td> </tr> <tr> <td>5 - 19 species</td> <td>..... points = 1</td> </tr> <tr> <td>< 5 species</td> <td>..... points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>TSHE, POBA, ALRU, SALU, SASI, PICO, THPL, ROPI, COSE, SYAL, SPDO, RUSP, RARE, EQTE, GEMA, RUAR, RULA, URDI, BEPU, BEsp, BEsp2, etc.</p>	> 19 species points = 2	5 - 19 species points = 1	< 5 species points = 0	2		
> 19 species points = 2								
5 - 19 species points = 1								
< 5 species points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; border: 1px solid black; padding: 2px; margin: 10px auto; width: fit-content;">High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input checked="" type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	5
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	17

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input checked="" type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	2
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	4

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats</u> = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Mercer Slough Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile. points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	12
<p>TOTAL for H1 from page 14</p>	17
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	29

Wetland name or number: Sturtevant Creek Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Sturtevant Creek Wetland Date of site visit: May 1, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 32, 05 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* *Staff training received in UW Wetland Certificate program*

Estimated Size 12.2 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	24
Score for Hydrologic Functions	13
Score for Habitat Functions	23
TOTAL score for functions	60

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Sturtevant Creek Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics


If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	4
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	12
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is <u>2</u> NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	24

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i> If the ratio is more than 20 points = 9 If the ratio is between 10 – 20 points = 6 If the ratio is 5- <10 points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1 points = 1</p>	6
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i> Forest or shrub for >1/3 area OR Emergent plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	13
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i> YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>1</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	13

These questions apply to wetlands of all HGM classes.									
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>..... points = 4</td> </tr> <tr> <td>3 types</td> <td>..... points = 2</td> </tr> <tr> <td>2 types</td> <td>..... points = 1</td> </tr> <tr> <td>1 type</td> <td>..... points = 0</td> </tr> </table>	4 types or more points = 4	3 types points = 2	2 types points = 1	1 type points = 0	4
4 types or more points = 4								
3 types points = 2								
2 types points = 1								
1 type points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 or more types present</td> <td>..... points = 3</td> </tr> <tr> <td>3 types present</td> <td>..... points = 2</td> </tr> <tr> <td>2 types present</td> <td>..... points = 1</td> </tr> <tr> <td>1 types present</td> <td>..... points = 0</td> </tr> </table>	4 or more types present points = 3	3 types present points = 2	2 types present points = 1	1 types present points = 0	3
4 or more types present points = 3								
3 types present points = 2								
2 types present points = 1								
1 types present points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>..... points = 2</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">5 - 19 species</td> <td>..... points = 1</td> </tr> <tr> <td>< 5 species</td> <td>..... points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>POBA, ALRU, SALU, SASI, PICO, THPL, ROPI, COSE, SYAL, SPDO, RUSP, RARE, EQTE, GEMA, RUAR, Sax, URDI</p>	> 19 species points = 2	5 - 19 species points = 1	< 5 species points = 0	1		
> 19 species points = 2								
5 - 19 species points = 1								
< 5 species points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p>  <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	15

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (<i>see p. 80</i>) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (<i>go to H 2.3</i>) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (<i>go to H 2.3</i>) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Sturtevant Creek Wetland

<p>H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	15
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	23

Wetland name or number: SE 40th Street Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: SE 40th Street Wetland Date of site visit: May 1, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 08 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 2,000 SF

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	0
Score for Hydrologic Functions	4
Score for Habitat Functions	10
TOTAL score for functions	14

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	x
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: SE 40th Street Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

- NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

L	Lake-fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
L	L 1. Does the wetland have the potential to improve water quality?	<i>(see p. 59)</i>
L	L 1.1 Average width of vegetation along the lakeshore: Vegetation is more than 33ft (10m) wide points = 6 Vegetation is more than 16 (5m) wide and <33ft points = 3 Vegetation is more than 6ft (2m) wide and <16 ft points = 1 Vegetation is less than 6 ft wide points = 0	0
L	L 1.2 Characteristics of the vegetation in the wetland: <i>choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. In this case the herbaceous plants can be either the dominant form (called emergent class) or as an understory in a shrub or forest community. These are not Cowardin classes. Area of Cover is total cover in the unit, but it can be in patches. NOTE: Herbaceous does not include aquatic bed.</i> Herbaceous plants cover >90% of the vegetated area points = 6 Herbaceous plants cover >2/3 of the vegetated area points = 4 Herbaceous plants cover >1/3 of the vegetated area points = 3 Other vegetation that is not aquatic bed in > 2/3 vegetated area points = 3 Other vegetation that is not aquatic bed in > 1/3 vegetated area points = 1 Aquatic bed cover > 2/3 of the vegetated area points = 0	0
L	Total for L 1 <i>Add the points in the boxes above</i>	0
L	L 2. Does the wetland have the opportunity to improve water quality? (see p. 61) Answer YES if you know or believe there are pollutants in the lake water, or surface water flowing through the wetland to the lake is polluted. <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Wetland is along the shores of a lake or reservoir that does not meet water quality standards <input type="checkbox"/> Grazing in the wetland or within 150ft <input type="checkbox"/> Polluted water discharges to wetland along upland edge <input type="checkbox"/> Residential or urban areas are within 150 ft of wetland <input type="checkbox"/> Parks with grassy areas that are maintained, ballfields, golf courses (all within 150 ft. of lake shore) <input checked="" type="checkbox"/> Power boats with gasoline or diesel engines use the lake <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
L	TOTAL - Water Quality Functions Multiply the score from L 1 by L 2 <i>Add score to table on p. 1</i>	0

Comments

Wetland name or number: SE 40th Street Wetland

L Lake-fringe Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce shoreline erosion		
L 3. Does the wetland have the potential to reduce shoreline erosion? (see p. 62)		
L	<p>L 3 Average width and characteristics of vegetation along the lakeshore (do not include aquatic bed): <i>(choose the highest scoring description that matches conditions in the wetland)</i></p> <p>> ¾ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 6</p> <p>> ¾ of fringe vegetation is shrubs or trees at least 6 ft. (2 m) wide points = 4</p> <p>> ¼ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 4</p> <p><u>Fringe vegetation is at least 6 ft (2m) wide</u> points = 2</p> <p>Fringe vegetation is less than 6 ft (2m) wide points = 0</p>	2
L	<i>Record the points from the box above</i>	2
L	<p>L 4. Does the wetland have the opportunity to reduce erosion? (see p. 63)</p> <p>Are there features along the shore that will be impacted if the shoreline erodes? <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities along the upland edge of the wetland (buildings, fields) that can be damaged by erosion</p> <p><input type="checkbox"/> There are undisturbed natural resources along the upland edge of the wetland (e.g. mature forests other wetlands) than can be damaged by shoreline erosion</p> <p><input type="checkbox"/> Other _____</p> <p style="text-align: center;">YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
L	TOTAL - Hydrologic Functions Multiply the score from L 3 by L 4 <i>Add score to table on p. 1</i>	4

Comments

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 types or more</td> <td>points = 4</td> </tr> <tr> <td>3 types</td> <td>points = 2</td> </tr> <tr> <td><u>2 types</u></td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	3 types	points = 2	<u>2 types</u>	points = 1	1 type	points = 0	1
4 types or more	points = 4								
3 types	points = 2								
<u>2 types</u>	points = 1								
1 type	points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input checked="" type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 or more types present</td> <td>points = 3</td> </tr> <tr> <td>3 types present</td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	2
4 or more types present	points = 3								
3 types present	points = 2								
2 types present	points = 1								
1 types present	points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>points = 2</td> </tr> <tr> <td>5 - 19 species</td> <td>points = 1</td> </tr> <tr> <td><u>< 5 species</u></td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>VEAM, RARE</p>	> 19 species	points = 2	5 - 19 species	points = 1	<u>< 5 species</u>	points = 0	0		
> 19 species	points = 2								
5 - 19 species	points = 1								
<u>< 5 species</u>	points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	0
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	4

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (<i>see p. 80</i>) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (<i>go to H 2.3</i>) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (<i>go to H 2.3</i>) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR <u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: SE 40th Street Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	6
<p>TOTAL for H1 from page 14</p>	4
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	10

Wetland name or number: Coal Creek Wetland A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Coal Creek Wetland A Date of site visit: _____

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training _____

SEC: 17 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 0.6 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	14
Score for Hydrologic Functions	8
Score for Habitat Functions	14
TOTAL score for functions	36

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

III

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	x
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Coal Creek Wetland A

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

- NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

- NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

- NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

L	Lake-fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
L	L 1. Does the wetland have the potential to improve water quality?	<i>(see p. 59)</i>
L	L 1.1 Average width of vegetation along the lakeshore: Vegetation is more than 33ft (10m) wide points = 6 <u>Vegetation is more than 16 (5m) wide and <33ft</u> points = 3 Vegetation is more than 6ft (2m) wide and <16 ft points = 1 Vegetation is less than 6 ft wide points = 0	3
L	L 1.2 Characteristics of the vegetation in the wetland: <i>choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. In this case the herbaceous plants can be either the dominant form (called emergent class) or as an understory in a shrub or forest community. These are not Cowardin classes. Area of Cover is total cover in the unit, but it can be in patches. NOTE: Herbaceous does not include aquatic bed.</i> Herbaceous plants cover >90% of the vegetated area points = 6 <u>Herbaceous plants cover >2/3 of the vegetated area</u> points = 4 Herbaceous plants cover >1/3 of the vegetated area points = 3 Other vegetation that is not aquatic bed in > 2/3 vegetated area points = 3 Other vegetation that is not aquatic bed in > 1/3 vegetated area points = 1 Aquatic bed cover > 2/3 of the vegetated area points = 0	4
L	Total for L 1 <i>Add the points in the boxes above</i>	7
L	L 2. Does the wetland have the opportunity to improve water quality? (see p. 61) Answer YES if you know or believe there are pollutants in the lake water, or surface water flowing through the wetland to the lake is polluted. <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Wetland is along the shores of a lake or reservoir that does not meet water quality standards <input type="checkbox"/> Grazing in the wetland or within 150ft <input type="checkbox"/> Polluted water discharges to wetland along upland edge <input checked="" type="checkbox"/> Residential or urban areas are within 150 ft of wetland <input type="checkbox"/> Parks with grassy areas that are maintained, ballfields, golf courses (all within 150 ft. of lake shore) <input checked="" type="checkbox"/> Power boats with gasoline or diesel engines use the lake <input type="checkbox"/> Other _____ <u>YES multiplier is 2</u> NO multiplier is 1	multiplier <u>2</u>
L	TOTAL - Water Quality Functions Multiply the score from L 1 by L 2 <i>Add score to table on p. 1</i>	14

Comments

L Lake-fringe Wetlands		Points
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce shoreline erosion		
	L 3. Does the wetland have the potential to reduce shoreline erosion? (see p. 62)	
L	<p>L 3 Average width and characteristics of vegetation along the lakeshore (do not include aquatic bed): <i>(choose the highest scoring description that matches conditions in the wetland)</i></p> <p>> ¾ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide points = 6</p> <p>> ¾ of fringe vegetation is shrubs or trees at least 6 ft. (2 m) wide points = 4</p> <p><u>> ¼ of fringe vegetation is shrubs or trees at least 33 ft (10m) wide</u> points = 4</p> <p>Fringe vegetation is at least 6 ft (2m) wide points = 2</p> <p>Fringe vegetation is less than 6 ft (2m) wide points = 0</p>	4
L	<i>Record the points from the box above</i>	4
L	<p>L 4. Does the wetland have the opportunity to reduce erosion? (see p. 63)</p> <p>Are there features along the shore that will be impacted if the shoreline erodes? <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities along the upland edge of the wetland (buildings, fields) that can be damaged by erosion</p> <p><input type="checkbox"/> There are undisturbed natural resources along the upland edge of the wetland (e.g. mature forests other wetlands) than can be damaged by shoreline erosion</p> <p><input type="checkbox"/> Other _____</p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
L	TOTAL - Hydrologic Functions Multiply the score from L 3 by L 4 <i>Add score to table on p. 1</i>	8

Comments

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">4 types or more points = 4 3 types points = 2 <u>2 types</u> points = 1 1 type points = 0</p>	1
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input checked="" type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <p style="text-align: right;">4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0</p>	2
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;">If you counted: > 19 species points = 2 <u>5 - 19 species</u> points = 1 < 5 species points = 0</p> <p>List species below if you want to:</p> <p>RARE, SALU, SASI, VEAM, Willow herb, etc.</p>	1

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points High = 3 points</p> <p>[riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	2
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	7

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Coal Creek Wetland A

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	7
<p>TOTAL for H1 from page 14</p>	7
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	14

WETLAND RATING FORM – WESTERN WASHINGTON

Name of wetland (if known): Coal Creek Wetland B

Location: NE ¼ of SEC: 17 TOWNSHIP: 24N RANGE: 5E (attach map with outline of wetland to rating form)

Person(s) Rating Wetland: HM, MF Affiliation: The Watershed Company

Date of site visit: May 1, 2008

DRAFT SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	6
Score for Habitat Functions	8
TOTAL score for functions	18

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

IV

Final Category (choose the “highest” category from above)

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class	
Estuarine	Depressional	X
Natural Heritage Wetland	Riverine	
Bog	Lake-fringe	
Mature Forest	Slope	
Old Growth Forest	Flats	
Coastal Lagoon	Freshwater Tidal	
Interdunal		
None of the above		

Does the wetland being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That Need Special Protection, and That Are Not Included in the Rating	YES	NO
SP1. <i>Has the wetland been documented as a habitat for any Federally listed Threatened or Endangered plant or animal species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X
SP2. <i>Has the wetland been documented as habitat for any State listed Threatened or Endangered plant or animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X
SP3. <i>Does the wetland contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.</i>		X

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 20 for more detailed instructions on classifying wetlands.

Classification of Vegetated Wetlands for Western Washington

Wetland Name: Coal Creek Wetland B

Date: May 1, 2008

1. Are the water levels in the wetland usually controlled by tides (i.e. except during floods)?
NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

YES – **Freshwater Tidal Fringe** NO – **Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).*

2. Is the topography within the wetland flat and precipitation is only source (>90%) of water to it.
NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the wetland **meet both** of the following criteria?

The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) where at least 20 acres (8 ha) are permanently inundated (ponded or flooded);

At least 30% of the open water area is deeper than 6.6 ft (2 m)?

NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the wetland **meet all** of the following criteria?

The wetland is on a slope (*slope can be very gradual*),

The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.

The water leaves the wetland **without being impounded**?

NOTE: *Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*

NO – go to 5 YES – The wetland class is **Slope**

5. Is the wetland in a valley or stream channel where it gets inundated by overbank flooding from that stream or river? In general, the flooding should occur at least once every two years to answer “yes.” *The wetland can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6 YES – The wetland class is **Riverine**

6. Is the wetland in a topographic depression, outside areas that are inundated by overbank flooding, in which water ponds, or is saturated to the surface, at some time of the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 YES – The wetland class is **Depressional**

7. Your wetland seems to be difficult to classify. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depression wetland has a zone of flooding along its sides. Sometimes we find characteristics of several different hydrogeomorphic classes within one wetland boundary. Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland being rated. If the area of the second class is less than 10% classify the wetland using the first class.

<i>HGM Classes Within a Delineated Wetland Boundary</i>	<i>Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality? (see p. 37)	
D	D 1.1 Characteristics of surface water flows out of the wetland: Wetland is a depression with no surface water outlet points = 3 Wetland has an intermittently flowing, or highly constricted, outlet points = 2 Wetland has an unconstricted surface outlet points = 1 Wetland is flat and has no obvious outlet, or outlet is a ditch points = 0	2
D	D 1.2 The soil 2 inches below the surface is clay, organic, or smells anoxic (hydrogen sulfide or rotten eggs). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest class): Wetland has persistent, ungrazed, vegetation >= 95% of area points = 5 Wetland has persistent, ungrazed, vegetation >= 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation >= 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area points = 0	0
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > 1/2 total area of wetland points = 4 Area seasonally ponded is > 1/4 total area of wetland points = 2 Area seasonally ponded is < 1/4 total area of wetland points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1	Add the points in the boxes above 2
D	D 2. Does the wetland have the opportunity to improve water quality? (see p. 44) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? Note which of the following conditions provide the sources of pollutants. <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	multiplier <u>2</u>
D	TOTAL - Water Quality Functions	Multiply the score from D1 by D2 Add score to table on p. 1 4

HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D 3. Does the wetland have the potential to reduce flooding and erosion? (see p. 46)		
D	D 3.1 Characteristics of surface water flows out of the wetland Wetland has no surface water outlet points = 4 <u>Wetland has an intermittently flowing, or highly constricted, outlet.....</u> points = 2 Wetland has an unconstricted surface outlet points = 1 Wetland is flat and drains by surface flow or a ditch points = 0	2
D	D 3.2 Depth of storage during wet periods <i>Estimate the height of ponding above the bottom of the outlet (see text for description of measuring height).</i> Marks of ponding are at least 3 ft above the surface points = 7 The wetland is a "headwater" wetland" points = 5 Marks are at least 2 ft from surface points = 5 Marks are at least 6 in from surface points = 3 <u>Wetland is flat but has small depressions on the surface that trap water.....</u> points = 1 No marks of ponding above 6 in., or wetland has only saturated soils points = 0	1
D	D 3.3 Contribution of wetland to storage in the watershed <i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland itself.</i> The area of the basin is less than 10 times the area of wetland points = 5 <u>The area of the basin is 10 to 100 times the area of the wetland.....</u> points = 3 The area of the basin is more than 100 times the area of the wetland points = 0 Wetland is in the FLATS class (basin = the wetland, by definition) points = 5	3
D	Total for D 3 <i>Add the points in the boxes above</i>	6
D	D 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 48) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater <i>Note which of the following conditions apply.</i> <input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems <input type="checkbox"/> Wetland drains to a river or stream that has flooding problems <input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems <input type="checkbox"/> Other _____ YES multiplier is 2 <u>NO multiplier is 1</u>	multiplier <u>1</u>
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	6

HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 Vegetation structure (see p. 68) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 2 types points = 1 <input checked="" type="radio"/> 1 type points = 0 </p>	0
<p>H 1.2. Hydroperiods (see p. 69) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 <input checked="" type="radio"/> 3 types present points = 2 <input checked="" type="radio"/> 2 types present points = 1 <input type="radio"/> 1 type present points = 0 </p>	1
<p>H 1.3. Richness of Plant Species (see p. 71) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p>If you counted:</p> <p>List species below if you want to:</p> <p style="text-align: right;"> <input checked="" type="radio"/> > 19 species points = 2 <input checked="" type="radio"/> 5 - 19 species points = 1 <input type="radio"/> < 5 species points = 0 </p>	1

<p>H 1.4. Interspersion of habitats (see p. 72) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points High = 3 points</p> <p>[riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	0
<p>H 1.5. Special Habitat Features: (see p. 73) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	0
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores in the column above</i></p>	2
H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 75) Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</p> <ul style="list-style-type: none"> <input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5 <input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4 <input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4 <input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3 <input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3 <li style="padding-left: 40px;">If buffer does not meet any of the three criteria above <input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2 <input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2 <input type="checkbox"/> Heavy grazing in buffer..... Points = 1 <input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0 <input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1 	1

<p>H 2.2 <u>Corridors and Connections</u> (<i>see p. 76</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p>YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p>YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p>within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p>YES = 1 point NO = 0 points</p>	1
<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see p. 77</i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (<i>see text for a more detailed description of these priority habitats</i>)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p>	1

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 79)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores in the column above</p>	6
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	8

WETLAND RATING FORM – WESTERN WASHINGTON

Name of wetland (if known): Coal Creek Wetland C

Location: NE ¼ of SEC: 17 TOWNSHIP: 24N RANGE: 5E (attach map with outline of wetland to rating form)

Person(s) Rating Wetland: HM, MF Affiliation: The Watershed Company

Date of site visit: May 1, 2008

DRAFT SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	8
Score for Hydrologic Functions	10
Score for Habitat Functions	11
TOTAL score for functions	29

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

IV

Final Category (choose the “highest” category from above)

Check the appropriate type and class of wetland being rated.

Wetland Type	Wetland Class	
Estuarine	Depressional	X
Natural Heritage Wetland	Riverine	
Bog	Lake-fringe	
Mature Forest	Slope	
Old Growth Forest	Flats	
Coastal Lagoon	Freshwater Tidal	
Interdunal		
None of the above		

Does the wetland being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That Need Special Protection, and That Are Not Included in the Rating	YES	NO
SP1. <i>Has the wetland been documented as a habitat for any Federally listed Threatened or Endangered plant or animal species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X
SP2. <i>Has the wetland been documented as habitat for any State listed Threatened or Endangered plant or animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		X
SP3. <i>Does the wetland contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.</i>		X

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 20 for more detailed instructions on classifying wetlands.

Classification of Vegetated Wetlands for Western Washington

Wetland Name: Coal Creek Wetland C

Date: May 1, 2008

1. Are the water levels in the wetland usually controlled by tides (i.e. except during floods)?
NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

YES – **Freshwater Tidal Fringe** NO – **Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).*

2. Is the topography within the wetland flat and precipitation is only source (>90%) of water to it.
NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the wetland **meet both** of the following criteria?

The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) where at least 20 acres (8 ha) are permanently inundated (ponded or flooded);

At least 30% of the open water area is deeper than 6.6 ft (2 m)?

NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the wetland **meet all** of the following criteria?

The wetland is on a slope (*slope can be very gradual*),

The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.

The water leaves the wetland **without being impounded**?

NOTE: *Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*

NO – go to 5

YES – The wetland class is **Slope**

5. Is the wetland in a valley or stream channel where it gets inundated by overbank flooding from that stream or river? In general, the flooding should occur at least once every two years to answer “yes.” *The wetland can contain depressions that are filled with water when the river is not flooding.*

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the wetland in a topographic depression, outside areas that are inundated by overbank flooding, in which water ponds, or is saturated to the surface, at some time of the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Your wetland seems to be difficult to classify. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depression wetland has a zone of flooding along its sides. Sometimes we find characteristics of several different hydrogeomorphic classes within one wetland boundary. Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland being rated. If the area of the second class is less than 10% classify the wetland using the first class.


<i>HGM Classes Within a Delineated Wetland Boundary</i>	<i>Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality? (see p. 37)	
D	D 1.1 Characteristics of surface water flows out of the wetland: Wetland is a depression with no surface water outlet..... points = 3 Wetland has an intermittently flowing, or highly constricted, outlet..... points = 2 Wetland has an unconfined surface outlet points = 1 Wetland is flat and has no obvious outlet, or outlet is a ditch points = 0	3
D	D 1.2 The soil 2 inches below the surface is clay, organic, or smells anoxic (hydrogen sulfide or rotten eggs). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest class): Wetland has persistent, ungrazed, vegetation >= 95% of area points = 5 Wetland has persistent, ungrazed, vegetation >= 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation >= 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area..... points = 0	1
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > 1/2 total area of wetland..... points = 4 Area seasonally ponded is > 1/4 total area of wetland..... points = 2 Area seasonally ponded is < 1/4 total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	4
D	D 2. Does the wetland have the opportunity to improve water quality? (see p. 44) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	multiplier <u>2</u>
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	8

HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D 3. Does the wetland have the potential to reduce flooding and erosion? (see p. 46)		
D	D 3.1 Characteristics of surface water flows out of the wetland Wetland has no surface water outlet..... points = 4 Wetland has an intermittently flowing, or highly constricted, outlet..... points = 2 Wetland has an unconstricted surface outlet points = 1 Wetland is flat and drains by surface flow or a ditch points = 0	4
D	D 3.2 Depth of storage during wet periods <i>Estimate the height of ponding above the bottom of the outlet (see text for description of measuring height).</i> Marks of ponding are at least 3 ft above the surface..... points = 7 The wetland is a "headwater" wetland" points = 5 Marks are at least 2 ft from surface..... points = 5 Marks are at least 6 in from surface..... points = 3 Wetland is flat but has small depressions on the surface that trap water..... points = 1 No marks of ponding above 6 in., or wetland has only saturated soils points = 0	1
D	D 3.3 Contribution of wetland to storage in the watershed <i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland itself.</i> The area of the basin is less than 10 times the area of wetland..... points = 5 The area of the basin is 10 to 100 times the area of the wetland..... points = 3 The area of the basin is more than 100 times the area of the wetland..... points = 0 Wetland is in the FLATS class (basin = the wetland, by definition)..... points = 5	5
D	Total for D 3 <i>Add the points in the boxes above</i>	10
D	D 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 48) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater <i>Note which of the following conditions apply.</i> <input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems <input type="checkbox"/> Wetland drains to a river or stream that has flooding problems <input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>1</u>
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	10

HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 Vegetation structure (see p. 68) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 <input checked="" type="radio"/> 2 types points = 1 1 type points = 0 </p>	1
<p>H 1.2. Hydroperiods (see p. 69) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 3 types present points = 2 <input checked="" type="radio"/> 2 types present points = 1 </p>	1
<p>H 1.3. Richness of Plant Species (see p. 71) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p>If you counted:</p> <p>List species below if you want to:</p> <p style="text-align: right;"> <input checked="" type="radio"/> > 19 species points = 2 <input checked="" type="radio"/> 5 - 19 species points = 1 <input type="radio"/> < 5 species points = 0 </p>	1

<p>H 1.4. Interspersion of habitats (see p. 72) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p>  <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. Special Habitat Features: (see p. 73) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	1
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores in the column above</i></p>	5
<p>H 2. Does the wetland have the opportunity to provide habitat for many species?</p>	
<p>H 2.1 Buffers (see p. 75) Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</p> <ul style="list-style-type: none"> <input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5 <input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4 <input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4 <input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3 <input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 <li style="padding-left: 40px;">If buffer does not meet any of the three criteria above <input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2 <input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2 <input type="checkbox"/> Heavy grazing in buffer. Points = 1 <input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0 <input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1 	1

<p>H 2.2 <u>Corridors and Connections</u> (<i>see p. 76</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p>YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p>YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p>within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p>YES = 1 point NO = 0 points</p>	1
<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW</u> (<i>see p. 77</i>)</p> <p>Which of the following priority habitats are within 330ft (100m) of the wetland? (<i>see text for a more detailed description of these priority habitats</i>)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p>	1

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 79)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores in the column above</p>	6
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	11

Wetland name or number: Bellefield Park Lane Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Bellefield Park Lane Wetland Date of site visit: May 1, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 05 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 0.52 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	4
Score for Hydrologic Functions	8
Score for Habitat Functions	15
TOTAL score for functions	27

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

IV

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Bellefield Park Lane Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, **or you have more than 2 HGM classes within a wetland boundary**, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>), points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i>	1
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	1
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland..... points = 4 Area seasonally ponded is > ¼ total area of wetland..... points = 2 Area seasonally ponded is < ¼ total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	2
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier <u>2</u>
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	4

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p>Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2</p> <p><u>Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing)</u>, points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing). points = 0</p>	1
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p>Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p><u>Marks of ponding less than 0.5 ft</u> points = 0</p>	0
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. (contributing basin larger than 5,000 acres)</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p><u>The area of the basin is 10 to 100 times the area of the unit</u>..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	3
D	Total for D 3 <i>Add the points in the boxes above</i>	4
D	D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?	<i>(see p. 49)</i>
	<p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Other <u>small length of stream below wetland that could erode due to flooding</u></p> <p><input type="checkbox"/> YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	multiplier <u>2</u>
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	8

These questions apply to wetlands of all HGM classes.									
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 types or more</td> <td>points = 4</td> </tr> <tr> <td><u>3 types</u></td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	<u>3 types</u>	points = 2	2 types	points = 1	1 type	points = 0	2
4 types or more	points = 4								
<u>3 types</u>	points = 2								
2 types	points = 1								
1 type	points = 0								
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 or more types present</td> <td>points = 3</td> </tr> <tr> <td><u>3 types present</u></td> <td>points = 2</td> </tr> <tr> <td><u>2 types present</u></td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	<u>3 types present</u>	points = 2	<u>2 types present</u>	points = 1	1 types present	points = 0	1
4 or more types present	points = 3								
<u>3 types present</u>	points = 2								
<u>2 types present</u>	points = 1								
1 types present	points = 0								
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="margin-left: 40px;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>points = 2</td> </tr> <tr> <td><u>5 - 19 species</u></td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>POBA,</p>	> 19 species	points = 2	<u>5 - 19 species</u>	points = 1	< 5 species	points = 0	1		
> 19 species	points = 2								
<u>5 - 19 species</u>	points = 1								
< 5 species	points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	2
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	1
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	7

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats = 3 points</u> If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Bellefield Park Lane Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile. points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	7
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	15

Wetland name or number: Kelsey A Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey A Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 33 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D? Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 5.1 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	24
Score for Hydrologic Functions	32
Score for Habitat Functions	24
TOTAL score for functions	80

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

I

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Wetland name or number: Kelsey A Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey A Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	4
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	12
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input checked="" type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	24

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20..... points = 9 If the ratio is between 10 – 20..... points = 6 If the ratio is 5- <10 points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1..... points = 1</p>	9
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area..... points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria..... points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	16
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding. <input checked="" type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding <input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	32

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">4 types or more points = 4 3 types points = 2 2 types points = 1 1 type points = 0</p>	2
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <p style="text-align: right;">4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0</p>	3
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;">If you counted: > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0</p> <p>List species below if you want to:</p> <p>SALU, ALRU, POBA, SASI, ROPI, SPDO, POMU, ATFE, GEMA, VEAM, RUAR, LOIN, RUSP, FRLA, URDI, RARE, SCMI, LYAM, EQTE, SARA</p>	2

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	2
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input checked="" type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	13

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	3
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has <u>3 or more priority habitats</u> = 4 points If wetland has <u>2 priority habitats</u> = 3 points If wetland has <u>1 priority habitat</u> = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Kelsey A Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	11
<p>TOTAL for H1 from page 14</p>	13
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	24

Wetland name or number: Kelsey B Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey B Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 03, 04, 33, 34 TOWNSHIP: 24, 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size > 40 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	26
Score for Habitat Functions	27
TOTAL score for functions	73

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

I

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Wetland name or number: Kelsey B Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey B Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics








If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland..... points = 8 Depressions cover > 1/2 area of wetland..... points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present..... points = 0	4
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland..... points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	6
R	Total for R 1 <i>Add the points in the boxes above</i>	10
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input checked="" type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	10

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i> If the ratio is more than 20 points = 9 If the ratio is between 10 – 20 points = 6 If the ratio is 5- <10 points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1 points = 1</p>	6
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i> Forest or shrub for >1/3 area OR Emergent plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	13
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding. <input checked="" type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding <input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i> YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	26

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> <input type="checkbox"/> 4 types or more points = 4 <input type="checkbox"/> 3 types points = 2 <input type="checkbox"/> 2 types points = 1 <input type="checkbox"/> 1 type points = 0 </p>	4
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> <input type="checkbox"/> 4 or more types present points = 3 <input type="checkbox"/> 3 types present points = 2 <input type="checkbox"/> 2 types present points = 1 <input type="checkbox"/> 1 types present points = 0 </p>	3
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: <input type="checkbox"/> > 19 species points = 2 <input type="checkbox"/> 5 - 19 species points = 1 <input type="checkbox"/> < 5 species points = 0 </p> <p>List species below if you want to:</p> <p>SALU, SASI, POBA, THPL, ALRU, ROPI, SPDO, POMU, ATFE, GEMA, VEAM, TYLA, RUAR, RULA, LOIN, RUSP, FRLA, URDI, RARE, SCMI, LYAM, EQTE, SARA</p>	2

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; border: 1px solid black; display: inline-block; padding: 2px;">High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. <i>(structures for egg-laying by amphibians)</i> <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	16

H 2. Does the wetland have the opportunity to provide habitat for many species?		
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>		3
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 40px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 40px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>		2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats = 3 points</u> If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Kelsey B Wetland

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	16
<p>TOTAL for H1 from page 14</p>	11
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	27

Wetland name or number: Kelsey C Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey C Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 04 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 4 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	18
Score for Habitat Functions	18
TOTAL score for functions	52

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Wetland name or number: Kelsey C Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey C Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics







If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	2
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	6
R	Total for R 1 <i>Add the points in the boxes above</i>	8
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input checked="" type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	16

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20..... points = 9</p> <p>If the ratio is between 10 – 20..... points = 6</p> <p>If the ratio is 5- <10 points = 4</p> <p>If the ratio is 1- <5..... points = 2</p> <p>If the ratio is < 1..... points = 1</p>	2
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area..... points = 7</p> <p>Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4</p> <p>Vegetation does not meet above criteria..... points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	9
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57)</p> <p>Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	18

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 types or more</td> <td>points = 4</td> </tr> <tr> <td><u>3 types</u></td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	<u>3 types</u>	points = 2	2 types	points = 1	1 type	points = 0	2
4 types or more	points = 4								
<u>3 types</u>	points = 2								
2 types	points = 1								
1 type	points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 or more types present</td> <td>points = 3</td> </tr> <tr> <td>3 types present</td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	2
4 or more types present	points = 3								
3 types present	points = 2								
2 types present	points = 1								
1 types present	points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>points = 2</td> </tr> <tr> <td><u>5 - 19 species</u></td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>SALU, SASI, RUAR, RULA, URDI, RARE, SPDO, EQTE, etc.</p>	> 19 species	points = 2	<u>5 - 19 species</u>	points = 1	< 5 species	points = 0	1		
> 19 species	points = 2								
<u>5 - 19 species</u>	points = 1								
< 5 species	points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>None = 0 points</p> </div> <div style="text-align: center;">  <p>Low = 1 point</p> </div> <div style="text-align: center;">  <p>Moderate = 2 points</p> </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  <p>[riparian braided channels]</p> </div> </div> <p style="text-align: center; border: 1px solid black; padding: 2px; margin: 10px auto; width: fit-content;">High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	12

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres? YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Kelsey C Wetland

<p>H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	6
<p>TOTAL for H1 from page 14</p>	12
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	18

Wetland name or number: Kelsey D Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey D Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 04, 33 TOWNSHIP: 24, 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 5.5 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	32
Score for Hydrologic Functions	22
Score for Habitat Functions	21
TOTAL score for functions	75

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

I

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Wetland name or number: Kelsey D Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey D Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	4
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	12
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	24

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20..... points = 9 If the ratio is between 10 – 20..... points = 6 If the ratio is 5- <10..... points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1..... points = 1</p>	4
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area..... points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria..... points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	11
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input checked="" type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding. <input checked="" type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding <input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i> YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	22

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat													
H 1. Does the wetland have the potential to provide habitat for many species?													
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>.....</td> <td>points = 4</td> </tr> <tr> <td>3 types</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	3 types	points = 2	2 types	points = 1	1 type	points = 0	4
4 types or more	points = 4											
3 types	points = 2											
2 types	points = 1											
1 type	points = 0											
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 or more types present</td> <td>.....</td> <td>points = 3</td> </tr> <tr> <td>3 types present</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	3
4 or more types present	points = 3											
3 types present	points = 2											
2 types present	points = 1											
1 types present	points = 0											
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="margin-left: 40px;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">5 - 19 species</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>.....</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p>	> 19 species	points = 2	5 - 19 species	points = 1	< 5 species	points = 0	1			
> 19 species	points = 2											
5 - 19 species	points = 1											
< 5 species	points = 0											

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>[riparian braided channels]</p> <p>High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	<p>3</p>
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	<p>4</p>
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	<p>15</p>

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR <u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points <u>If wetland has 1 priority habitat = 1 point</u> No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Wetland name or number: Kelsey D Wetland

<p>H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	6
<p>TOTAL for H1 from page 14</p>	15
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	21

Wetland name or number: Kelsey E Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey E Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 33 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 3.0 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	22
Score for Hydrologic Functions	16
Score for Habitat Functions	16
TOTAL score for functions	54

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Wetland name or number: Kelsey E Wetland

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey E Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality? (see p. 38)	
D	<p>D 1.1 Characteristics of surface water flows out of the wetland:</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 3</p> <p><u>Unit has an intermittently flowing, or highly constricted permanently flowing outlet</u> points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p>	2
D	<p>D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>).</p> <p style="text-align: center;"><u>YES</u> points = 4 NO points = 0</p>	4
D	<p>D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class):</p> <p><u>Wetland has persistent, ungrazed, vegetation</u> > = 95% of area points = 5</p> <p>Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3</p> <p>Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1</p> <p>Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0</p>	5
D	<p>D1.4 Characteristics of seasonal ponding or inundation.</p> <p><i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i></p> <p>Area seasonally ponded is > ½ total area of wetland..... points = 4</p> <p>Area seasonally ponded is > ¼ total area of wetland..... points = 2</p> <p><u>Area seasonally ponded is < ¼ total area of wetland</u> points = 0</p> <p style="text-align: center;">NOTE: See text for indicators of seasonal and permanent inundation.</p>	0
D	<p>Total for D 1 <i>Add the points in the boxes above</i></p>	11
D	<p>D 2. Does the wetland unit have the opportunity to improve water quality? (see p. 44)</p> <p>Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i></p> <p><input type="checkbox"/> Grazing in the wetland or within 150 ft</p> <p><input checked="" type="checkbox"/> Untreated stormwater discharges to wetland</p> <p><input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland</p> <p><input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging</p> <p><input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland</p> <p><input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen</p> <p><input type="checkbox"/> Other _____</p> <p><u>YES</u> multiply score in D 1. by 2 NO multiply score in D 1. by 1</p>	multiplier <u>2</u>
D	<p>TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i></p>	22

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet] points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p><input type="checkbox"/> Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet]..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p>Marks of ponding less than 0.5 ft..... points = 0</p>	3
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p><input type="checkbox"/> The area of the basin is 10 to 100 times the area of the unit]..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	3
D	Total for D 3 <i>Add the points in the boxes above</i>	8
D	<p>D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?</p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	<i>(see p. 49)</i> multiplier 2
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	16

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 <input checked="" type="checkbox"/> 2 types points = 1 1 type points = 0 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <p> <input checked="" type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> <input checked="" type="checkbox"/> 4 or more types present points = 3 <input type="checkbox"/> 3 types present points = 2 <input type="checkbox"/> 2 types present points = 1 <input type="checkbox"/> 1 types present points = 0 </p>	3
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: > 19 species points = 2 <input checked="" type="checkbox"/> 5 - 19 species points = 1 < 5 species points = 0 </p> <p>List species below if you want to:</p>	1

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	2
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	3
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	10

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres? YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Kelsey E Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	6
<p>TOTAL for H1 from page 14</p>	10
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	16

Wetland name or number: Kelsey F Wetland

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Kelsey F Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 04, 33 TOWNSHIP: 24, 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 0.3 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	9
Score for Habitat Functions	17
TOTAL score for functions	46

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

III

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Kelsey F Wetland

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	2
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	10
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input checked="" type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	20

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20 points = 9</p> <p>If the ratio is between 10 – 20 points = 6</p> <p>If the ratio is 5- <10 points = 4</p> <p><input type="checkbox"/> If the ratio is 1- <5 points = 2</p> <p>If the ratio is < 1 points = 1</p>	2
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area points = 7</p> <p>Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4</p> <p>Vegetation does not meet above criteria points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	9
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	multiplier <u>1</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	9

Wetland lies at the very base of Kelsey Creek with no resources downstream that are affected by flooding.

These questions apply to wetlands of all HGM classes.									
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 types or more</td> <td>points = 4</td> </tr> <tr> <td><u>3 types</u></td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	<u>3 types</u>	points = 2	2 types	points = 1	1 type	points = 0	3
4 types or more	points = 4								
<u>3 types</u>	points = 2								
2 types	points = 1								
1 type	points = 0								
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 or more types present</td> <td>points = 3</td> </tr> <tr> <td><u>3 types present</u></td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>points = 1</td> </tr> <tr> <td>1 types present.....</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	<u>3 types present</u>	points = 2	2 types present	points = 1	1 types present.....	points = 0	2
4 or more types present	points = 3								
<u>3 types present</u>	points = 2								
2 types present	points = 1								
1 types present.....	points = 0								
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="margin-left: 40px;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>points = 2</td> </tr> <tr> <td><u>5 - 19 species</u></td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p style="margin-left: 40px;">SALU, SASI, ALRU, POBA, EQTE, RARE, etc.</p>	> 19 species	points = 2	<u>5 - 19 species</u>	points = 1	< 5 species	points = 0	1		
> 19 species	points = 2								
<u>5 - 19 species</u>	points = 1								
< 5 species	points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points High = 3 points [riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	1
<p>H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</p>	9

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres? YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats</u> = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Kelsey F Wetland

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	9
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	17

Wetland name or number: Newcastle A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Newcastle A Wetland Date of site visit: April 28, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 17 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 6.2 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	12
Score for Habitat Functions	21
TOTAL score for functions	53

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	x
Mature Forest		Slope	x
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	x

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Newcastle A

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, ***or you have more than 2 HGM classes within a wetland boundary***, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: <input type="checkbox"/> Unit is a depression with no surface water leaving it (no outlet)..... points = 3 <input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 <input type="checkbox"/> Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1 <input type="checkbox"/> Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i>	3
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). <input type="checkbox"/> YES points = 4 <input type="checkbox"/> NO points = 0	4
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area..... points = 0	5
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland..... points = 4 Area seasonally ponded is > ¼ total area of wetland..... points = 2 <input type="checkbox"/> Area seasonally ponded is < ¼ total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	12
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ <input type="checkbox"/> YES multiply score in D 1. by 2 <input type="checkbox"/> NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	24

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p><input type="checkbox"/> Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2</p> <p><input type="checkbox"/> Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p><input type="checkbox"/> Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p><input type="checkbox"/> Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	4
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p><input type="checkbox"/> Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p><input type="checkbox"/> The wetland is a “headwater” wetland” points = 5</p> <p><input type="checkbox"/> Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p><input type="checkbox"/> Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet..... points = 3</p> <p><input type="checkbox"/> Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p><input type="checkbox"/> Marks of ponding less than 0.5 ft..... points = 0</p>	3
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p><input type="checkbox"/> The area of the basin is less than 10 times the area of the unit points = 5</p> <p><input type="checkbox"/> The area of the basin is 10 to 100 times the area of the unit..... points = 3</p> <p><input type="checkbox"/> The area of the basin is more than 100 times the area of the unit points = 0</p> <p><input type="checkbox"/> Entire unit is in the FLATS class points = 5</p>	3
D	Total for D 3 <i>Add the points in the boxes above</i>	10
D	<p>D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?</p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> YES multiplier is 2 <input checked="" type="checkbox"/> NO multiplier is 1</p>	multiplier 1
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	10

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <p> <input type="checkbox"/> Aquatic bed <input type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 <input type="text" value="3"/> types points = 2 2 types points = 1 1 type points = 0 </p>	2
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input type="checkbox"/> Occasionally flooded or inundated <input type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input checked="" type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 3 types present points = 2 2 types present points = 1 1 types present points = 0 </p>	2
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: <input type="text" value="> 19 species"/> points = 2 5 - 19 species points = 1 < 5 species points = 0 </p> <p>List species below if you want to:</p>	2

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>[riparian braided channels] High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	3
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	12

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats = 3 points</u> If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Newcastle A

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile. points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	9
<p>TOTAL for H1 from page 14</p>	12
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	21

Wetland name or number: Newcastle B

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Newcastle B Wetland Date of site visit: April 28, 2008
Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training
SEC: 17 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 2.0 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	20
Score for Hydrologic Functions	9
Score for Habitat Functions	17
TOTAL score for functions	46

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

III

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*x
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		x
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		x
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		x

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the <u>potential</u> to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	2
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	8
R	Total for R 1 <i>Add the points in the boxes above</i>	10
R	R 2. Does the wetland have the <u>opportunity</u> to improve water quality? <i>(see p. 53)</i> Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input checked="" type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	20

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20 points = 9</p> <p>If the ratio is between 10 – 20 points = 6</p> <p>If the ratio is 5- <10 points = 4</p> <p><input type="checkbox"/> If the ratio is 1- <5 points = 2</p> <p>If the ratio is < 1 points = 1</p>	2
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area points = 7</p> <p>Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4</p> <p>Vegetation does not meet above criteria points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	9
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57)</p> <p>Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</p> <p><input type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</p> <p><input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	multiplier <u>1</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	9

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <p> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input type="checkbox"/> Forested (areas where trees have >30% cover) <input type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) </p> <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;"> 4 types or more points = 4 3 types points = 2 <input checked="" type="checkbox"/> 2 types points = 1 1 type points = 0 </p>	1
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <p> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input checked="" type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points </p> <p style="text-align: right;"> 4 or more types present points = 3 <input checked="" type="checkbox"/> 3 types present points = 2 2 types present points = 1 1 types present points = 0 </p>	2
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;"> If you counted: <input checked="" type="checkbox"/> > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0 </p> <p>List species below if you want to:</p>	2

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>[riparian braided channels]</p> <p>High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	3
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	9

H 2. Does the wetland have the opportunity to provide habitat for many species?		
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input checked="" type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>		3
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 40px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>		2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points <u>If wetland has 1 priority habitat = 1 point</u> No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>1</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Newcastle B

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile. points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	9
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	17

Wetland name or number: Phantom A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Phantom A Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 01, 02 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 38 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	20
Score for Habitat Functions	24
TOTAL score for functions	60

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	x
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	x

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Phantom A

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, **or you have more than 2 HGM classes within a wetland boundary**, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet..... points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>), points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 (<i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i>)	1
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	4
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	3
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland..... points = 4 Area seasonally ponded is > ¼ total area of wetland..... points = 2 Area seasonally ponded is < ¼ total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	8
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	16

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p><input type="checkbox"/> Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet]..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p>Marks of ponding less than 0.5 ft..... points = 0</p>	3
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p><input type="checkbox"/> The area of the basin is less than 10 times the area of the unit]..... points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	5
D	Total for D 3 <i>Add the points in the boxes above</i>	10
D	D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?	<i>(see p. 49)</i>
	<p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	multiplier <u>2</u>
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	20

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat	
H 1. Does the wetland have the potential to provide habitat for many species?	
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <p style="text-align: right;">4 types or more points = 4 3 types points = 2 2 types points = 1 1 type points = 0</p>	4
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated 4 or more types present points = 3 <input type="checkbox"/> Seasonally flooded or inundated 3 types present points = 2 <input type="checkbox"/> Occasionally flooded or inundated 2 types present points = 1 <input type="checkbox"/> Saturated only 1 types present points = 0 <input type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input checked="" type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points 	2
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;">If you counted: <input checked="" type="checkbox"/> > 19 species points = 2 5 - 19 species points = 1 < 5 species points = 0</p> <p>List species below if you want to:</p> <p>SALU, SASI, THPL, FRLA, POBA, ALRU, SPDO, RUSP, RUAR, RULA, ATFI, EQTE, LYAM, NUPO, POMU, RARE, GEMA, CAST, SARA, SPDO</p>	2

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	15

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (<i>see p. 80</i>) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (<i>see p. 81</i>)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points <u>If wetland has 2 priority habitats = 3 points</u> If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Phantom A

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	15
<p>TOTAL for H1 from page 14</p>	9
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	26

Wetland name or number: Phantom B

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Phantom B Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 02 TOWNSHIP: 24 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 39 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	16
Score for Hydrologic Functions	32
Score for Habitat Functions	25
TOTAL score for functions	73

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

I

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Phantom B

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

R	Riverine and Freshwater Tidal Fringe Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
R	R 1. Does the wetland have the potential to improve water quality?	<i>(see p. 52)</i>
R	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments during a flooding event: Depressions cover >3/4 area of wetland points = 8 Depressions cover > 1/2 area of wetland points = 4 Depressions present but cover < 1/2 area of wetland points = 2 No depressions present points = 0	2
R	R 1.2 Characteristics of the vegetation in the wetland: Forest or shrub > 2/3 the area of the wetland points = 8 Forest or shrub > 1/3 area of the wetland points = 6 Ungrazed, emergent plants > 2/3 area of wetland points = 6 Ungrazed emergent plants > 1/3 area of wetland points = 3 Forest, shrub, and ungrazed emergent < 1/3 area of wetland points = 0	6
R	Total for R 1 <i>Add the points in the boxes above</i>	8
R	R 2. Does the wetland have the opportunity to improve water quality? (see p. 53) Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input checked="" type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> The river or stream linked to the wetland has a contributing basin where human activities have raised levels of sediment, toxic compounds or nutrients in the river water above standards for water quality <input type="checkbox"/> Other _____ YES multiplier is 2 NO multiplier is 1	multiplier <u>2</u>
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2 <i>Add score to table on p. 1</i>	16

Comments

R Riverine and Freshwater Tidal Fringe Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream erosion		
	R 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 54)</i>
R	<p>R 3.1 Characteristics of the overbank storage the wetland provides: <i>Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (width of wetland)/(width of stream).</i></p> <p>If the ratio is more than 20..... points = 9 If the ratio is between 10 – 20..... points = 6 If the ratio is 5- <10 points = 4 If the ratio is 1- <5 points = 2 If the ratio is < 1..... points = 1</p>	9
R	<p>R 3.2 Characteristics of vegetation that slow down water velocities during floods: <i>Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description.</i></p> <p>Forest or shrub for >1/3 area OR Emergent plants > 2/3 area..... points = 7 Forest or shrub for > 1/10 area OR Emergent plants > 1/3 area points = 4 Vegetation does not meet above criteria..... points = 0</p>	7
R	Total for R 3 <i>Add the points in the boxes above</i>	16
R	<p>R 4. Does the wetland have the opportunity to reduce flooding and erosion? (see p. 57) Answer YES if the wetland is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. <i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding. <input checked="" type="checkbox"/> There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding <input type="checkbox"/> Other _____</p> <p><i>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</i></p> <p>YES multiplier is 2 NO multiplier is 1</p>	multiplier <u>2</u>
R	TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4 <i>Add score to table on p. 1</i>	32

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat													
H 1. Does the wetland have the potential to provide habitat for many species?													
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>.....</td> <td>points = 4</td> </tr> <tr> <td>3 types</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	3 types	points = 2	2 types	points = 1	1 type	points = 0	4
4 types or more	points = 4											
3 types	points = 2											
2 types	points = 1											
1 type	points = 0											
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 or more types present</td> <td>.....</td> <td>points = 3</td> </tr> <tr> <td>3 types present</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	3
4 or more types present	points = 3											
3 types present	points = 2											
2 types present	points = 1											
1 types present	points = 0											
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: center;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">> 19 species</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>5 - 19 species</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>.....</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>PISI, SASI, SALU, THLP, POBA, ALRU, SPDO, RUSP, TSHE, RUAR, RULA, SARA, ATFI, LYAM, POMU, RARE, SAXspp, GEMA, BEPU, Poa sp.</p>	> 19 species	points = 2	5 - 19 species	points = 1	< 5 species	points = 0	2			
> 19 species	points = 2											
5 - 19 species	points = 1											
< 5 species	points = 0											

<p>H 1.4. <u>Interspersion of habitats</u> (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>High = 3 points</p> <p>[riparian braided channels]</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. <u>Special Habitat Features:</u> (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	16

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other. <input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres). <input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft. <input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. <input checked="" type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest. <input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community. <input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs. <input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages <input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%. <input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development. <input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons. <input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control). <p><u>If wetland has 3 or more priority habitats = 4 points</u> If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Phantom B

<p>H 2.4 Wetland Landscape (<i>choose the one description of the landscape around the wetland that best fits</i>) <i>(see p. 84)</i></p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1, H2.2, H2.3, H2.4</i></p>	16
<p>TOTAL for H1 from page 14</p>	9
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	25

Wetland name or number: Larsen A

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Larsen A Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 02, 34, 35 TOWNSHIP: 24, 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 88 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	18
Score for Hydrologic Functions	24
Score for Habitat Functions	26
TOTAL score for functions	68

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	x

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Larsen A

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6

YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7

YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet] points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 <i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i>	2
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	4
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	3
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland..... points = 4 Area seasonally ponded is > ¼ total area of wetland..... points = 2 Area seasonally ponded is < ¼ total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	9
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	18

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p><input type="checkbox"/> Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5</p> <p>Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p>Marks of ponding less than 0.5 ft..... points = 0</p>	5
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p><input type="checkbox"/> The area of the basin is less than 10 times the area of the unit points = 5</p> <p>The area of the basin is 10 to 100 times the area of the unit points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	5
D	Total for D 3 <i>Add the points in the boxes above</i>	12
D	<p>D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?</p> <p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	<i>(see p. 49)</i> multiplier 2
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	24

These questions apply to wetlands of all HGM classes.									
HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat									
H 1. Does the wetland have the potential to provide habitat for many species?									
<p>H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or ¼ acre.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>..... points = 4</td> </tr> <tr> <td>3 types</td> <td>..... points = 2</td> </tr> <tr> <td>2 types</td> <td>..... points = 1</td> </tr> <tr> <td>1 type</td> <td>..... points = 0</td> </tr> </table>	4 types or more points = 4	3 types points = 2	2 types points = 1	1 type points = 0	4
4 types or more points = 4								
3 types points = 2								
2 types points = 1								
1 type points = 0								
<p>H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Permanently flooded or inundated <input checked="" type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 or more types present</td> <td>..... points = 3</td> </tr> <tr> <td>3 types present</td> <td>..... points = 2</td> </tr> <tr> <td>2 types present</td> <td>..... points = 1</td> </tr> <tr> <td>1 type present</td> <td>..... points = 0</td> </tr> </table>	4 or more types present points = 3	3 types present points = 2	2 types present points = 1	1 type present points = 0	3
4 or more types present points = 3								
3 types present points = 2								
2 types present points = 1								
1 type present points = 0								
<p>H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="text-align: right;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">> 19 species</td> <td>..... points = 2</td> </tr> <tr> <td>5 - 19 species</td> <td>..... points = 1</td> </tr> <tr> <td>< 5 species</td> <td>..... points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>THPL, PICO, PISI, TSHE, PSME, POBA, SALU, SASI, ALRU, PEPU, RUAR, RULA, SPDO, SARA, RUSP, GEMA, ATFI, POMU, Blueberry, RARE, NUPO, JUEF</p>	> 19 species points = 2	5 - 19 species points = 1	< 5 species points = 0	2		
> 19 species points = 2								
5 - 19 species points = 1								
< 5 species points = 0								

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	4
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	16

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;">within 3 mi of a large field or pasture (>40 acres) OR</p> <p style="padding-left: 20px;"><u>within 1 mi of a lake greater than 20 acres?</u></p> <p style="text-align: center;">YES = 1 point NO = 0 points</p>	2

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? <i>(see text for a more detailed description of these priority habitats)</i></p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input checked="" type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>4</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Larsen A

<p>H 2.4 <u>Wetland Landscape</u> (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	10
<p>TOTAL for H1 from page 14</p>	16
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	26

Wetland name or number: Larsen B

WETLAND RATING FORM – WESTERN WASHINGTON
Version 2 – Updated July 2006 to increase accuracy and reproducibility among users

Name of wetland: Larsen B Wetland Date of site visit: May 2, 2008

Rated by: Mike Foster Trained by Ecology? Yes No * Date of Training

SEC: 34 TOWNSHIP: 25 N RANGE: 05 E Is S/T/R in Appendix D Yes No

* Staff training received in UW Wetland Certificate program

Estimated Size 3.2 acres

SUMMARY OF RATING

Category based on FUNCTIONS provided by wetland

I II III IV

Category I = Score >70
Category II = Score 51-69
Category III = Score 30-50
Category IV = Score < 30

Score for Water Quality Functions	14
Score for Hydrologic Functions	16
Score for Habitat Functions	21
TOTAL score for functions	51

Category based on SPECIAL CHARACTERISTICS of wetland

I II Does not Apply

Final Category (choose the “highest” category from above)

II

Check the appropriate type and class of wetland being rated.

Wetland Type		Wetland Class	
Estuarine		Depressional	x
Natural Heritage Wetland		Riverine	x
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	x	Check if unit has multiple HGM classes present	x

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. <i>Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state or federal database.		*X
SP2. <i>Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?</i> For the purposes of this rating system, “documented” means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		X
SP3. <i>Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?</i>		X
SP4. <i>Does the wetland unit have a local significance in addition to its functions?</i> For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		X

** Washington Department of Fish and Wildlife Priority Habitats and Species Data have not been requested in the course of this initial review for this project.*

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. Classifying the wetland first simplifies the questions needed to answer how it functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in Questions 1-7 apply, and go to Question 8.

1. Are the water levels in the wetland unit usually controlled by tides (i.e. except during floods)?
 NO – go to 2 YES – the wetland class is **Tidal Fringe**

If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? **YES – Freshwater Tidal Fringe** **NO – Saltwater Tidal Fringe (Estuarine)**

*If your wetland can be classified as a Freshwater Tidal Fringe use the forms for **Riverine** wetlands. If it is Saltwater Tidal Fringe it is rated as an **Estuarine** wetland.* Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term “Estuarine” wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).

2. The entire wetland unit is flat and precipitation is only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit
 NO – go to 3 YES – The wetland class is **Flats**

If your wetland can be classified as a “Flats” wetland, use the form for **Depressional** wetlands.

3. Does the entire wetland unit **meet both** of the following criteria?
 The vegetated part of the wetland is on the shores of a body of open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;
 At least 30% of the open water area is deeper than 6.6 ft (2 m)?
 NO – go to 4 YES – The wetland class is **Lake-fringe (Lacustrine Fringe)**

4. Does the entire wetland unit **meet all** of the following criteria?
 The wetland is on a slope (*slope can be very gradual*),
 The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
 The water leaves the wetland **without being impounded**?
NOTE: *Surface water does not pond in these types of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than a foot deep).*
 NO – go to 5 YES – The wetland class is **Slope**

Wetland name or number: Larsen B

5. Does the entire wetland unit **meet all** of the following criteria?

- The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river.
- The overbank flooding occurs at least once every two years

NOTE: The riverine unit can contain depressions that are filled with water when the river is not flooding.

NO - go to 6 YES – The wetland class is **Riverine**

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. *This means that any outlet, if present, is higher than the interior of the wetland.*

NO – go to 7 YES – The wetland class is **Depressional**

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8 YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. **GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT** (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. **NOTE:** Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit, classify the wetland using the class that represents more than 90% of the total area.

<i>HGM classes within the wetland unit being rated</i>	<i>HGM Class to Use in Rating</i>
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater wetland	Treat as ESTUARINE under wetlands with special characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands	Points
WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve water quality		
D	D 1. Does the wetland have the potential to improve water quality?	<i>(see p. 38)</i>
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet)..... points = 3 Unit has an intermittently flowing, or highly constricted permanently flowing outlet] points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1 Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet , and/or outlet is a man-made ditch points = 1 (<i>If ditch is not permanently flowing treat unit as “intermittently flowing”</i>)	2
D	D 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (<i>use NRCS definitions</i>). YES points = 4 NO points = 0	0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class): Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation < 1/10 of area points = 0	5
D	D1.4 Characteristics of seasonal ponding or inundation. <i>This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs.</i> Area seasonally ponded is > ½ total area of wetland..... points = 4 Area seasonally ponded is > ¼ total area of wetland..... points = 2 Area seasonally ponded is < ¼ total area of wetland..... points = 0 NOTE: See text for indicators of seasonal and permanent inundation.	0
D	Total for D 1 <i>Add the points in the boxes above</i>	7
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland? <i>Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.</i> <input type="checkbox"/> Grazing in the wetland or within 150 ft <input checked="" type="checkbox"/> Untreated stormwater discharges to wetland <input type="checkbox"/> Tilled fields or orchards within 150 ft of wetland <input type="checkbox"/> A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging <input checked="" type="checkbox"/> Residential, urban areas, golf courses are within 150 ft of wetland <input type="checkbox"/> Wetland is fed by groundwater high in phosphorus or nitrogen <input type="checkbox"/> Other _____ YES multiply score in D 1. by 2 NO multiply score in D 1. by 1	<i>(see p. 44)</i> multiplier 2
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 <i>Add score to table on p. 1</i>	14

D Depressional and Flats Wetlands		
HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce flooding and stream degradation		
D	D 3. Does the wetland have the potential to reduce flooding and erosion?	<i>(see p. 46)</i>
D	<p>D 3.1 Characteristics of surface water flows out of the wetland unit</p> <p>Unit is a depression with no surface water leaving it (no outlet)..... points = 4</p> <p><input type="checkbox"/> Unit has an intermittently flowing, or highly constricted permanently flowing outlet] points = 2</p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 1</p> <p>Unit is a “flat” depression (Q.7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet, and/or outlet is a man-made ditch points = 1</p> <p><i>(If ditch is not permanently flowing treat unit as “intermittently flowing”)</i></p> <p>Unit has an unconstricted, or slightly constricted, surface outlet (<i>permanently flowing</i>) . points = 0</p>	2
D	<p>D 3.2 Depth of storage during wet periods</p> <p><i>Estimate the height of ponding above the bottom of the outlet For units with no outlet measure from the surface of permanent water or deepest part (if dry).</i></p> <p>Marks of ponding are at least 3 ft or more above the surface or bottom of outlet..... points = 7</p> <p>The wetland is a “headwater” wetland” points = 5</p> <p>Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet..... points = 5</p> <p><input type="checkbox"/> Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet]..... points = 3</p> <p>Unit is flat (yes to Q.2 or Q.7 on key) but has small depressions on the surface that trap water points = 1</p> <p>Marks of ponding less than 0.5 ft..... points = 0</p>	3
D	<p>D 3.3 Contribution of wetland unit to storage in the watershed</p> <p><i>Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</i></p> <p>The area of the basin is less than 10 times the area of the unit points = 5</p> <p><input type="checkbox"/> The area of the basin is 10 to 100 times the area of the unit]..... points = 3</p> <p>The area of the basin is more than 100 times the area of the unit points = 0</p> <p>Entire unit is in the FLATS class points = 5</p>	3
D	Total for D 3 <i>Add the points in the boxes above</i>	8
D	D 4. Does the wetland unit have the opportunity to reduce flooding and erosion?	<i>(see p. 49)</i>
D	<p>Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.</p> <p><i>Note which of the following conditions apply.</i></p> <p><input type="checkbox"/> Wetland is in a headwater of a river or stream that has flooding problems</p> <p><input checked="" type="checkbox"/> Wetland drains to a river or stream that has flooding problems</p> <p><input type="checkbox"/> Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems</p> <p><input type="checkbox"/> Other _____</p> <p><input checked="" type="checkbox"/> YES multiplier is 2 <input type="checkbox"/> NO multiplier is 1</p>	multiplier <u>2</u>
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	16

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that wetland functions to provide important habitat													
H 1. Does the wetland have the potential to provide habitat for many species?													
<p>H 1.1 <u>Vegetation structure</u> (see p. 72) Check the types of vegetation classes present (as defined by Cowardin) if the class covers more than 10% of the area of the wetland or 1/4 acre.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Aquatic bed <input checked="" type="checkbox"/> Emergent plants <input checked="" type="checkbox"/> Scrub/shrub (areas where shrubs have >30% cover) <input checked="" type="checkbox"/> Forested (areas where trees have >30% cover) <input checked="" type="checkbox"/> Forested areas have 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) <p>Add the number of vegetation types that qualify. If you have:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td style="border: 1px solid black; padding: 2px;">4 types or more</td> <td>.....</td> <td>points = 4</td> </tr> <tr> <td>3 types</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 type</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 types or more	points = 4	3 types	points = 2	2 types	points = 1	1 type	points = 0	4
4 types or more	points = 4											
3 types	points = 2											
2 types	points = 1											
1 type	points = 0											
<p>H 1.2. <u>Hydroperiods</u> (see p. 73) Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or 1/4 acre to count. (see text for descriptions of hydroperiods)</p> <ul style="list-style-type: none"> <input type="checkbox"/> Permanently flooded or inundated <input type="checkbox"/> Seasonally flooded or inundated <input checked="" type="checkbox"/> Occasionally flooded or inundated <input checked="" type="checkbox"/> Saturated only <input checked="" type="checkbox"/> Permanently flowing stream or river in, or adjacent to, the wetland <input type="checkbox"/> Seasonally flowing stream in, or adjacent to, the wetland <input type="checkbox"/> Lake-fringe wetland = 2 points <input type="checkbox"/> Freshwater tidal wetland = 2 points <table style="margin-left: auto; margin-right: 0;"> <tr> <td>4 or more types present</td> <td>.....</td> <td>points = 3</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">3 types present</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td>2 types present</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>1 types present</td> <td>.....</td> <td>points = 0</td> </tr> </table>	4 or more types present	points = 3	3 types present	points = 2	2 types present	points = 1	1 types present	points = 0	2
4 or more types present	points = 3											
3 types present	points = 2											
2 types present	points = 1											
1 types present	points = 0											
<p>H 1.3. <u>Richness of Plant Species</u> (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle</p> <p style="margin-left: 40px;">If you counted:</p> <table style="margin-left: auto; margin-right: 0;"> <tr> <td>> 19 species</td> <td>.....</td> <td>points = 2</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">5 - 19 species</td> <td>.....</td> <td>points = 1</td> </tr> <tr> <td>< 5 species</td> <td>.....</td> <td>points = 0</td> </tr> </table> <p>List species below if you want to:</p> <p>SALU, SASI, RUSP, LOIN, EQTE, RARE, ATFI, etc</p>	> 19 species	points = 2	5 - 19 species	points = 1	< 5 species	points = 0	1			
> 19 species	points = 2											
5 - 19 species	points = 1											
< 5 species	points = 0											

<p>H 1.4. Interspersion of habitats (see p. 76) Decided from the diagrams below whether interspersion between types of vegetation (described in H 1.1), or vegetation types and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.</p> <p>None = 0 points Low = 1 point Moderate = 2 points</p> <p>[riparian braided channels]</p> <p>High = 3 points</p> <p>NOTE: If you have four or more vegetation types or three vegetation types and open water the rating is always "high".</p>	3
<p>H 1.5. Special Habitat Features: (see p. 77) <i>Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (diameter at the bottom > 4 inches) in the wetland <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream for at least 33 ft (10m) <input type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present <input type="checkbox"/> At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated. (structures for egg-laying by amphibians) <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in each stratum of plants 	3
<p>H 1. TOTAL Score - potential for providing habitat <i>Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5</i></p>	13

H 2. Does the wetland have the opportunity to provide habitat for many species?	
<p>H 2.1 Buffers (see p. 80) <i>Choose the description that best represents condition of buffer of wetland. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."</i></p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No developed areas within undisturbed part of buffer. (relatively undisturbed also means no-grazing) Points = 5</p> <p><input type="checkbox"/> 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference..... Points = 4</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference..... Points = 4</p> <p><input type="checkbox"/> 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference..... Points = 3</p> <p><input type="checkbox"/> 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference..... Points = 3</p> <p style="text-align: center;">If buffer does not meet any of the criteria above</p> <p><input type="checkbox"/> No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK..... Points = 2</p> <p><input type="checkbox"/> Heavy grazing in buffer. Points = 1</p> <p><input type="checkbox"/> Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland Points = 0</p> <p><input checked="" type="checkbox"/> Buffer does not meet any of the criteria above. Points = 1</p>	1
<p>H 2.2 Corridors and Connections (see p. 81)</p> <p>H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (<i>dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor</i>).</p> <p style="text-align: center;">YES = 4 points (go to H 2.3) NO = go to H 2.2.2</p> <p>H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above?</p> <p style="text-align: center;">YES = 2 points (go to H 2.3) NO = H 2.2.3</p> <p>H 2.2.3 Is the wetland:</p> <p style="padding-left: 20px;">within 5 mi (8km) of a brackish or salt water estuary OR</p> <p style="padding-left: 20px;"><u>within 3 mi of a large field or pasture (>40 acres)</u> OR</p> <p style="padding-left: 20px;">within 1 mi of a lake greater than 20 acres?</p> <p style="text-align: center;"><input checked="" type="checkbox"/> YES = 1 point NO = 0 points</p>	1

<p>H 2.3 <u>Near or adjacent to other priority habitats listed by WDFW (see p. 82)</u> Which of the following priority habitats are within 330ft (100m) of the wetland? (see text for a more detailed description of these priority habitats)</p> <p><input checked="" type="checkbox"/> Riparian: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.</p> <p><input type="checkbox"/> Aspen Stands: Pure or mixed stands of aspen greater than 0.8 ha (2 acres).</p> <p><input type="checkbox"/> Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.</p> <p><input type="checkbox"/> Old-growth forests: (Old-growth west of Cascade crest) Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 20 trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age.</p> <p><input type="checkbox"/> Mature forests: Stands with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less than 100%; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80 - 200 years old west of the Cascade crest.</p> <p><input type="checkbox"/> Prairies: Relatively undisturbed areas (as indicated by dominance of native plants) where grasses and/or forbs form the natural climax plant community.</p> <p><input type="checkbox"/> Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.</p> <p><input type="checkbox"/> Caves: A naturally occurring cavity, recess, void, or system of interconnected passages</p> <p><input type="checkbox"/> Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where canopy coverage of the oak component of the stand is 25%.</p> <p><input checked="" type="checkbox"/> Urban Natural Open Space: A priority species resides within or is adjacent to the open space and uses it for breeding and/or regular feeding; and/or the open space functions as a corridor connecting other <i>priority habitats</i>, especially those that would otherwise be isolated; and/or the open space is an isolated remnant of natural habitat larger than 4 ha (10 acres) and is surrounded by urban development.</p> <p><input type="checkbox"/> Estuary/Estuary-like: Deepwater tidal habitats and adjacent tidal wetlands, usually semi-enclosed by land but with open, partly obstructed or sporadic access to the open ocean, and in which ocean water is at least occasionally diluted by freshwater runoff from the land. The salinity may be periodically increased above that of the open ocean by evaporation. Along some low-energy coastlines there is appreciable dilution of sea water. Estuarine habitat extends upstream and landward to where ocean-derived salts measure less than 0.5% during the period of average annual low flow. Includes both estuaries and lagoons.</p> <p><input type="checkbox"/> Marine/Estuarine Shorelines: Shorelines include the intertidal and subtidal zones of beaches, and may also include the backshore and adjacent components of the terrestrial landscape (e.g., cliffs, snags, mature trees, dunes, meadows) that are important to shoreline associated fish and wildlife and that contribute to shoreline function (e.g., sand/rock/log recruitment, nutrient contribution, erosion control).</p> <p>If wetland has 3 or more priority habitats = 4 points If wetland has 2 priority habitats = 3 points If wetland has 1 priority habitat = 1 point No habitats = 0 points</p> <p><i>Note: All vegetated wetland are by definition a priority habitat but are not included in this list. Nearby wetlands are addressed in question H2.4.</i></p>	<p>3</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

Wetland name or number: Larsen B

<p>H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)</p> <p>There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development) points = 5</p> <p>The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5</p> <p>There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3</p> <p>The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3</p> <p>There is at least 1 wetland within ½ mile. points = 2</p> <p>There are no wetlands within ½ mile..... points = 0</p>	3
<p>H 2. TOTAL Score - opportunity for providing habitat Add the scores from H2.1, H2.2, H2.3, H2.4</p>	8
<p>TOTAL for H1 from page 14</p>	13
<p>Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1</p>	21

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Meydenbauer Beach A Staff Mike Foster Date March 25, 2008
 Location S 31 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>6</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input checked="" type="checkbox"/> Groundwater only	<input type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW d PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Meydenbauer Beach B Staff Mike Foster Date March 25, 2008
 Location S 31 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>6</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input checked="" type="checkbox"/> Groundwater only	<input type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW d PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Meydenbauer Beach C Staff Mike Foster Date March 25, 2008
 Location S 31 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>6</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input checked="" type="checkbox"/> Groundwater only	<input type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW d PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

Wetland # Meydenbauer Creek A Staff Mike Foster Date March 25, 2008

Location S 31 T 25N R 5E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input checked="" type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	2
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	3
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1			Subtotal/5
	<input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) 6	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input checked="" type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) 12	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input checked="" type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input checked="" type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) 5	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) 10	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Wetland # Meydenbauer Creek A Staff Mike Foster Date March 25, 2008

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input checked="" type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	1
Input	<input type="checkbox"/> Groundwater only	<input type="checkbox"/> Surface flow and groundwater	<input checked="" type="checkbox"/> Surface flow	3
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			Subtotal/5
				11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat
Points (max 36) 19			
Points (max 9) 6			
Points (max 15) 10			

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Meydenbauer Creek A Staff Mike Foster Date March 25, 2008

Cultural/ Socio-economic Points (max 18) <u>12</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input checked="" type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant Vegetation *Typha latifolia*

Wildlife
 Canada goose
 Bufflehead
 Common merganser
 Violet green swallow
 Coot
 crow

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Meydenbauer Creek B Staff Mike Foster Date March 25, 2008
 Location S 32 T 25 R 5E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	3
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 7 1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>6</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>4</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input checked="" type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>11</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total	
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	2	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	2	
Input	<input type="checkbox"/> Groundwater only	<input type="checkbox"/> Surface flow and groundwater	<input checked="" type="checkbox"/> Surface flow	3	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5	11
	<input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2				
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			2	

Natural Biological Support Points (max 36) <u>19</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 spp)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input type="checkbox"/> buffers very disturbed	<input checked="" type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions Points (max 9) <u>4</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions Points (max 15) <u>12</u>	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant Vegetation Salix sitchensis
 Rubus spectabilis
 Reed canarygrass

Wildlife passerines

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Mercer Slough Wetland Staff Mike Foster Date May 2, 2008
 Location S 5 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	3
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	3
Buffer Size	<input type="checkbox"/> < 75 feet	<input checked="" type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	2
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input checked="" type="checkbox"/> < 20% disturbed	3
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 13
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			3

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>8</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input checked="" type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>7</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>7</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input checked="" type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>14</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input checked="" type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input checked="" type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	1
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input checked="" type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 10 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input checked="" type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input checked="" type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input checked="" type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input checked="" type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input checked="" type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input checked="" type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input checked="" type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input checked="" type="checkbox"/> high bird habitat
Points (max 36)	31		
Points (max 9)	9		
Points (max 15)	14		

Cultural/ Socio-economic Points (max 18) 16	<input type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input checked="" type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input checked="" type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input type="checkbox"/> lacks historical or archeological resources	<input checked="" type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant Vegetation Salix sitchensis, Betula pumila, Betula

Wildlife Beaver, merganser, stellar's jay, red-tailed hawk, bald eagle, coots, bufflehead, Coho, Chinook, Chum, etc.

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Sturtevant Creek Staff Mike Foster Date May 2, 2008
 Location S 32/05 T 25/24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input checked="" type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input checked="" type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			3

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>9</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input checked="" type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>6</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>6</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>12</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 12
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat
Points (max 36) 24			
Points (max 9) 6			
Points (max 15) 10			

Cultural/ Socio-economic Points (max 18) <u>7</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # SE 40th Street Boatlaunch Wetland Staff Mike Foster Date May 1, 2008
 Location S 33 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5
				6
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>7</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input checked="" type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	1
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	3
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	2
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 9
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Coal Creek A Staff Mike Foster Date May 1, 2008
 Location S 08 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 7
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>7</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input checked="" type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>7</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>7</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>10</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input checked="" type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	1
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 9
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input checked="" type="checkbox"/> > 50 % invasive species	<input type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats	
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant Vegetation *Phalaris arundinacea*, *Salix lucida*, *Salix sitchensis*

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Coal Creek B Staff Mike Foster Date May 1, 2008
 Location S 08 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 6
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>7</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input checked="" type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	1
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	3
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	2
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 9
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Coal Creek C Staff Mike Foster Date May 1, 2008
 Location S 08 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 6
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>7</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input checked="" type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	1
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	3
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	2
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 9
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Bellefield Park Lane Staff Mike Foster Date May 1, 2008
 Location S 05 T 27N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 6
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>9</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input checked="" type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>9</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input checked="" type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	1
Drainage Basin Size	<input checked="" type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	1
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	3
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	2
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 9
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input checked="" type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input checked="" type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input checked="" type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input checked="" type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>6</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input checked="" type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek A Staff Mike Foster Date May 2, 2008
 Location S 33 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input checked="" type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	2
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input checked="" type="checkbox"/> > 200 feet	3
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	2
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 10
	<input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) 10	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) 6	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) 6	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) 12	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input checked="" type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 13
				3

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input checked="" type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input type="checkbox"/> 10 to 50 % invasive species	<input checked="" type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input type="checkbox"/> buffers very disturbed	<input checked="" type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>11</u>	<input type="checkbox"/> low educational opportunities	<input checked="" type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input checked="" type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant Vegetation Salix lucida, Salix sitchensis, Rubus spectabilis

Wildlife passerines

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek B Staff Mike Foster Date May 2, 2008
 Location S 03/04 T 24N R 05E N/A = Not Applicable, N/I = No information available
 S 33/34 T 25N R 05E

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	3
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input checked="" type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	2
Buffer Size	<input type="checkbox"/> < 75 feet	<input checked="" type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	2
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	2
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) 9	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) 6	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) 6	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) 11	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	2
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input checked="" type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	1
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input checked="" type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input type="checkbox"/> buffers very disturbed	<input checked="" type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input checked="" type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input checked="" type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input checked="" type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input checked="" type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input checked="" type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat
Points (max 36) 27			
Points (max 9) 8			
Points (max 15) 13			

Cultural/ Socio-economic Points (max 18) <u> 11 </u>	<input type="checkbox"/> low educational opportunities	<input checked="" type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input checked="" type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input checked="" type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant Vegetation *Salix lucida*, *Salix sitchensis*, *Phalaris arundinacea*

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek C Staff Mike Foster Date May 2, 2008
 Location S 04 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 6
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) _____	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input checked="" type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>10</u>	<input checked="" type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	2
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	2
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 12
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u> 7 </u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek D Staff Mike Foster Date May 2, 2008
 Location S 04 T 24N R 05E N/A = Not Applicable, N/I = No information available
 S 33 T 25N R 05E

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input checked="" type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	2
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1			subtotal/5 7
	<input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2			
	<input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) 8	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) 5	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) 6	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) 11	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	2
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	3
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	2
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	2
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	3
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 12
				2

Natural Biological Support Points (max 36) 25	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input type="checkbox"/> buffers very disturbed	<input checked="" type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions Points (max 9) 5	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions Points (max 15) 10	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u> 7 </u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek E Staff Mike Foster Date May 2, 2008
 Location S 33 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	2
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 6
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u> 7 </u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u> 5 </u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u> 3 </u>	<input checked="" type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u> 13 </u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u> 5 </u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Kelsey Creek F Staff Mike Foster Date May 2, 2008
 Location S 04 T 24N R 05E N/A = Not Applicable, N/I = No information available
 S 33 T 25N R 05E

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>8</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>5</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>5</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input checked="" type="checkbox"/> wetland extends < 30 m from OHWM	<input type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>11</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 12
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input checked="" type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input checked="" type="checkbox"/> low mammal habitat	<input type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input checked="" type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) <u>7</u>	<input checked="" type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input checked="" type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Newcastle A Staff Mike Foster Date March 25, 2008
 Location S 17 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input checked="" type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>10</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>6</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>7</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input checked="" type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>11</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats	
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat
Points (max 36) 24			
Points (max 9) 6			
Points (max 15) 10			

Cultural/ Socio-economic Points (max 18) 13	<input type="checkbox"/> low educational opportunities	<input checked="" type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Newcastle B Staff Mike Foster Date March 25, 2008
 Location S 17 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input checked="" type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input type="checkbox"/> > 60% disturbed	<input checked="" type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 10
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>10</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>6</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input checked="" type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>7</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input type="checkbox"/> <20 % shoreline developed	<input checked="" type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>11</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input checked="" type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input checked="" type="checkbox"/> 20-40 % impervious	<input type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input checked="" type="checkbox"/> 2 layers of vegetation	<input type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input checked="" type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input checked="" type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input checked="" type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats	
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input checked="" type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat
Points (max 36) 24			
Points (max 9) 6			
Points (max 15) 10			

Cultural/ Socio-economic Points (max 18) 13	<input type="checkbox"/> low educational opportunities	<input checked="" type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Phantom A Staff Mike Foster Date May 1, 2008
 Location S 01/02 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input type="checkbox"/> < 75 feet	<input checked="" type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5
				11
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>13</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>12</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
	<input type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input checked="" type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>6</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>13</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input checked="" type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input checked="" type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input checked="" type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input checked="" type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats	
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input checked="" type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input checked="" type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input checked="" type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input checked="" type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) 16	<input type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input checked="" type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input checked="" type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input type="checkbox"/> lacks historical or archeological resources	<input checked="" type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Phantom B Staff Mike Foster Date May 1, 2008
 Location S 01/02 T 24N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input type="checkbox"/> < 75 feet	<input checked="" type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5
				11
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>13</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>12</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
	<input type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input checked="" type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>6</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>13</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input checked="" type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input checked="" type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input checked="" type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input checked="" type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats	
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input checked="" type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input checked="" type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input checked="" type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input checked="" type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) 16	<input type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input checked="" type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input checked="" type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input type="checkbox"/> lacks historical or archeological resources	<input checked="" type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Larsen A Staff Mike Foster Date May 1, 2008
 Location S 02 T 24N R 05E N/A = Not Applicable, N/I = No information available
 S 34/35 T 25N R 05E

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input checked="" type="checkbox"/> > 10 acres	
Wetland Loss in Basin	<input type="checkbox"/> < 20 %	<input checked="" type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	
Size Relative to Other Wetlands in Basin (on NWI maps)	<input type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input checked="" type="checkbox"/> > 200% of average size	
Buffer Size	<input type="checkbox"/> < 75 feet	<input checked="" type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	
Relative Size	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5
				11
				2

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>13</u>	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input checked="" type="checkbox"/> semi-constrained outlet	<input type="checkbox"/> culvert/bermed outlet
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>12</u>	<input type="checkbox"/> Size cumulative score (see Table 1)	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input type="checkbox"/> mid-sloped wetland	<input checked="" type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
	<input type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input checked="" type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>6</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>13</u>	<input type="checkbox"/> rapid flow through site	<input type="checkbox"/> moderate flow through site	<input checked="" type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input type="checkbox"/> 50 - 80 % cover	<input checked="" type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input checked="" type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input checked="" type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input checked="" type="checkbox"/> Plate-shaped	<input type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input type="checkbox"/> 2-5 acres	<input checked="" type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input checked="" type="checkbox"/> Semi-constrained	<input type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 11
				2

Natural Biological Support	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low connectivity to veg'd buffers	<input checked="" type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input checked="" type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input type="checkbox"/> moderate plant diversity (7-15 spp)	<input checked="" type="checkbox"/> high plant diversity (> 15 spp)
	<input type="checkbox"/> > 50 % invasive species	<input checked="" type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input checked="" type="checkbox"/> high organic accumulation
	<input type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input checked="" type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input type="checkbox"/> some habitat features	<input checked="" type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input type="checkbox"/> isolated from upland habitats	<input checked="" type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input type="checkbox"/> size cumulative score (see Table 1)	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input type="checkbox"/> moderate habitat diversity	<input checked="" type="checkbox"/> high habitat diversity
	<input type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input checked="" type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input type="checkbox"/> moderate invertebrate habitat	<input checked="" type="checkbox"/> high invertebrate habitat
	<input type="checkbox"/> low amphibian habitat	<input checked="" type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input type="checkbox"/> low fish habitat	<input checked="" type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input type="checkbox"/> moderate bird habitat	<input checked="" type="checkbox"/> high bird habitat
Points (max 36)	30		
Points (max 9)	8		
Points (max 15)	12		

Cultural/ Socio-economic Points (max 18) 16	<input type="checkbox"/> low educational opportunities	<input type="checkbox"/> moderate educational opportunities	<input checked="" type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input type="checkbox"/> moderate /aesthetic value	<input checked="" type="checkbox"/> high aesthetic value
	<input type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input checked="" type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input type="checkbox"/> lacks historical or archeological resources	<input checked="" type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input type="checkbox"/> some passive and active recreational opportunities	<input checked="" type="checkbox"/> many passive and active recreational opportunities
	<input type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input checked="" type="checkbox"/> unrestricted public access

Dominant
Vegetation

Wildlife

Notes

2000 Wetland and Buffer Functions and Semi-quantitative Performance Assessment updated 8/04

Wetland # Larsen B Staff Mike Foster Date May 1, 2008
 Location S 34 T 25N R 05E N/A = Not Applicable, N/I = No information available

Table 1: Determining Wetland Size in Landscape Context

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Absolute Size	<input checked="" type="checkbox"/> <5 acres	<input type="checkbox"/> 5-10 acres	<input type="checkbox"/> > 10 acres	1
Wetland Loss in Basin	<input checked="" type="checkbox"/> < 20 %	<input type="checkbox"/> 20 – 60 %	<input type="checkbox"/> >60 %	1
Size Relative to Other Wetlands in Basin (on NWI maps)	<input checked="" type="checkbox"/> < 100% of average size	<input type="checkbox"/> 100 – 200 % of average size	<input type="checkbox"/> > 200% of average size	1
Buffer Size	<input checked="" type="checkbox"/> < 75 feet	<input type="checkbox"/> 75 to 200 feet	<input type="checkbox"/> > 200 feet	1
Buffer Condition	<input checked="" type="checkbox"/> > 60% disturbed	<input type="checkbox"/> 20-60% disturbed	<input type="checkbox"/> < 20% disturbed	1
Relative Size	<input checked="" type="checkbox"/> If score is = 1.4 then give the question a 1 <input type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 5
				1

Function	Criteria		
	Group 1 1 pt	Group 2 2 pts	Group 3 3 pts
Flood/ Storm Water Control Points (max 15) <u>12</u>	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input checked="" type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> < 10 % forested cover	<input type="checkbox"/> 10 - 30 % forested cover	<input checked="" type="checkbox"/> > 30 % forested cover
	<input type="checkbox"/> unconstrained outlet	<input type="checkbox"/> semi-constrained outlet	<input checked="" type="checkbox"/> culvert/bermed outlet
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
Base Flow/ Ground Water Support Points (max 15) <u>8</u>	<input checked="" type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)	<input type="checkbox"/> Size cumulative score (see Table 1)
	<input type="checkbox"/> riverine, or shallow depression	<input checked="" type="checkbox"/> mid-sloped wetland	<input type="checkbox"/> lake, depressions, headwaters, bogs
	<input type="checkbox"/> located in lower 1/3 of the drainage	<input type="checkbox"/> located in middle 1/3 of the drainage	<input checked="" type="checkbox"/> located in upper 1/3 of the drainage
	<input checked="" type="checkbox"/> temporarily flooded or saturated	<input type="checkbox"/> seasonally or semi-permanently flooded or saturated	<input type="checkbox"/> permanently flooded or saturated, or intermittently exposed
	<input checked="" type="checkbox"/> vegetation < 20 % OBL species	<input type="checkbox"/> vegetation 20 to 40 % OBL species	<input type="checkbox"/> vegetation > 40 % OBL species
Erosion/ Shoreline Protection Points (max 9) <u>6</u>	<input type="checkbox"/> sparse grass/herbs or no veg along OHWM	<input type="checkbox"/> sparse wood or veg along OHWM	<input checked="" type="checkbox"/> dense wood or veg along OHWM
	<input type="checkbox"/> wetland extends < 30 m from OHWM	<input checked="" type="checkbox"/> wetland extends 30 - 60 m from OHWM	<input type="checkbox"/> wetland extends > 200 m from OHWM
	<input checked="" type="checkbox"/> <20 % shoreline developed	<input type="checkbox"/> 20 to 60% shoreline developed	<input type="checkbox"/> >60 % shoreline developed
Water Quality Improvement Points (max 15) <u>10</u>	<input type="checkbox"/> rapid flow through site	<input checked="" type="checkbox"/> moderate flow through site	<input type="checkbox"/> slow flow through site
	<input type="checkbox"/> < 50 % veg cover	<input checked="" type="checkbox"/> 50 - 80 % cover	<input type="checkbox"/> > 80 % veg cover
	<input type="checkbox"/> <20% of basin upstream from wetland is developed	<input type="checkbox"/> 20 to 50% of basin up stream from wetland is developed	<input checked="" type="checkbox"/> > 50% of basin upstream from wetland is developed
	<input type="checkbox"/> result from Table 2	<input checked="" type="checkbox"/> result from Table 2	<input type="checkbox"/> result from Table 2
	<input checked="" type="checkbox"/> Soil coarse -gravel, Sand, sandyloam	<input type="checkbox"/> Soil organic mineral mix	<input type="checkbox"/> Soil heavy organic muck and peat

Table 2: Overland Flow Contained in Wetland

Attribute	Low (1 pt.)	Medium (2 pts.)	High (3 pts.)	Total
Configuration	<input type="checkbox"/> Plate-shaped	<input checked="" type="checkbox"/> Shallow bowl-shaped	<input type="checkbox"/> Deep bowl-shaped	
Drainage Basin Size	<input type="checkbox"/> < 2 acres	<input checked="" type="checkbox"/> 2-5 acres	<input type="checkbox"/> > 5 acres	
Outlet	<input type="checkbox"/> Unconstrained	<input type="checkbox"/> Semi-constrained	<input checked="" type="checkbox"/> Constrained	
Input	<input type="checkbox"/> Groundwater only	<input checked="" type="checkbox"/> Surface flow and groundwater	<input type="checkbox"/> Surface flow	
Basin Condition	<input type="checkbox"/> < 20% impervious	<input type="checkbox"/> 20-40 % impervious	<input checked="" type="checkbox"/> >40% impervious	
Flow Contained	<input type="checkbox"/> If score is = 1.4 then give the question a 1 <input checked="" type="checkbox"/> If score is 1.5 to 2.4 then give the question a 2 <input type="checkbox"/> If score is 2.5 to =3 then give the question a 3			subtotal/5 12
				2

Natural Biological Support	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input checked="" type="checkbox"/> low connectivity to veg'd buffers	<input type="checkbox"/> mod connectivity to veg'd buffers	<input type="checkbox"/> high connectivity to veg'd buffers
	<input type="checkbox"/> ag land, low veg structure	<input type="checkbox"/> 2 layers of vegetation	<input checked="" type="checkbox"/> high veg structure
	<input checked="" type="checkbox"/> seasonal surface water	<input type="checkbox"/> permanent surface water	<input type="checkbox"/> open water pools through summer
	<input type="checkbox"/> one habitat type PAB POW PEM PSS PFO EST	<input type="checkbox"/> two habitat types PAB POW PEM PSS PFO EST	<input checked="" type="checkbox"/> > 3 habitat types PAB POW PEM PSS PFO EST
	<input type="checkbox"/> low plant diversity (< 6 species)	<input checked="" type="checkbox"/> moderate plant diversity (7-15 spp)	<input type="checkbox"/> high plant diversity (> 15 spp)
	<input checked="" type="checkbox"/> > 10 % invasive species	<input type="checkbox"/> 10 to 50 % invasive species	<input type="checkbox"/> < 10% invasive species
	<input checked="" type="checkbox"/> low organic accumulation	<input type="checkbox"/> moderate organic accumulation	<input type="checkbox"/> high organic accumulation
	<input checked="" type="checkbox"/> low organic export	<input type="checkbox"/> moderate organic export	<input type="checkbox"/> high organic export
	<input type="checkbox"/> few habitat features	<input checked="" type="checkbox"/> some habitat features	<input type="checkbox"/> many habitat features
	<input checked="" type="checkbox"/> buffers very disturbed	<input type="checkbox"/> buffers slightly disturbed	<input type="checkbox"/> buffers not disturbed
	<input checked="" type="checkbox"/> isolated from upland habitats	<input type="checkbox"/> partially connected to upland habitats	<input type="checkbox"/> well connected to upland habitats
Overall Habitat Functions	<input checked="" type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)	<input type="checkbox"/> size cumulative score (see Table 1)
	<input type="checkbox"/> low habitat diversity	<input checked="" type="checkbox"/> moderate habitat diversity	<input type="checkbox"/> high habitat diversity
	<input checked="" type="checkbox"/> low sanctuary or refuge	<input type="checkbox"/> moderate sanctuary or refuge	<input type="checkbox"/> high sanctuary or refuge
Specific Habitat Functions	<input type="checkbox"/> low invertebrate habitat	<input checked="" type="checkbox"/> moderate invertebrate habitat	<input type="checkbox"/> high invertebrate habitat
	<input checked="" type="checkbox"/> low amphibian habitat	<input type="checkbox"/> moderate amphibian habitat	<input type="checkbox"/> high amphibian habitat
	<input checked="" type="checkbox"/> low fish habitat	<input type="checkbox"/> moderate fish habitat	<input type="checkbox"/> high fish habitat
	<input type="checkbox"/> low mammal habitat	<input checked="" type="checkbox"/> moderate mammal habitat	<input type="checkbox"/> high mammal habitat
	<input type="checkbox"/> low bird habitat	<input checked="" type="checkbox"/> moderate bird habitat	<input type="checkbox"/> high bird habitat

Cultural/ Socio-economic Points (max 18) 9	<input type="checkbox"/> low educational opportunities	<input checked="" type="checkbox"/> moderate educational opportunities	<input type="checkbox"/> high educational opportunities
	<input type="checkbox"/> low aesthetic value	<input checked="" type="checkbox"/> moderate /aesthetic value	<input type="checkbox"/> high aesthetic value
	<input checked="" type="checkbox"/> lacks commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> moderate commercial fisheries, agriculture, renewable resources	<input type="checkbox"/> high commercial fisheries, agriculture, renewable resources
	<input checked="" type="checkbox"/> lacks historical or archeological resources	<input type="checkbox"/> historical or archeological site	<input type="checkbox"/> important historical or archeological site
	<input type="checkbox"/> lacks passive and active recreational opportunities	<input checked="" type="checkbox"/> some passive and active recreational opportunities	<input type="checkbox"/> many passive and active recreational opportunities
	<input checked="" type="checkbox"/> privately owned	<input type="checkbox"/> privately owned, some public access	<input type="checkbox"/> unrestricted public access

Dominant Vegetation Salix sitchensis, Salix lucida, Rubus spectabilis

Wildlife Passerines,

Notes