

Tree Hazard Declaration

All hazardous trees shall be evaluated by an ISA TRAQ Certified Arborist. Completed copies of the ISA Basic Tree Risk Assessment form(s) shall accompany this form. Site Address _____ Property Owner _____ Address _____ Phone _____ Email _____ Arborist Name _____ Company Name _____ ISA Phone Email Site Information (check all that apply): Residential Multifamily/Commercial □ Bridle Trails R-1 □ Critical Area(s) Present (check all that apply): Stream □ Wetland □ Geologic Hazard □ Floodplain Critical Area Buffer □ Native Growth Areas, Retained Vegetation, Shoreline (check all that apply): Shoreline □ NGPA □ NGPE □ RVA □ Retained Tree(s) □ **Tree Information**

son for Removal Work Proposed

Tree ID	Species	DBH	Reason for Removal	Work Proposed

Critical Areas and Non-Residential Shoreline Conservation Area Requirements

Criteria	Complies	Comment
Proposed tree work is the minimum	□ Yes	
necessary to alleviate the safety hazard to	□ No	
the identified target(s).		
Complete removal of the tree(s) will only	□ Yes	
be considered when habitat snag creation	□ No	
cannot be safely executed.		
All vegetation cut (tree stems, branches,	□ Yes	
etc.) shall be left within the critical area or	□ No	
buffer unless removal is warranted due to		
the potential for creating a fire hazard or		
for disease or pest transmittal to other		
healthy vegetation.		
The landowner shall replace any trees that	□ Yes	
are removed pursuant to a restoration	□ No	
plan meeting the requirements of LUC		
20.25H.210 and/or LUC 20.25E.060.K.14,		
whichever is applicable.		
If a tree to be removed provides critical	□ Yes	
habitat, such as an eagle perch, a qualified	□ No	
wildlife biologist shall be consulted to		
determine timing and methods for		
removal that will minimize impacts.		

Residential Shoreline Conservation Area Requirements

Criteria	Complies	Comment
All trees removed shall be replaced per	□ Yes	
LUC 20.25E.065.F.13 requirements. Please	□No	
see approved species list on this form.		
A landowner may choose to convert a	□ Yes	
hazard tree proposed for removal to a	□No	
wildlife snag as an alternative to providing		
replacement mitigation.		

Bridle Trails R-1 Single-Family Zoning Requirements

	Criteria	Complies	Comment
	All significant trees within the perimeter	□ Yes	
	area which do not constitute a safety	□ No	
	hazard shall be retained.		
	At least 25% of the total diameter inches	□ Yes	
	of existing significant trees within the	□ No	
	interior shall be retained.		
	At least 8 significant trees will remain	□ Yes	
	onsite after the proposed work.	□ No	
•			
	Please Note: If the City of Bellevue does not ag		
	Certified Arborist listed, the City of Bellevue ma	•	. ,
	evaluate the relative risk of the tree(s) covered in the hazard evaluation prior to acting on the permit.		
	The applicant may be responsible for the cost of the third-party evaluation.		

Signature of Certified Arborist ______ Date _____

Shoreline Tree Replacement Ratio

Significant Tree Removed	Replacement Ratio
8 -10 inches	1:1
10 -16 inches	2:1
Greater than 16 inches	3:1

Shoreline Replacement Tree Species – Conifers

Common Name	Scientific Name	Common Name	Scientific Name
Grand Fir	Abies grandis	Incense Cedar	Calocedrus decurens
Noble Fir	Abies procera	Cedar of Lebanon	Cedrus libani
Alaska Yellow Cedar	Callitropsis nootkatensis	Atlas Cedar	C. libani subsp. atlantica
Sitka Spruce	Picea sitchensis	Western Larch	Larix occidentalis
Shore Pine	Pinus contorta var. latifolia	Ponderosa Pine	Pinus ponderosa
Western White Pine	Pinus monitcola	Coastal Redwood	Sequoia sempervirens
Douglas-Fir	Pseudotsuga menziesii		
Western Redcedar	Thuja plicata		
Western Hemlock	Tsuga heterophylla		

Shoreline Replacement Tree Species – Broadleaf

Common Name	Scientific Name
Bigleaf Maple	Acer macrophyllum
Red Alder	Alnus rubra
Pacific Madrone	Arbutus menziesii
Pacific Dogwood	Cornus nuttallii
Oregon Ash	Fraxinus latifolia
Black Cottonwood	Populus trichocarpa
Quaking Aspen	Populus tremuloides
Garry Oak	Quercus garryana
Paper Birch	Betula papyrifera