


NOTES:

1. REPLACE ANY EXISTING 4" OR 6" SIDE SEWER WITH 6" DUCTILE IRON PIPE WITH PROTECTO 401 LINING. EXTEND NEW DUCTILE IRON PIPE 5' PAST ROCKERY BULKHEAD. REMOVE AND DISPOSE OF ANY EXISTING PIPE THAT IS NOT REUSED.
2. CONNECT TO EXISTING SIDE SEWER AND MAIN STUB WITH MECHANICAL TRANSITION COUPLING (SEE APPROVED MATERIAL LIST)
3. AT CONNECTION, IF SEWER MAIN IS AC PIPE, THEN CONNECT TO EXISTING SEWER MAIN WITH A TAPPING TEE PER DETAIL S-36, OR CUT IN AND INSTALL A TEE WITH MECHANICAL TRANSITION COUPLING (SEE APPROVED MATERIAL LIST)
4. MECHANICAL TRANSITION COUPLING (SEE APPROVED MATERIAL LIST)

	<h1 style="margin: 0;">City of Bellevue</h1>	<p>SEWER UTILITIES</p>
<p>TITLE</p> <h2 style="margin: 0;">LAKELINE LATERAL EXTENSION</h2>		
<p>JANUARY 2025</p>		<p>NO. S-37</p>