DEVELOPMENT SERVICES DEPARTMENT
ENVIRONMENTAL COORDINATOR
450 110th Ave NE
BELLEVUE, WA 98009-9012

DETERMINATION OF NON-SIGNIFICANCE

PROPONENT: Thomas Kinsman

LOCATION OF PROPOSAL: 829 134th Ave NE

DESCRIPTION OF PROPOSAL: Removal of 3 hazardous trees located in the Kelsey Creek stream buffer. Proposal includes 5 native-specie replacement trees.

FILE NUMBERS: 19-103594-GJ **PLANNER:** Peter Rosen

The Environmental Coordinator of the City of Bellevue has determined that this proposal does not have a probable significant adverse impact upon the environment. An Environmental Impact Statement (EIS) is not required under RCW 43.21C.030(2)(C). This decision was made after the Bellevue Environmental Coordinator reviewed the completed environmental checklist and information filed with the Land Use Division of the Development Services Department. This information is available to the public on request.

☐ There is no comment period for this DNS. There is a 14-day appeal period. Only persons who submitted written comments before the DNS was issued may appeal the decision. A written appeal must be filed in the City Clerk's office by 5:00 p.m. on _____.

☒ This DNS is issued after using the optional DNS process in WAC 197-11-355. There is no further comment period on the DNS. There is a 14-day appeal period. Only persons who submitted written comments before the DNS was issued may appeal the decision. A written appeal must be filed in the City Clerk's Office by 5 p.m. on **7/25/2019**

☐ This DNS is issued under WAC 197-11-340(2) and is subject to a 14-day comment period from the date below. Comments must be submitted by 5 p.m. on _____. This DNS is also subject to appeal. A written appeal must be filed in the City Clerk's Office by 5:00 p.m. on _____.

This DNS may be withdrawn at any time if the proposal is modified so as to have significant adverse environmental impacts; if there is significant new information indicating a proposals probable significant adverse environmental impacts (unless a non-exempt license has been issued if the proposal is a private project): or if the DNS was procured by misrepresentation or lack of material disclosure.

Heidi M. Bauer for **7/11/2019**
Environmental Coordinator Date
Elizabeth Stead, Land Use Director

OTHERS TO RECEIVE THIS DOCUMENT:
☒ State Department of Fish and Wildlife / Stewart.Reinbold@dfw.gov; Christa.Heller@dfw.wa.gov;
☒ Army Corps of Engineers Susan.M.Powell@nws02.usace.army.mil
☒ Attorney General ecyolyef@atg.wa.gov
☒ Muckleshoot Indian Tribe Karen.Walter@muckleshoot.nsn.us; Fisheries.fileroom@muckleshoot.nsn.us

1. All tree stumps shall be left in place.

2. Woody debris from the 2 Silver Birch trees shall be left in the stream buffer



HAZARDOUS TREES ⚠ (symbol only)

1. Scott's Pine 46" dbh
2. Silver Birch 18" "
3. Silver Birch 18" "

OTHER TREES ⚠ (symbol only)

4. western red cedar 15" dbh
5. chestnut 9" dbh
6. western red cedar 36" "
7. " " 36" "
8. " " 42" "
9. maple 27" "
10. western red cedar 30" "
11. Pear 15" "

⚠ PROPOSED NEW TREES *

12. western red cedar (approx. 10' from #3)
13. western red cedar (approx. 5' from #2)
14. western red cedar (approx. 10' from creek bank midway between HOUSE & #9)
15. QUAKING ASPEN (approx 8' from #1)
16. QUAKING ASPEN (approx 8' from #1)

western red cedar ~ Thuja pilicata
QUAKING ASPEN ~ Populus Tremuloides

⚠ Revision 7.5.19

Received
JUL 05 2019
Permit Processing