

DOD Hazardous Materials Information System
DoD 6050.5-L
AS OF July 1998

FSC: 6850
NIIN: 00N075656
Manufacturer's CAGE: BXXWA
Part No. Indicator: A
Part Number/Trade Name: WOOD WASH-RETAIL

=====

General Information

=====

Item Name:
Company's Name: BIO-WASH PRODUCTS INC (CANADA)
Company's Street: 101-7156 BROWN ST
Company's P. O. Box:
Company's City: DELTA
Company's State: BC
Company's Country:
Company's Zip Code: V4G 1G8
Company's Emerg Ph #: 800-663-9274
Company's Info Ph #: 613-996-6666
Distributor/Vendor # 1:
Distributor/Vendor # 1 Cage:
Distributor/Vendor # 2:
Distributor/Vendor # 2 Cage:
Distributor/Vendor # 3:
Distributor/Vendor # 3 Cage:
Distributor/Vendor # 4:
Distributor/Vendor # 4 Cage:
Safety Data Action Code:
Safety Focal Point: N
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SMJ
Date MSDS Prepared: 31MAY93
Safety Data Review Date: 17DEC96
Supply Item Manager:
MSDS Preparer's Name:
Preparer's Company:
Preparer's St Or P. O. Box:
Preparer's City:
Preparer's State:
Preparer's Zip Code:
Other MSDS Number:
MSDS Serial Number: CCWSQ
Specification Number:
Spec Type, Grade, Class:
Hazard Characteristic Code:
Unit Of Issue:
Unit Of Issue Container Qty:
Type Of Container:
Net Unit Weight:

Report for NIIN: 00N075656

NRC/State License Number:
Net Explosive Weight:
Net Propellant Weight-Ammo:
Coast Guard Ammunition Code:

=====

Ingredients/Identity Information

=====
 Proprietary: NO
 Ingredient: SODIUM HYDROXIDE (CERCLA) LD50 (ORAL,RAT) :140-340 MG/KG
 Ingredient Sequence Number: 01
 Percent: 1-5
 Ingredient Action Code:
 Ingredient Focal Point: N
 NIOSH (RTECS) Number: WB4900000
 CAS Number: 1310-73-2
 OSHA PEL: 2 MG/M3
 ACGIH TLV: C 2 MG/M3
 Other Recommended Limit: N/K
 =====

Physical/Chemical Characteristics

=====
 Appearance And Odor: CLEAR BLUE LIQUID; ODORLESS.
 Boiling Point: 212F,100C
 Melting Point: 32.0F,0.0C
 Vapor Pressure (MM Hg/70 F): WATER
 Vapor Density (Air=1): WATER
 Specific Gravity: 1.0
 Decomposition Temperature: N/K
 Evaporation Rate And Ref: <1
 Solubility In Water: 100% SOLUBLE
 Percent Volatiles By Volume: N/K
 Viscosity:
 pH: 12.9
 Radioactivity:
 Form (Radioactive Matl):
 Magnetism (Milligauss):
 Corrosion Rate (IPY): N/K
 Autoignition Temperature:
 =====

Fire and Explosion Hazard Data

=====
 Flash Point: NOT APPLICABLE
 Flash Point Method: N/P
 Lower Explosive Limit: N/A
 Upper Explosive Limit: N/A
 Extinguishing Media: MEDIA SUITABLE FOR SURROUNDING FIRE (FP N). NOT APPLICABLE.
 Special Fire Fighting Proc: WEAR NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).
 Unusual Fire And Expl Hazrds: NONE.
 =====

Report for NIIN: 00N075656

Reactivity Data

=====
 Stability: YES
 Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.
 Materials To Avoid: ALUMINUM, ZINC OR MAGNESIUM.
 Hazardous Decomp Products: NONE. MAY PRODUCE HYDROGEN GAS WITH ALUMINUM, ZINC OR MAGNESIUM.
 Hazardous Poly Occur: YES
 Conditions To Avoid (Poly): NOT RELEVANT
 =====

Health Hazard Data

=====
 LD50-LC50 Mixture: SEE INGREDIENT 1.
 =====

Route Of Entry - Inhalation: NO
 Route Of Entry - Skin: YES
 Route Of Entry - Ingestion: YES
 Health Haz Acute And Chronic: ACUTE:WILL CAUSE BURNS TO EYES, SKIN AND MUCOUS MEMBRANE. CHRONIC:PROLONGED CONTACT WITH EYES MAY CAUSE PERMANENT INJURY OR BLINDNESS.
 Carcinogenicity - NTP: NO
 Carcinogenicity - IARC: NO
 Carcinogenicity - OSHA: NO
 Explanation Carcinogenicity: NOT RELEVANT
 Signs/Symptoms Of Overexp: SEE HEALTH HAZARDS.
 Med Cond Aggravated By Exp: NONE SPECIFIED BY MANUFACTURER.
 Emergency/First Aid Proc: INHALATION:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) (FP N). EYE CONTACT:IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH LOTS OF COLD WATER FOR AT LEAST 15 MINUTES. SKIN CONTACT:IN CASE OF SKIN CONTACT, IMMEDIATELY FLUSH WITH LOTS OF COLD WATER FOR 30 MINUTES. INGESTION:IF SWALLOWED GIVE LOTS OF WATER OR MILK. GET IMMEDIATE MEDICAL ATTENTION.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: IN ACCORDANCE WITH LOCAL REGULATIONS, ABSORB WITH SAND OR VACUUM.
 Neutralizing Agent: NEUTRALIZE WITH DILUTE ACID.
 Waste Disposal Method: DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS (FP N). NEUTRALIZE WITH DILUTE ACID. DISPOSE OF IN ACCORDANCE WITH APPLICABLE ENVIRONMENTAL REGULATIONS.
 Precautions-Handling/Storing: NO SPECIAL EQUIPMENT REQUIRED.
 Other Precautions: DO NOT STORE IN ALUMINUM OR ZINC CONTAINERS. STORE BETWEEN 5C AND 40C.

=====

Control Measures

=====

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR IF SPRAYING.
 Ventilation: LOCAL MECHANICAL EXHAUST VENTILATION CAPABLE OF MAINTAINING EMISSIONS AT THE POINT OF USE BELOW THE PEL.
 Protective Gloves: RUBBER, VINYL, PVC. GLOVES.
 Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT)
 Other Protective Equipment: ANSI APPROVED EMERGENCY EYE WASH AND DELUGE

Report for NIIN: 00N075656

SHOWER (FP N). RUBBER, VINYL, PVC FOOTWEAR, RUBBER APRON OR SUIT.
 Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
 Suppl. Safety & Health Data: EYE PROT:AND FULL LENGTH FACESHIELD (FP N).

=====

Transportation Data

=====

Transportation Action Code:
 Transportation Focal Point:
 Trans Data Review Date:
 DOT PSN Code:
 DOT Symbol:
 DOT Proper Shipping Name:
 DOT Class:
 DOT ID Number:
 DOT Pack Group:
 DOT Label:
 DOT/DoD Exemption Number:
 IMO PSN Code:
 IMO Proper Shipping Name:

IMO Regulations Page Number:
 IMO UN Number:
 IMO UN Class:
 IMO Subsidiary Risk Label:
 IATA PSN Code:
 IATA UN ID Number:
 IATA Proper Shipping Name:
 IATA UN Class:
 IATA Subsidiary Risk Class:
 IATA Label:
 AFI PSN Code:
 AFI Symbols:
 AFI Prop. Shipping Name:
 AFI Class:
 AFI ID Number:
 AFI Pack Group:
 AFI Label:
 AFI Special Prov:
 AFI Basic Pac Ref:
 MMAC Code:
 N.O.S. Shipping Name:
 Additional Trans Data:

=====

Disposal Data

=====

Disposal Data Action Code:
 Disposal Data Focal Point:
 Disposal Data Review Date:
 Rec # For This Disp Entry:
 Tot Disp Entries Per NSN:
 Landfill Ban Item:
 Disposal Supplemental Data:
 1st EPA Haz Wst Code New:
 1st EPA Haz Wst Name New:

Report for NIIN: 00N075656

1st EPA Haz Wst Char New:
 1st EPA Acute Hazard New:
 2nd EPA Haz Wst Code New:
 2nd EPA Haz Wst Name New:
 2nd EPA Haz Wst Char New:
 2nd EPA Acute Hazard New:
 3rd EPA Haz Wst Code New:
 3rd EPA Haz Wst Name New:
 3rd EPA Haz Wst Char New:
 3rd EPA Acute Hazard New:

=====

Label Data

=====

Label Required: YES
 Technical Review Date: 17DEC96
 Label Date:
 MFR Label Number:
 Label Status: G
 Common Name: WOOD WASH-RETAIL
 Chronic Hazard: YES
 Signal Word: WARNING!
 Acute Health Hazard-None:
 Acute Health Hazard-Slight:
 Acute Health Hazard-Moderate: X

Acute Health Hazard-Severe:
Contact Hazard-None:
Contact Hazard-Slight:
Contact Hazard-Moderate: X
Contact Hazard-Severe:
Fire Hazard-None: X
Fire Hazard-Slight:
Fire Hazard-Moderate:
Fire Hazard-Severe:
Reactivity Hazard-None: X
Reactivity Hazard-Slight:
Reactivity Hazard-Moderate:
Reactivity Hazard-Severe:
Special Hazard Precautions: ACUTE:WILL CAUSE BURNS TO EYES, SKIN AND
MUCOUS MEMBRANE. CHRONIC:PROLONGED CONTACT WITH EYES MAY CAUSE PERMANENT
INJURY OR BLINDNESS.
Protect Eye: Y
Protect Skin: Y
Protect Respiratory: Y
Label Name: BIO-WASH PRODUCTS INC (CANADA)
Label Street: 101-7156 BROWN ST
Label P.O. Box:
Label City: DELTA
Label State: BC
Label Zip Code: V4G 1G8
Label Country:
Label Emergency Number: 800-663-9274
Year Procured: